


NOTES:

1. MATERIAL:
HOUSING: HIGH TEMP. THERMOPLASTIC UL94V-0,
COLOR: BLACK
TERMINAL: COPPER ALLOY
2. PLATING TYPE:
 - (1) : GOLD FLASH OVER
50 MICRO INCHES MIN. NICKEL OVERALL.
 - (2) : 1 MICRO INCHES MIN. GOLD PLATE ON CONTACT AND
75 MICRO INCHES MIN. TIN ON SOLDERTAIL OVER
50 MICRO INCHES MIN. NICKEL OVERALL.
 - (3) : 10 MICRO INCHES MIN. GOLD PLATE ON CONTACT AND
75 MICRO INCHES MIN. TIN ON SOLDERTAIL OVER
50 MICRO INCHES MIN. NICKEL OVERALL.
 - (4) : 15 MICRO INCHES MIN. GOLD PLATE ON CONTACT AND
75 MICRO INCHES MIN. TIN ON SOLDERTAIL OVER
50 MICRO INCHES MIN. NICKEL OVERALL.
 - (5) : 30 MICRO INCHES MIN. GOLD PLATE ON CONTACT AND
75 MICRO INCHES MIN. TIN ON SOLDERTAIL OVER
50 MICRO INCHES MIN. NICKEL OVERALL.
 - (6) : 100 MICRO INCHES MIN. TIN IN SELECTED AREA OVER
50 MICRO INCHES MIN. NICKEL OVERALL.
3. PRODUCT SPECIFICATION: PS-87920-019
4. PACKAGING SPECIFICATION: PK-89990-489 (TRAY)
PK-89990-516 (TUBE)
5. PIN PUSHOUT FORCE: 1KG MIN IN EITHER DIRECTION
6. THE ABOVE 6 CKT IS FOR ILLUSTRATION PURPOSE ONLY.

THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX ELECTRONIC TECHNOLOGIES, LLC AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION									
DIMENSION UNITS		SCALE		CURRENT REV DESC: BRIGHT TIN PHASE OUT				molex	
mm		NTS							
GENERAL TOLERANCES (UNLESS SPECIFIED)				EC NO: 679909 DRWN: AKUMAR19 2021/06/28 CHK'D: MRAMAKRISHNA 2021/10/11 APPR: MRAMAKRISHNA 2021/10/11 INITIAL REVISION: DRWN: YLQIAO 2005/01/24 APPR: SLOW 2005/02/01					
		MM	INCH						
4 PLACES	±		±						
3 PLACES	±		±						
2 PLACES	±	0.2	±						
1 PLACE	±		±						
0 PLACES	±		±						
ANGULAR TOL		± 3.0°		DOCUMENT NUMBER		DOC TYPE		DOC PART	
				SD-87897-010		PSD		001	
DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS		THIRD ANGLE PROJECTION		DRAWING		SERIES		MATERIAL NUMBER	
				A3-SIZE		87897		SEE TABLE	
				CUSTOMER		GENERAL MARKET		SHEET NUMBER	
								1 OF 15	

PACKAGING OPTION PART NO.						CKT SIZE	VOID POSITION	PLATING TYPE	DIMENSION				
TRAY WITHOUT CAP	TRAY WITH CAP	TUBE WITHOUT CAP	TUBE WITH CAP	TAPE & REEL WITHOUT CAP	TAPE & REEL WITH CAP				A	B	C	D	E
87897-0101	-----	N/A \triangle (A4)	-----	-----	-----	1	-----	1	2.54	----	5.84	2.29	1.52
87897-0102	-----	N/A \triangle (A4)	-----	-----	-----	1	-----	2	2.54	----	5.84	2.29	1.52
87897-0103	-----	N/A \triangle (A4)	-----	-----	-----	1	-----	3	2.54	----	5.84	2.29	1.52
87897-0104	-----	N/A \triangle (A4)	-----	-----	-----	1	-----	4	2.54	----	5.84	2.29	1.52
87897-0105	-----	N/A \triangle (A4)	-----	-----	-----	1	-----	5	2.54	----	5.84	2.29	1.52
87897-0106	-----	N/A \triangle (A4)	-----	-----	-----	1	-----	6	2.54	----	5.84	2.29	1.52
87897-0201	-----	N/A \triangle (A4)	-----	-----	-----	2	-----	1	5.08	2.54	5.84	2.29	1.52
87897-0202	-----	N/A \triangle (A4)	-----	-----	-----	2	-----	2	5.08	2.54	5.84	2.29	1.52
87897-0203	-----	N/A \triangle (A4)	-----	-----	-----	2	-----	3	5.08	2.54	5.84	2.29	1.52
87897-0204	-----	N/A \triangle (A4)	-----	-----	-----	2	-----	4	5.08	2.54	5.84	2.29	1.52
87897-0205	-----	N/A \triangle (A4)	-----	-----	-----	2	-----	5	5.08	2.54	5.84	2.29	1.52
87897-0206	-----	N/A \triangle (A4)	-----	-----	-----	2	-----	6	5.08	2.54	5.84	2.29	1.52
87897-0301	-----	87897-0321	-----	-----	-----	3	-----	1	7.62	5.08	5.84	2.29	1.52
87897-0302	-----	87897-0322	-----	-----	-----	3	-----	2	7.62	5.08	5.84	2.29	1.52
87897-0303	-----	87897-0323	-----	-----	-----	3	-----	3	7.62	5.08	5.84	2.29	1.52
87897-0304	-----	87897-0324	-----	-----	-----	3	-----	4	7.62	5.08	5.84	2.29	1.52
87897-0305	-----	87897-0325	-----	-----	-----	3	-----	5	7.62	5.08	5.84	2.29	1.52
87897-0306	-----	87897-0326	-----	-----	-----	3	-----	6	7.62	5.08	5.84	2.29	1.52
(A5) -----	-----	87897-0329	-----	-----	-----	3	-----	6	7.62	5.08	5.84	2.29	1.52



(A4) \triangle TUBE OPTION IS NOT RECOMMENDED FOR CKT 1 AND 2

THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX ELECTRONIC TECHNOLOGIES, LLC AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION											
DIMENSION UNITS		SCALE		CURRENT REV DESC: BRIGHT TIN PHASE OUT							
mm		NTS									
GENERAL TOLERANCES (UNLESS SPECIFIED)				EC NO: 679909		DRWN: AKUMAR19		2021/06/28		SALES DRAWING	
				CHK'D: MRAMAKRISHNA		2021/10/11		2021/10/11		SINGLE ROW SINGLE WAFER 2.54MM PITCH, R/A	
				APPR: MRAMAKRISHNA		2021/10/11		2021/10/11		PRODUCT CUSTOMER DRAWING	
				INITIAL REVISION:		DRWN: YLQIAO		2005/01/24		DOCUMENT NUMBER	
				APPR: SLOW		2005/02/01		2005/02/01		SD-87897-010	
				ANGULAR TOL \pm 3.0°						DOC TYPE	
				DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS		THIRD ANGLE PROJECTION		DRAWING		DOC PART	
								SERIES		REVISION	
								A3-SIZE		A5	
								MATERIAL NUMBER		SHEET NUMBER	
								SEE TABLE		2 OF 15	
								CUSTOMER			
								GENERAL MARKET			

F
E
D
C
B
A

F
E
D
C
B
A

PACKAGING OPTION PART NO.						CKT SIZE	VOID POSITION	PLATING TYPE	DIMENSION				
TRAY WITHOUT CAP	TRAY WITH CAP	TUBE WITHOUT CAP	TUBE WITH CAP	TAPE & REEL WITHOUT CAP	TAPE & REEL WITH CAP				A	B	C	D	E
87897-0401	-----	87897-0421	-----	-----	-----	4	-----	1	10.16	7.62	5.84	2.29	1.52
87897-0402	-----	87897-0422	-----	-----	-----	4	-----	2	10.16	7.62	5.84	2.29	1.52
87897-0403	-----	87897-0423	-----	-----	-----	4	-----	3	10.16	7.62	5.84	2.29	1.52
87897-0404	-----	87897-0424	-----	-----	-----	4	-----	4	10.16	7.62	5.84	2.29	1.52
87897-0405	-----	87897-0425	-----	-----	-----	4	-----	5	10.16	7.62	5.84	2.29	1.52
87897-0406	-----	87897-0426	-----	-----	-----	4	-----	6	10.16	7.62	5.84	2.29	1.52
(A5) -----	-----	87897-0430	-----	-----	-----	4	-----	6	10.16	7.62	5.84	2.29	1.52
87897-0501	-----	87897-0521	-----	-----	-----	5	-----	1	12.70	10.16	5.84	2.29	1.52
87897-0502	-----	87897-0522	-----	-----	-----	5	-----	2	12.70	10.16	5.84	2.29	1.52
87897-0503	-----	87897-0523	-----	-----	-----	5	-----	3	12.70	10.16	5.84	2.29	1.52
87897-0504	-----	87897-0524	-----	-----	-----	5	-----	4	12.70	10.16	5.84	2.29	1.52
87897-0505	-----	87897-0525	-----	-----	-----	5	-----	5	12.70	10.16	5.84	2.29	1.52
87897-0506	-----	87897-0526	-----	-----	-----	5	-----	6	12.70	10.16	5.84	2.29	1.52
(A5) -----	-----	87897-0527	-----	-----	-----	5	-----	6	12.70	10.16	5.84	2.29	1.52
87897-0601	-----	87897-0621	-----	-----	-----	6	-----	1	15.24	12.70	5.84	2.29	1.52
87897-0602	-----	87897-0622	-----	-----	-----	6	-----	2	15.24	12.70	5.84	2.29	1.52
87897-0603	-----	87897-0623	-----	-----	-----	6	-----	3	15.24	12.70	5.84	2.29	1.52
87897-0604	-----	87897-0624	-----	-----	-----	6	-----	4	15.24	12.70	5.84	2.29	1.52
87897-0605	-----	87897-0625	-----	-----	-----	6	-----	5	15.24	12.70	5.84	2.29	1.52
87897-0606	-----	87897-0626	-----	-----	-----	6	-----	6	15.24	12.70	5.84	2.29	1.52
(A5) 87897-0608	-----	-----	-----	-----	-----	6	-----	6	15.24	12.70	5.84	2.29	1.52



THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX ELECTRONIC TECHNOLOGIES, LLC AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION											
DIMENSION UNITS		SCALE		CURRENT REV DESC: BRIGHT TIN PHASE OUT							
mm		NTS		GENERAL TOLERANCES (UNLESS SPECIFIED)							
				MM		INCH		SALES DRAWING SINGLE ROW SINGLE WAFER 2.54MM PITCH, R/A			
4 PLACES		±		±		±		PRODUCT CUSTOMER DRAWING			
3 PLACES		±		±		±		DOCUMENT NUMBER			
2 PLACES		± 0.2		±		±		SD-87897-010			
1 PLACE		±		±		±		DOC TYPE		DOC PART	
0 PLACES		±		±		±		PSD		001	
ANGULAR TOL		± 3.0°		±		±		REVISION		A5	
DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS				THIRD ANGLE PROJECTION		DRAWING		SERIES		MATERIAL NUMBER	
						A3-SIZE		87897		SEE TABLE	
								CUSTOMER		SHEET NUMBER	
								GENERAL MARKET		3 OF 15	

FORMAT: Mol-lega-master-ib-prod-A3
REVISION: E
DATE: 2020/01/14

F
E
D
C
B
A

F
E
D
C
B
A

PACKAGING OPTION PART NO.						CKT SIZE	VOID POSITION	PLATING TYPE	DIMENSION				
TRAY WITHOUT CAP	TRAY WITH CAP	TUBE WITHOUT CAP	TUBE WITH CAP	TAPE & REEL WITHOUT CAP	TAPE & REEL WITH CAP				A	B	C	D	E
87897-0701	-----	87897-0721	-----	-----	-----	7	-----	1	17.78	15.24	5.84	2.29	1.52
87897-0702	-----	87897-0722	-----	-----	-----	7	-----	2	17.78	15.24	5.84	2.29	1.52
87897-0703	-----	87897-0723	-----	-----	-----	7	-----	3	17.78	15.24	5.84	2.29	1.52
87897-0704	-----	87897-0724	-----	-----	-----	7	-----	4	17.78	15.24	5.84	2.29	1.52
87897-0705	-----	87897-0725	-----	-----	-----	7	-----	5	17.78	15.24	5.84	2.29	1.52
87897-0706	-----	87897-0726	-----	-----	-----	7	-----	6	17.78	15.24	5.84	2.29	1.52
(A5) 87897-0708	-----	-----	-----	-----	-----	7	-----	6	17.78	15.24	5.84	2.29	1.52
87897-0801	-----	87897-0821	-----	-----	-----	8	-----	1	20.32	17.78	5.84	2.29	1.52
87897-0802	-----	87897-0822	-----	-----	-----	8	-----	2	20.32	17.78	5.84	2.29	1.52
87897-0803	-----	87897-0823	-----	-----	-----	8	-----	3	20.32	17.78	5.84	2.29	1.52
87897-0804	-----	87897-0824	-----	-----	-----	8	-----	4	20.32	17.78	5.84	2.29	1.52
87897-0805	-----	87897-0825	-----	-----	-----	8	-----	5	20.32	17.78	5.84	2.29	1.52
87897-0806	-----	87897-0826	-----	-----	-----	8	-----	6	20.32	17.78	5.84	2.29	1.52
87897-0901	-----	87897-0921	-----	-----	-----	9	-----	1	22.86	20.32	5.84	2.29	1.52
87897-0902	-----	87897-0922	-----	-----	-----	9	-----	2	22.86	20.32	5.84	2.29	1.52
87897-0903	-----	87897-0923	-----	-----	-----	9	-----	3	22.86	20.32	5.84	2.29	1.52
87897-0904	-----	87897-0924	-----	-----	-----	9	-----	4	22.86	20.32	5.84	2.29	1.52
87897-0905	-----	87897-0925	-----	-----	-----	9	-----	5	22.86	20.32	5.84	2.29	1.52
87897-0906	-----	87897-0926	-----	-----	-----	9	-----	6	22.86	20.32	5.84	2.29	1.52


THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX ELECTRONIC TECHNOLOGIES, LLC AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION											
DIMENSION UNITS		SCALE		CURRENT REV DESC: BRIGHT TIN PHASE OUT							
mm		NTS		GENERAL TOLERANCES (UNLESS SPECIFIED)							
				MM		INCH		SALES DRAWING SINGLE ROW SINGLE WAFER 2.54MM PITCH, R/A			
4 PLACES		±		±		±		PRODUCT CUSTOMER DRAWING			
3 PLACES		±		±		±		DOCUMENT NUMBER			
2 PLACES		± 0.2		±		±		SD-87897-010			
1 PLACE		±		±		±		DOC TYPE		DOC PART	
0 PLACES		±		±		±		PSD		001	
ANGULAR TOL		± 3.0°		±		±		REVISION		A5	
DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS				THIRD ANGLE PROJECTION		DRAWING		SERIES		SHEET NUMBER	
						A3-SIZE		87897		4 OF 15	

FORMAT: Mol-lega-master-ib-prod-A3
REVISION: E
DATE: 2020/01/14

F
E
D
C
B
A

F
E
D
C
B
A

PACKAGING OPTION PART NO.						CKT SIZE	VOID POSITION	PLATING TYPE	DIMENSION				
TRAY WITHOUT CAP	TRAY WITH CAP	TUBE WITHOUT CAP	TUBE WITH CAP	TAPE & REEL WITHOUT CAP	TAPE & REEL WITH CAP				A	B	C	D	E
87897-1001	-----	87897-1021	-----	-----	-----	10	-----	1	25.40	22.86	5.84	2.29	1.52
87897-1002	-----	87897-1022	-----	-----	-----	10	-----	2	25.40	22.86	5.84	2.29	1.52
87897-1003	-----	87897-1023	-----	-----	-----	10	-----	3	25.40	22.86	5.84	2.29	1.52
87897-1004	-----	87897-1024	-----	-----	-----	10	-----	4	25.40	22.86	5.84	2.29	1.52
87897-1005	-----	87897-1025	-----	-----	-----	10	-----	5	25.40	22.86	5.84	2.29	1.52
87897-1006	-----	87897-1026	-----	-----	-----	10	-----	6	25.40	22.86	5.84	2.29	1.52
87897-1101	-----	87897-1121	-----	-----	-----	11	-----	1	27.94	25.40	5.84	2.29	1.52
87897-1102	-----	87897-1122	-----	-----	-----	11	-----	2	27.94	25.40	5.84	2.29	1.52
87897-1103	-----	87897-1123	-----	-----	-----	11	-----	3	27.94	25.40	5.84	2.29	1.52
87897-1104	-----	87897-1124	-----	-----	-----	11	-----	4	27.94	25.40	5.84	2.29	1.52
87897-1105	-----	87897-1125	-----	-----	-----	11	-----	5	27.94	25.40	5.84	2.29	1.52
87897-1106	-----	87897-1126	-----	-----	-----	11	-----	6	27.94	25.40	5.84	2.29	1.52
87897-1101	-----	87897-1221	-----	-----	-----	12	-----	1	30.48	27.94	5.84	2.29	1.52
87897-1102	-----	87897-1222	-----	-----	-----	12	-----	2	30.48	27.94	5.84	2.29	1.52
87897-1103	-----	87897-1223	-----	-----	-----	12	-----	3	30.48	27.94	5.84	2.29	1.52
87897-1104	-----	87897-1224	-----	-----	-----	12	-----	4	30.48	27.94	5.84	2.29	1.52
87897-1105	-----	87897-1225	-----	-----	-----	12	-----	5	30.48	27.94	5.84	2.29	1.52
87897-1106	-----	87897-1226	-----	-----	-----	12	-----	6	30.48	27.94	5.84	2.29	1.52

THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX ELECTRONIC TECHNOLOGIES, LLC AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION									
DIMENSION UNITS		SCALE		CURRENT REV DESC: BRIGHT TIN PHASE OUT					
mm		NTS							
GENERAL TOLERANCES (UNLESS SPECIFIED)				EC NO: 679909		2021/06/28		SALES DRAWING	
				DRWN: AKUMAR19		2021/10/11		SINGLE ROW SINGLE WAFER 2.54MM PITCH, R/A	
				CHK'D: MRAMAKRISHNA		2021/10/11		PRODUCT CUSTOMER DRAWING	
				APPR: MRAMAKRISHNA		2021/10/11			
				INITIAL REVISION:				DOCUMENT NUMBER	
				DRWN: YLQIAO		2005/01/24		SD-87897-010	
				APPR: SLOW		2005/02/01		DOC TYPE	
				ANGULAR TOL ± 3.0°				PSD	
				DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS		THIRD ANGLE PROJECTION		DOC PART	
						DRAWING		001	
						SERIES		REVISION	
						A3-SIZE		A5	
						87897			
						MATERIAL NUMBER		SHEET NUMBER	
						SEE TABLE		5 OF 15	
						CUSTOMER			
						GENERAL MARKET			

F
E
D
C
B
A

F
E
D
C
B
A

PACKAGING OPTION PART NO.						CKT SIZE	VOID POSITION	PLATING TYPE	DIMENSION				
TRAY WITHOUT CAP	TRAY WITH CAP	TUBE WITHOUT CAP	TUBE WITH CAP	TAPE & REEL WITHOUT CAP	TAPE & REEL WITH CAP				A	B	C	D	E
87897-1301	-----	87897-1321	-----	-----	-----	13	-----	1	33.02	30.48	5.84	2.29	1.52
87897-1302	-----	87897-1322	-----	-----	-----	13	-----	2	33.02	30.48	5.84	2.29	1.52
87897-1303	-----	87897-1323	-----	-----	-----	13	-----	3	33.02	30.48	5.84	2.29	1.52
87897-1304	-----	87897-1324	-----	-----	-----	13	-----	4	33.02	30.48	5.84	2.29	1.52
87897-1305	-----	87897-1325	-----	-----	-----	13	-----	5	33.02	30.48	5.84	2.29	1.52
87897-1306	-----	87897-1326	-----	-----	-----	13	-----	6	33.02	30.48	5.84	2.29	1.52
87897-1401	-----	87897-1421	-----	-----	-----	14	-----	1	35.56	33.02	5.84	2.29	1.52
87897-1402	-----	87897-1422	-----	-----	-----	14	-----	2	35.56	33.02	5.84	2.29	1.52
87897-1403	-----	87897-1423	-----	-----	-----	14	-----	3	35.56	33.02	5.84	2.29	1.52
87897-1404	-----	87897-1424	-----	-----	-----	14	-----	4	35.56	33.02	5.84	2.29	1.52
87897-1405	-----	87897-1425	-----	-----	-----	14	-----	5	35.56	33.02	5.84	2.29	1.52
87897-1406	-----	87897-1426	-----	-----	-----	14	-----	6	35.56	33.02	5.84	2.29	1.52
87897-1501	-----	87897-1521	-----	-----	-----	15	-----	1	38.10	35.56	5.84	2.29	1.52
87897-1502	-----	87897-1522	-----	-----	-----	15	-----	2	38.10	35.56	5.84	2.29	1.52
87897-1503	-----	87897-1523	-----	-----	-----	15	-----	3	38.10	35.56	5.84	2.29	1.52
87897-1504	-----	87897-1524	-----	-----	-----	15	-----	4	38.10	35.56	5.84	2.29	1.52
87897-1505	-----	87897-1525	-----	-----	-----	15	-----	5	38.10	35.56	5.84	2.29	1.52
87897-1506	-----	87897-1526	-----	-----	-----	15	-----	6	38.10	35.56	5.84	2.29	1.52

THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX ELECTRONIC TECHNOLOGIES, LLC AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION

DIMENSION UNITS	SCALE	CURRENT REV DESC: BRIGHT TIN PHASE OUT		molex	
mm	NTS				
GENERAL TOLERANCES (UNLESS SPECIFIED)				SALES DRAWING SINGLE ROW SINGLE WAFER 2.54MM PITCH, R/A	
	MM	INCH			PRODUCT CUSTOMER DRAWING
4 PLACES	±	±	EC NO: 679909		
3 PLACES	±	±	DRWN: AKUMAR19	2021/06/28	
2 PLACES	± 0.2	±	CHK'D: MRAMAKRISHNA	2021/10/11	
1 PLACE	±	±	APPR: MRAMAKRISHNA	2021/10/11	
0 PLACES	±	±	INITIAL REVISION:		DOCUMENT NUMBER
ANGULAR TOL ± 3.0°		DRWN: YLQIAO		2005/01/24	SD-87897-010
		APPR: SLOW		2005/02/01	
DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS		THIRD ANGLE PROJECTION	DRAWING	SERIES	MATERIAL NUMBER
			A3-SIZE	87897	SEE TABLE
		CUSTOMER	GENERAL MARKET		DOC TYPE
				PSD	DOC PART
				001	REVISION
				A5	SHEET NUMBER
				6 OF 15	

FORMAT: Mel-lega-master-ib-prod-A3
REVISION: E
DATE: 2020/01/14

F
E
D
C
B
A

F
E
D
C
B
A

PACKAGING OPTION PART NO.						CKT SIZE	VOID POSITION	PLATING TYPE	DIMENSION				
TRAY WITHOUT CAP	TRAY WITH CAP	TUBE WITHOUT CAP	TUBE WITH CAP	TAPE & REEL WITHOUT CAP	TAPE & REEL WITH CAP				A	B	C	D	E
87897-1601	-----	87897-1621	-----	-----	-----	16	-----	1	40.64	38.10	5.84	2.29	1.52
87897-1602	-----	87897-1622	-----	-----	-----	16	-----	2	40.64	38.10	5.84	2.29	1.52
87897-1603	-----	87897-1623	-----	-----	-----	16	-----	3	40.64	38.10	5.84	2.29	1.52
87897-1604	-----	87897-1624	-----	-----	-----	16	-----	4	40.64	38.10	5.84	2.29	1.52
87897-1605	-----	87897-1625	-----	-----	-----	16	-----	5	40.64	38.10	5.84	2.29	1.52
87897-1606	-----	87897-1626	-----	-----	-----	16	-----	6	40.64	38.10	5.84	2.29	1.52
87897-1701	-----	87897-1721	-----	-----	-----	17	-----	1	43.18	40.64	5.84	2.29	1.52
87897-1702	-----	87897-1722	-----	-----	-----	17	-----	2	43.18	40.64	5.84	2.29	1.52
87897-1703	-----	87897-1723	-----	-----	-----	17	-----	3	43.18	40.64	5.84	2.29	1.52
87897-1704	-----	87897-1724	-----	-----	-----	17	-----	4	43.18	40.64	5.84	2.29	1.52
87897-1705	-----	87897-1725	-----	-----	-----	17	-----	5	43.18	40.64	5.84	2.29	1.52
87897-1706	-----	87897-1726	-----	-----	-----	17	-----	6	43.18	40.64	5.84	2.29	1.52
87897-1801	-----	87897-1821	-----	-----	-----	18	-----	1	45.72	43.18	5.84	2.29	1.52
87897-1802	-----	87897-1822	-----	-----	-----	18	-----	2	45.72	43.18	5.84	2.29	1.52
87897-1803	-----	87897-1823	-----	-----	-----	18	-----	3	45.72	43.18	5.84	2.29	1.52
87897-1804	-----	87897-1824	-----	-----	-----	18	-----	4	45.72	43.18	5.84	2.29	1.52
87897-1805	-----	87897-1825	-----	-----	-----	18	-----	5	45.72	43.18	5.84	2.29	1.52
87897-1806	-----	87897-1826	-----	-----	-----	18	-----	6	45.72	43.18	5.84	2.29	1.52

THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX ELECTRONIC TECHNOLOGIES, LLC AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION

DIMENSION UNITS	SCALE	CURRENT REV DESC: BRIGHT TIN PHASE OUT		molex		
mm	NTS					
GENERAL TOLERANCES (UNLESS SPECIFIED)				SALES DRAWING SINGLE ROW SINGLE WAFER 2.54MM PITCH, R/A		
				PRODUCT CUSTOMER DRAWING		
				DOCUMENT NUMBER		
				SD-87897-010		
				DOC TYPE		
				PSD		
				DOC PART		
				001		
				REVISION		
				A5		
				MATERIAL NUMBER		
				SEE TABLE		
				CUSTOMER		
				GENERAL MARKET		
				SHEET NUMBER		
				7 OF 15		

EC NO: 679909
 DRWN: AKUMAR19 2021/06/28
 CHK'D: MRAMAKRISHNA 2021/10/11
 APPR: MRAMAKRISHNA 2021/10/11
 INITIAL REVISION:
 DRWN: YLQIAO 2005/01/24
 APPR: SCLW 2005/02/01

DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS

THIRD ANGLE PROJECTION

DRAWING



SERIES

A3-SIZE 87897

F
E
D
C
B
A

F
E
D
C
B
A

PACKAGING OPTION PART NO.						CKT SIZE	VOID POSITION	PLATING TYPE	DIMENSION				
TRAY WITHOUT CAP	TRAY WITH CAP	TUBE WITHOUT CAP	TUBE WITH CAP	TAPE & REEL WITHOUT CAP	TAPE & REEL WITH CAP				A	B	C	D	E
87897-1901	-----	87897-1921	-----	-----	-----	19	-----	1	48.26	45.72	5.84	2.29	1.52
87897-1902	-----	87897-1922	-----	-----	-----	19	-----	2	48.26	45.72	5.84	2.29	1.52
87897-1903	-----	87897-1923	-----	-----	-----	19	-----	3	48.26	45.72	5.84	2.29	1.52
87897-1904	-----	87897-1924	-----	-----	-----	19	-----	4	48.26	45.72	5.84	2.29	1.52
87897-1905	-----	87897-1925	-----	-----	-----	19	-----	5	48.26	45.72	5.84	2.29	1.52
87897-1906	-----	87897-1926	-----	-----	-----	19	-----	6	48.26	45.72	5.84	2.29	1.52
87897-2001	-----	87897-2021	-----	-----	-----	20	-----	1	50.80	48.26	5.84	2.29	1.52
87897-2002	-----	87897-2122	-----	-----	-----	20	-----	2	50.80	48.26	5.84	2.29	1.52
87897-2003	-----	87897-2223	-----	-----	-----	20	-----	3	50.80	48.26	5.84	2.29	1.52
87897-2004	-----	87897-2324	-----	-----	-----	20	-----	4	50.80	48.26	5.84	2.29	1.52
87897-2005	-----	87897-2425	-----	-----	-----	20	-----	5	50.80	48.26	5.84	2.29	1.52
87897-2006	-----	87897-2526	-----	-----	-----	20	-----	6	50.80	48.26	5.84	2.29	1.52
87897-2101	-----	87897-2121	-----	-----	-----	21	-----	1	53.34	50.80	5.84	2.29	1.52
87897-2102	-----	87897-2122	-----	-----	-----	21	-----	2	53.34	50.80	5.84	2.29	1.52
87897-2103	-----	87897-2123	-----	-----	-----	21	-----	3	53.34	50.80	5.84	2.29	1.52
87897-2104	-----	87897-2124	-----	-----	-----	21	-----	4	53.34	50.80	5.84	2.29	1.52
87897-2105	-----	87897-2125	-----	-----	-----	21	-----	5	53.34	50.80	5.84	2.29	1.52
87897-2106	-----	87897-2126	-----	-----	-----	21	-----	6	53.34	50.80	5.84	2.29	1.52

THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX ELECTRONIC TECHNOLOGIES, LLC AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION													
DIMENSION UNITS		SCALE		CURRENT REV DESC: BRIGHT TIN PHASE OUT									
mm		NTS		 <p>SALES DRAWING SINGLE ROW SINGLE WAFER 2.54MM PITCH, R/A</p>									
GENERAL TOLERANCES (UNLESS SPECIFIED)													
		MM		INCH		EC NO: 679909 DRWN: AKUMAR19 2021/06/28 CHK'D: MRAMAKRISHNA 2021/10/11 APPR: MRAMAKRISHNA 2021/10/11 INITIAL REVISION: DRWN: YLQIAO 2005/01/24 APPR: SCLOW 2005/02/01							
4 PLACES		±		±									
3 PLACES		±		±									
2 PLACES		± 0.2		±									
1 PLACE		±		±									
0 PLACES		±		±		DOCUMENT NUMBER		DOC TYPE		DOC PART		REVISION	
ANGULAR TOL		± 3.0°				SD-87897-010		PSD		001		A5	
DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS				THIRD ANGLE PROJECTION		DRAWING		SERIES		MATERIAL NUMBER		CUSTOMER	
						A3-SIZE		87897		SEE TABLE		GENERAL MARKET	
												SHEET NUMBER	
												8 OF 15	

FORMAT: Mel-lega-master-ib-prod-A3
REVISION: E
DATE: 2020/01/14

F
E
D
C
B
A

F
E
D
C
B
A



PACKAGING OPTION PART NO.						CKT SIZE	VOID POSITION	PLATING TYPE	DIMENSION				
TRAY WITHOUT CAP	TRAY WITH CAP	TUBE WITHOUT CAP	TUBE WITH CAP	TAPE & REEL WITHOUT CAP	TAPE & REEL WITH CAP				A	B	C	D	E
87897-2201	-----	87897-2221	-----	-----	-----	22	-----	1	55.88	53.34	5.84	2.29	1.52
87897-2202	-----	87897-2222	-----	-----	-----	22	-----	2	55.88	53.34	5.84	2.29	1.52
87897-2203	-----	87897-2223	-----	-----	-----	22	-----	3	55.88	53.34	5.84	2.29	1.52
87897-2204	-----	87897-2224	-----	-----	-----	22	-----	4	55.88	53.34	5.84	2.29	1.52
87897-2205	-----	87897-2225	-----	-----	-----	22	-----	5	55.88	53.34	5.84	2.29	1.52
87897-2206	-----	87897-2226	-----	-----	-----	22	-----	6	55.88	53.34	5.84	2.29	1.52
87897-2301	-----	87897-2321	-----	-----	-----	23	-----	1	58.42	55.88	5.84	2.29	1.52
87897-2302	-----	87897-2322	-----	-----	-----	23	-----	2	58.42	55.88	5.84	2.29	1.52
87897-2303	-----	87897-2323	-----	-----	-----	23	-----	3	58.42	55.88	5.84	2.29	1.52
87897-2304	-----	87897-2324	-----	-----	-----	23	-----	4	58.42	55.88	5.84	2.29	1.52
87897-2305	-----	87897-2325	-----	-----	-----	23	-----	5	58.42	55.88	5.84	2.29	1.52
87897-2306	-----	87897-2326	-----	-----	-----	23	-----	6	58.42	55.88	5.84	2.29	1.52
87897-2401	-----	87897-2421	-----	-----	-----	24	-----	1	60.96	58.42	5.84	2.29	1.52
87897-2402	-----	87897-2422	-----	-----	-----	24	-----	2	60.96	58.42	5.84	2.29	1.52
87897-2403	-----	87897-2423	-----	-----	-----	24	-----	3	60.96	58.42	5.84	2.29	1.52
87897-2404	-----	87897-2424	-----	-----	-----	24	-----	4	60.96	58.42	5.84	2.29	1.52
87897-2405	-----	87897-2425	-----	-----	-----	24	-----	5	60.96	58.42	5.84	2.29	1.52
87897-2406	-----	87897-2426	-----	-----	-----	24	-----	6	60.96	58.42	5.84	2.29	1.52

THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX ELECTRONIC TECHNOLOGIES, LLC AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION											
DIMENSION UNITS		SCALE		CURRENT REV DESC: BRIGHT TIN PHASE OUT						molex	
mm		NTS		SALES DRAWING SINGLE ROW SINGLE WAFER 2.54MM PITCH, R/A							
GENERAL TOLERANCES (UNLESS SPECIFIED)				EC NO: 679909						DOCUMENT NUMBER	
				DRWN: AKUMAR19 2021/06/28						SD-87897-010	
				CHK'D: MRAMAKRISHNA 2021/10/11						DOC TYPE	
				APPR: MRAMAKRISHNA 2021/10/11						PSD	
				INITIAL REVISION:						DOC PART	
				DRWN: YLQIAO 2005/01/24						001	
				APPR: SCLW 2005/02/01						A5	
ANGULAR TOL ± 3.0°				THIRD ANGLE PROJECTION		DRAWING		SERIES		SHEET NUMBER	
DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS						A3-SIZE		87897		9 OF 15	
MATERIAL NUMBER				CUSTOMER		SEE TABLE		GENERAL MARKET			

FORMAT: Mol-lega-master-ib-prod-A3
REVISION: E
DATE: 2020/01/14

F
E
D
C
B
A



PACKAGING OPTION PART NO.						CKT SIZE	VOID POSITION	PLATING TYPE	DIMENSION				
TRAY WITHOUT CAP	TRAY WITH CAP	TUBE WITHOUT CAP	TUBE WITH CAP	TAPE & REEL WITHOUT CAP	TAPE & REEL WITH CAP				A	B	C	D	E
87897-2501	-----	87897-2521	-----	-----	-----	25	-----	1	63.50	60.96	5.84	2.29	1.52
87897-2502	-----	87897-2522	-----	-----	-----	25	-----	2	63.50	60.96	5.84	2.29	1.52
87897-2503	-----	87897-2523	-----	-----	-----	25	-----	3	63.50	60.96	5.84	2.29	1.52
87897-2504	-----	87897-2524	-----	-----	-----	25	-----	4	63.50	60.96	5.84	2.29	1.52
87897-2505	-----	87897-2525	-----	-----	-----	25	-----	5	63.50	60.96	5.84	2.29	1.52
87897-2506	-----	87897-2526	-----	-----	-----	25	-----	6	63.50	60.96	5.84	2.29	1.52
87897-2601	-----	87897-2621	-----	-----	-----	26	-----	1	66.04	63.50	5.84	2.29	1.52
87897-2602	-----	87897-2622	-----	-----	-----	26	-----	2	66.04	63.50	5.84	2.29	1.52
87897-2603	-----	87897-2623	-----	-----	-----	26	-----	3	66.04	63.50	5.84	2.29	1.52
87897-2604	-----	87897-2624	-----	-----	-----	26	-----	4	66.04	63.50	5.84	2.29	1.52
87897-2605	-----	87897-2625	-----	-----	-----	26	-----	5	66.04	63.50	5.84	2.29	1.52
87897-2606	-----	87897-2626	-----	-----	-----	26	-----	6	66.04	63.50	5.84	2.29	1.52
87897-2701	-----	87897-2721	-----	-----	-----	27	-----	1	68.58	66.04	5.84	2.29	1.52
87897-2702	-----	87897-2722	-----	-----	-----	27	-----	2	68.58	66.04	5.84	2.29	1.52
87897-2703	-----	87897-2723	-----	-----	-----	27	-----	3	68.58	66.04	5.84	2.29	1.52
87897-2704	-----	87897-2724	-----	-----	-----	27	-----	4	68.58	66.04	5.84	2.29	1.52
87897-2705	-----	87897-2725	-----	-----	-----	27	-----	5	68.58	66.04	5.84	2.29	1.52
87897-2706	-----	87897-2726	-----	-----	-----	27	-----	6	68.58	66.04	5.84	2.29	1.52

THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX ELECTRONIC TECHNOLOGIES, LLC AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION											
DIMENSION UNITS		SCALE		CURRENT REV DESC: BRIGHT TIN PHASE OUT							
mm		NTS									
GENERAL TOLERANCES (UNLESS SPECIFIED)											
		MM		INCH							
4 PLACES		±		±							
3 PLACES		±		±							
2 PLACES		± 0.2		±							
1 PLACE		±		±							
0 PLACES		±		±							
ANGULAR TOL		± 3.0°									
DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS				THIRD ANGLE PROJECTION		DRAWING		SERIES		MATERIAL NUMBER	
						A3-SIZE		87897		SEE TABLE	
DOCUMENT STATUS				P1		RELEASE DATE		2021/10/11 11:53:26		SHEET NUMBER	
										10 OF 15	

F
E
D
C
B
A

F
E
D
C
B
A



PACKAGING OPTION PART NO.						CKT SIZE	VOID POSITION	PLATING TYPE	DIMENSION				
TRAY WITHOUT CAP	TRAY WITH CAP	TUBE WITHOUT CAP	TUBE WITH CAP	TAPE & REEL WITHOUT CAP	TAPE & REEL WITH CAP				A	B	C	D	E
87897-2801	-----	87897-2821	-----	-----	-----	28	-----	1	71.12	68.58	5.84	2.29	1.52
87897-2802	-----	87897-2822	-----	-----	-----	28	-----	2	71.12	68.58	5.84	2.29	1.52
87897-2803	-----	87897-2823	-----	-----	-----	28	-----	3	71.12	68.58	5.84	2.29	1.52
87897-2804	-----	87897-2824	-----	-----	-----	28	-----	4	71.12	68.58	5.84	2.29	1.52
87897-2805	-----	87897-2825	-----	-----	-----	28	-----	5	71.12	68.58	5.84	2.29	1.52
87897-2806	-----	87897-2826	-----	-----	-----	28	-----	6	71.12	68.58	5.84	2.29	1.52
87897-2901	-----	87897-2921	-----	-----	-----	29	-----	1	73.66	71.12	5.84	2.29	1.52
87897-2902	-----	87897-2922	-----	-----	-----	29	-----	2	73.66	71.12	5.84	2.29	1.52
87897-2903	-----	87897-2923	-----	-----	-----	29	-----	3	73.66	71.12	5.84	2.29	1.52
87897-2904	-----	87897-2924	-----	-----	-----	29	-----	4	73.66	71.12	5.84	2.29	1.52
87897-2905	-----	87897-2925	-----	-----	-----	29	-----	5	73.66	71.12	5.84	2.29	1.52
87897-2906	-----	87897-2926	-----	-----	-----	29	-----	6	73.66	71.12	5.84	2.29	1.52
87897-3001	-----	87897-3021	-----	-----	-----	30	-----	1	76.20	73.66	5.84	2.29	1.52
87897-3002	-----	87897-3022	-----	-----	-----	30	-----	2	76.20	73.66	5.84	2.29	1.52
87897-3003	-----	87897-3023	-----	-----	-----	30	-----	3	76.20	73.66	5.84	2.29	1.52
87897-3004	-----	87897-3024	-----	-----	-----	30	-----	4	76.20	73.66	5.84	2.29	1.52
87897-3005	-----	87897-3025	-----	-----	-----	30	-----	5	76.20	73.66	5.84	2.29	1.52
87897-3006	-----	87897-3026	-----	-----	-----	30	-----	6	76.20	73.66	5.84	2.29	1.52

THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX ELECTRONIC TECHNOLOGIES, LLC AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION											
DIMENSION UNITS		SCALE		CURRENT REV DESC: BRIGHT TIN PHASE OUT							
mm		NTS									
GENERAL TOLERANCES (UNLESS SPECIFIED)				EC NO: 679909		DRWN: AKUMAR19		2021/06/28		SALES DRAWING	
				CHK'D: MRAMAKRISHNA		2021/10/11		2021/10/11		SINGLE ROW SINGLE WAFER 2.54MM PITCH, R/A	
				APPR: MRAMAKRISHNA		2021/10/11		2021/10/11		PRODUCT CUSTOMER DRAWING	
				INITIAL REVISION:		DRWN: YLQIAO		2005/01/24		DOCUMENT NUMBER	
				APPR: SCLW		2005/02/01		2005/02/01		SD-87897-010	
ANGULAR TOL ± 3.0°				THIRD ANGLE PROJECTION		DRAWING		SERIES		MATERIAL NUMBER	
DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS						A3-SIZE		87897		CUSTOMER	
								SEE TABLE		GENERAL MARKET	
										SHEET NUMBER	
										11 OF 15	

F
E
D
C
B
A

F
E
D
C
B
A

PACKAGING OPTION PART NO.						CKT SIZE	VOID POSITION	PLATING TYPE	DIMENSION				
TRAY WITHOUT CAP	TRAY WITH CAP	TUBE WITHOUT CAP	TUBE WITH CAP	TAPE & REEL WITHOUT CAP	TAPE & REEL WITH CAP				A	B	C	D	E
87897-3101	-----	87897-3121	-----	-----	-----	31	-----	1	78.74	76.2	5.84	2.29	1.52
87897-3102	-----	87897-3122	-----	-----	-----	31	-----	2	78.74	76.2	5.84	2.29	1.52
87897-3103	-----	87897-3123	-----	-----	-----	31	-----	3	78.74	76.2	5.84	2.29	1.52
87897-3104	-----	87897-3124	-----	-----	-----	31	-----	4	78.74	76.2	5.84	2.29	1.52
87897-3105	-----	87897-3125	-----	-----	-----	31	-----	5	78.74	76.2	5.84	2.29	1.52
87897-3106	-----	87897-3126	-----	-----	-----	31	-----	6	78.74	76.2	5.84	2.29	1.52
87897-3201	-----	87897-3221	-----	-----	-----	32	-----	1	81.28	78.74	5.84	2.29	1.52
87897-3202	-----	87897-3222	-----	-----	-----	32	-----	2	81.28	78.74	5.84	2.29	1.52
87897-3203	-----	87897-3223	-----	-----	-----	32	-----	3	81.28	78.74	5.84	2.29	1.52
87897-3204	-----	87897-3224	-----	-----	-----	32	-----	4	81.28	78.74	5.84	2.29	1.52
87897-3205	-----	87897-3225	-----	-----	-----	32	-----	5	81.28	78.74	5.84	2.29	1.52
87897-3206	-----	87897-3226	-----	-----	-----	32	-----	6	81.28	78.74	5.84	2.29	1.52
87897-3301	-----	87897-3321	-----	-----	-----	33	-----	1	83.82	81.28	5.84	2.29	1.52
87897-3302	-----	87897-3322	-----	-----	-----	33	-----	2	83.82	81.28	5.84	2.29	1.52
87897-3303	-----	87897-3323	-----	-----	-----	33	-----	3	83.82	81.28	5.84	2.29	1.52
87897-3304	-----	87897-3324	-----	-----	-----	33	-----	4	83.82	81.28	5.84	2.29	1.52
87897-3305	-----	87897-3325	-----	-----	-----	33	-----	5	83.82	81.28	5.84	2.29	1.52
87897-3306	-----	87897-3326	-----	-----	-----	33	-----	6	83.82	81.28	5.84	2.29	1.52

THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX ELECTRONIC TECHNOLOGIES, LLC AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION									
DIMENSION UNITS		SCALE		CURRENT REV DESC: BRIGHT TIN PHASE OUT					
mm		NTS		 <p>SALES DRAWING SINGLE ROW SINGLE WAFER 2.54MM PITCH, R/A</p> <p>PRODUCT CUSTOMER DRAWING</p>					
GENERAL TOLERANCES (UNLESS SPECIFIED)									
		MM		INCH		EC NO: 679909			
4 PLACES		±		±		DRWN: AKUMAR19 2021/06/28			
3 PLACES		±		±		CHK'D: MRAMAKRISHNA 2021/10/11			
2 PLACES		± 0.2		±		APPR: MRAMAKRISHNA 2021/10/11			
1 PLACE		±		±		INITIAL REVISION:			
0 PLACES		±		±		DRWN: YLQIAO 2005/01/24			
ANGULAR TOL		± 3.0°		±		APPR: SLOW 2005/02/01			
DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS				THIRD ANGLE PROJECTION		DRAWING		SERIES	
						A3-SIZE		87897	
DOCUMENT STATUS				P1		RELEASE DATE		2021/10/11 11:53:26	
MATERIAL NUMBER		CUSTOMER		DOC TYPE		DOC PART		REVISION	
SEE TABLE		GENERAL MARKET		PSD		001		A5	
SHEET NUMBER				12 OF 15					

F
E
D
C
B
A

F
E
D
C
B
A

PACKAGING OPTION PART NO.						CKT SIZE	VOID POSITION	PLATING TYPE	DIMENSION				
TRAY WITHOUT CAP	TRAY WITH CAP	TUBE WITHOUT CAP	TUBE WITH CAP	TAPE & REEL WITHOUT CAP	TAPE & REEL WITH CAP				A	B	C	D	E
87897-3401	-----	87897-3421	-----	-----	-----	34	-----	1	86.36	83.82	5.84	2.29	1.52
87897-3402	-----	87897-3422	-----	-----	-----	34	-----	2	86.36	83.82	5.84	2.29	1.52
87897-3403	-----	87897-3423	-----	-----	-----	34	-----	3	86.36	83.82	5.84	2.29	1.52
87897-3404	-----	87897-3424	-----	-----	-----	34	-----	4	86.36	83.82	5.84	2.29	1.52
87897-3405	-----	87897-3425	-----	-----	-----	34	-----	5	86.36	83.82	5.84	2.29	1.52
87897-3406	-----	87897-3426	-----	-----	-----	34	-----	6	86.36	83.82	5.84	2.29	1.52
87897-3501	-----	87897-3521	-----	-----	-----	35	-----	1	88.90	86.36	5.84	2.29	1.52
87897-3502	-----	87897-3522	-----	-----	-----	35	-----	2	88.90	86.36	5.84	2.29	1.52
87897-3503	-----	87897-3523	-----	-----	-----	35	-----	3	88.90	86.36	5.84	2.29	1.52
87897-3504	-----	87897-3524	-----	-----	-----	35	-----	4	88.90	86.36	5.84	2.29	1.52
87897-3505	-----	87897-3525	-----	-----	-----	35	-----	5	88.90	86.36	5.84	2.29	1.52
87897-3506	-----	87897-3526	-----	-----	-----	35	-----	6	88.90	86.36	5.84	2.29	1.52
87897-3601	-----	87897-3621	-----	-----	-----	36	-----	1	91.44	88.90	5.84	2.29	1.52
87897-3602	-----	87897-3622	-----	-----	-----	36	-----	2	91.44	88.90	5.84	2.29	1.52
87897-3603	-----	87897-3623	-----	-----	-----	36	-----	3	91.44	88.90	5.84	2.29	1.52
87897-3604	-----	87897-3624	-----	-----	-----	36	-----	4	91.44	88.90	5.84	2.29	1.52
87897-3605	-----	87897-3625	-----	-----	-----	36	-----	5	91.44	88.90	5.84	2.29	1.52
87897-3606	-----	87897-3626	-----	-----	-----	36	-----	6	91.44	88.90	5.84	2.29	1.52
(A5) 87897-3607	-----	-----	-----	-----	-----	36	-----	6	91.44	88.90	5.84	2.29	1.52

THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX ELECTRONIC TECHNOLOGIES, LLC AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION

DIMENSION UNITS	SCALE	CURRENT REV DESC: BRIGHT TIN PHASE OUT		molex	
mm	NTS				
GENERAL TOLERANCES (UNLESS SPECIFIED)				SALES DRAWING SINGLE ROW SINGLE WAFER 2.54MM PITCH, R/A	
	MM	INCH			PRODUCT CUSTOMER DRAWING
4 PLACES	±	±	EC NO: 679909		
3 PLACES	±	±	DRWN: AKUMAR19	2021/06/28	
2 PLACES	± 0.2	±	CHK'D: MRAMAKRISHNA	2021/10/11	
1 PLACE	±	±	APPR: MRAMAKRISHNA	2021/10/11	
0 PLACES	±	±	INITIAL REVISION:		DOCUMENT NUMBER
ANGULAR TOL ± 3.0°		DRWN: YLQIAO		2005/01/24	SD-87897-010
		APPR: SLOW		2005/02/01	DOC TYPE
DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS		THIRD ANGLE PROJECTION	DRAWING	SERIES	DOC PART
			A3-SIZE	87897	REVISION
			MATERIAL NUMBER	CUSTOMER	
			SEE TABLE	GENERAL MARKET	
					SHEET NUMBER
					13 OF 15

F
E
D
C
B
A

F
E
D
C
B
A

PACKAGING OPTION PART NO.						CKT SIZE	VOID POSITION	PLATING TYPE	DIMENSION				
TRAY WITHOUT CAP	TRAY WITH CAP	TUBE WITHOUT CAP	TUBE WITH CAP	TAPE & REEL WITHOUT CAP	TAPE & REEL WITH CAP				A	B	C	D	E
87897-3701	-----	87897-3721	-----	-----	-----	37	-----	1	93.98	91.44	5.84	2.29	1.52
87897-3702	-----	87897-3722	-----	-----	-----	37	-----	2	93.98	91.44	5.84	2.29	1.52
87897-3703	-----	87897-3723	-----	-----	-----	37	-----	3	93.98	91.44	5.84	2.29	1.52
87897-3704	-----	87897-3724	-----	-----	-----	37	-----	4	93.98	91.44	5.84	2.29	1.52
87897-3705	-----	87897-3725	-----	-----	-----	37	-----	5	93.98	91.44	5.84	2.29	1.52
87897-3706	-----	87897-3726	-----	-----	-----	37	-----	6	93.98	91.44	5.84	2.29	1.52
87897-3801	-----	87897-3821	-----	-----	-----	38	-----	1	96.52	93.98	5.84	2.29	1.52
87897-3802	-----	87897-3822	-----	-----	-----	38	-----	2	96.52	93.98	5.84	2.29	1.52
87897-3803	-----	87897-3823	-----	-----	-----	38	-----	3	96.52	93.98	5.84	2.29	1.52
87897-3804	-----	87897-3824	-----	-----	-----	38	-----	4	96.52	93.98	5.84	2.29	1.52
87897-3805	-----	87897-3825	-----	-----	-----	38	-----	5	96.52	93.98	5.84	2.29	1.52
87897-3806	-----	87897-3826	-----	-----	-----	38	-----	6	96.52	93.98	5.84	2.29	1.52
87897-3901	-----	87897-3921	-----	-----	-----	39	-----	1	99.06	96.52	5.84	2.29	1.52
87897-3902	-----	87897-3922	-----	-----	-----	39	-----	2	99.06	96.52	5.84	2.29	1.52
87897-3903	-----	87897-3923	-----	-----	-----	39	-----	3	99.06	96.52	5.84	2.29	1.52
87897-3904	-----	87897-3924	-----	-----	-----	39	-----	4	99.06	96.52	5.84	2.29	1.52
87897-3905	-----	87897-3925	-----	-----	-----	39	-----	5	99.06	96.52	5.84	2.29	1.52
87897-3906	-----	87897-3926	-----	-----	-----	39	-----	6	99.06	96.52	5.84	2.29	1.52

THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX ELECTRONIC TECHNOLOGIES, LLC AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION

DIMENSION UNITS	SCALE	CURRENT REV DESC: BRIGHT TIN PHASE OUT		molex	
mm	NTS				
GENERAL TOLERANCES (UNLESS SPECIFIED)				SALES DRAWING SINGLE ROW SINGLE WAFER 2.54MM PITCH, R/A	
	MM	INCH			PRODUCT CUSTOMER DRAWING
4 PLACES	±	±	EC NO: 679909		
3 PLACES	±	±	DRWN: AKUMAR19	2021/06/28	
2 PLACES	± 0.2	±	CHK'D: MRAMAKRISHNA	2021/10/11	
1 PLACE	±	±	APPR: MRAMAKRISHNA	2021/10/11	
0 PLACES	±	±	INITIAL REVISION:		
ANGULAR TOL ± 3.0°		DRWN: YLQIAO		2005/01/24	
		APPR: SLOW		2005/02/01	
DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS		THIRD ANGLE PROJECTION	DRAWING	SERIES	MATERIAL NUMBER
			A3-SIZE	87897	SEE TABLE
		CUSTOMER	SHEET NUMBER		
		GENERAL MARKET	14 OF 15		

PACKAGING OPTION PART NO.						CKT SIZE	VOID POSITION	PLATING TYPE	DIMENSION				
TRAY WITHOUT CAP	TRAY WITH CAP	TUBE WITHOUT CAP	TUBE WITH CAP	TAPE & REEL WITHOUT CAP	TAPE & REEL WITH CAP				A	B	C	D	E
87897-4001	-----	87897-4021	-----	-----	-----	40	-----	1	101.6	99.06	5.84	2.29	1.52
87897-4002	-----	87897-4022	-----	-----	-----	40	-----	2	101.6	99.06	5.84	2.29	1.52
87897-4003	-----	87897-4023	-----	-----	-----	40	-----	3	101.6	99.06	5.84	2.29	1.52
87897-4004	-----	87897-4024	-----	-----	-----	40	-----	4	101.6	99.06	5.84	2.29	1.52
87897-4005	-----	87897-4025	-----	-----	-----	40	-----	5	101.6	99.06	5.84	2.29	1.52
87897-4006	-----	87897-4026	-----	-----	-----	40	-----	6	101.6	99.06	5.84	2.29	1.52
(A5) 87897-4007	-----	87897-4027	-----	-----	-----	40	-----	6	101.6	99.06	5.84	2.29	1.52

THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX ELECTRONIC TECHNOLOGIES, LLC AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION

DIMENSION UNITS		SCALE		CURRENT REV DESC: BRIGHT TIN PHASE OUT				molex					
mm		NTS		EC NO: 679909				SALES DRAWING					
GENERAL TOLERANCES (UNLESS SPECIFIED)				DRWN: AKUMAR19				SINGLE ROW SINGLE WAFER 2.54MM PITCH, R/A					
				CHK'D: MRAMAKRISHNA				PRODUCT CUSTOMER DRAWING					
				APPR: MRAMAKRISHNA				DOCUMENT NUMBER					
				INITIAL REVISION:				SD-87897-010					
				DRWN: YLQIAO				DOC TYPE					
				APPR: SLOW				DOC PART					
				ANGULAR TOL ± 3.0°				REVISION					
				DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS				A5					
				THIRD ANGLE PROJECTION		DRAWING		SERIES		MATERIAL NUMBER		CUSTOMER	
						A3-SIZE		87897		SEE TABLE		GENERAL MARKET	
								SHEET NUMBER					
								15 OF 15					