

Cable gland - G-INB-M32-M68N-PEPDS-BK - 1415181

Please be informed that the data shown in this PDF Document is generated from our Online Catalog. Please find the complete data in the user's documentation. Our General Terms of Use for Downloads are valid (<http://phoenixcontact.com/download>)



Cable gland, Cable gland material: Polyamide, Application: Standard, External cable diameter 13 mm ... 21 mm, Shielding: No, Connecting thread: M32

The figure shows version G-INB-M25-M68N-PEPDS-BK



Key Commercial Data

Packing unit	1 pc
Minimum order quantity	5 pc
Weight per Piece (excluding packing)	60.0 g
Custom tariff number	39269097
Country of origin	Germany

Technical data

Dimensions

Length	138 mm
Length without connecting thread	126 mm
Connecting thread diameter	32 mm
Wrench size, union nut	36 mm
Wrench size, support	36 mm
Hexagon angular dimension GRP	40 mm
Length of the connecting thread	12 mm
External cable diameter	13 mm ... 21 mm

Ambient conditions

Degree of protection	IP68 (5 bar / 0.5 h)
	IP69K
Ambient temperature (operation)	-40 °C ... 100 °C

General

Cable gland - G-INB-M32-M68N-PEPDS-BK - 1415181

Technical data

General

Cable gland material	Polyamide
Seal material	EPDM
Shielded	No
Thread type on connection side	M32
Color	jet black RAL 9005

Classifications

eCl@ss

eCl@ss 5.1	27149109
eCl@ss 6.0	27149109

ETIM

ETIM 5.0	EC000441
----------	----------

Approvals

Approvals


Approvals

UL Recognized / cUL Recognized / GOST-R / cULus Recognized

Ex Approvals

Approvals submitted

Approval details


UL Recognized 

cUL Recognized 
--

Cable gland - G-INB-M32-M68N-PEPDS-BK - 1415181

Approvals

GOST-R 

cULus Recognized 

Drawings

Dimensional drawing

