




# Swanstrom Tools USA Super Ergonomic Diagonal Cutters



| <b>TOOL NUMBER</b> | <b>EDGE</b> | <b>OAL INCH</b> | <b>JAW LENGTH</b> | <b>BODY WIDTH</b> | <b>TIP THICKNESS</b> |
|--------------------|-------------|-----------------|-------------------|-------------------|----------------------|
|--------------------|-------------|-----------------|-------------------|-------------------|----------------------|

**OVAL**



|       |             |      |      |      |      |
|-------|-------------|------|------|------|------|
| S130E | Bevel       | 5.40 | 0.36 | 0.33 | 0.03 |
| S131E | Flush       | 5.40 | 0.36 | 0.33 | 0.03 |
| S132E | Super Flush | 5.40 | 0.36 | 0.33 | 0.03 |



|       |             |      |      |      |      |
|-------|-------------|------|------|------|------|
| S140E | Bevel       | 5.50 | 0.45 | 0.40 | 0.03 |
| S141E | Flush       | 5.50 | 0.45 | 0.40 | 0.03 |
| S142E | Super Flush | 5.50 | 0.45 | 0.40 | 0.03 |



|       |             |      |      |      |      |
|-------|-------------|------|------|------|------|
| S150E | Bevel       | 5.70 | 0.50 | 0.50 | 0.05 |
| S151E | Flush       | 5.70 | 0.50 | 0.50 | 0.05 |
| S152E | Super Flush | 5.70 | 0.50 | 0.50 | 0.05 |











|       |             |      |      |      |      |
|-------|-------------|------|------|------|------|
| S160E | Bevel       | 6.20 | 0.68 | 0.60 | 0.06 |
| S161E | Flush       | 6.20 | 0.68 | 0.60 | 0.06 |
| S162E | Super Flush | 6.20 | 0.68 | 0.60 | 0.06 |



**Swanstrom  
Tools USA**

# Super Ergonomic Diagonal Cutters

|                                                                                    | <b><u>TOOL NUMBER</u></b>   | <b><u>EDGE</u></b> | <b><u>OAL INCH</u></b> | <b><u>JAW LENGTH</u></b> | <b><u>BODY WIDTH</u></b> | <b><u>TIP THICKNESS</u></b> |
|------------------------------------------------------------------------------------|-----------------------------|--------------------|------------------------|--------------------------|--------------------------|-----------------------------|
|    | S143ELI                     | Bevel              | 5.60                   | 0.40                     | 0.40                     | 0.03                        |
|                                                                                    | S144ELI                     | Flush              | 5.60                   | 0.40                     | 0.40                     | 0.03                        |
|                                                                                    | S145ELI                     | Super Flush        | 5.60                   | 0.40                     | 0.40                     | 0.03                        |
|    | S153E                       | Bevel              | 5.70                   | 0.50                     | 0.50                     | 0.03                        |
|                                                                                    | S154E                       | Flush              | 5.70                   | 0.50                     | 0.50                     | 0.03                        |
|                                                                                    | S155E                       | Super Flush        | 5.70                   | 0.50                     | 0.50                     | 0.03                        |
|    | S163E                       | Bevel              | 6.30                   | 0.68                     | 0.60                     | 0.04                        |
|                                                                                    | S164E                       | Flush              | 6.30                   | 0.68                     | 0.60                     | 0.04                        |
|                                                                                    | S165E                       | Super Flush        | 6.30                   | 0.68                     | 0.60                     | 0.04                        |
|   | S146ELI                     | Bevel              | 5.60                   | 0.40                     | 0.40                     | 0.03                        |
|                                                                                    | S147ELI                     | Flush              | 5.60                   | 0.40                     | 0.40                     | 0.03                        |
|                                                                                    | S148ELI                     | Super Flush        | 5.60                   | 0.40                     | 0.40                     | 0.03                        |
|  | S156E                       | Bevel              | 5.70                   | 0.50                     | 0.50                     | 0.04                        |
|                                                                                    | S157E                       | Flush              | 5.70                   | 0.50                     | 0.50                     | 0.04                        |
|                                                                                    | S158E                       | Super Flush        | 5.70                   | 0.50                     | 0.50                     | 0.04                        |
|  | S166E                       | Bevel              | 6.30                   | 0.68                     | 0.60                     | 0.04                        |
|                                                                                    | S167E                       | Flush              | 6.30                   | 0.68                     | 0.60                     | 0.04                        |
|                                                                                    | S168E                       | Super Flush        | 6.30                   | 0.68                     | 0.60                     | 0.04                        |
|  | <b>45 DEGREE LONG HEAD</b>  |                    |                        |                          |                          |                             |
| S247ELI                                                                            | Flush                       | 5.80               | 0.73                   | 0.27                     | 0.04                     |                             |
|  | <b>20 DEGREE SHORT HEAD</b> |                    |                        |                          |                          |                             |
| S482E-1                                                                            | Flush                       | 5.50               | 0.38                   | 0.40                     | 0.03                     |                             |

\* For lead catcher add "LC" suffix to tool number