



Seal, Mounting type: Plug in, Length 42.7 mm, Width: 20.3 mm, IP54, Colour: Grey

**RAL:** Ähnlich 7035

### Business data

|  |                  |
|--|------------------|
| Article number                             | 28803.6          |
| Article name                               | KDS-DES 4X7,5 GR |
| GTIN (EAN)                                 | 4044211233815    |
| Packaging unit                             | 5                |
| Quantity unit                              | PC               |
| Weight per piece (not including packaging) | 12.35 g          |
| Weight per piece (including packaging)     | 13.15 g          |
| Unit of weight                             | G                |
| Customs number                             | 39259020         |
| Country of origin                          | DE               |
| Product description                        | Sealing Element  |
| Colour                                     | Grey             |

## 28803.6 KDS-DES 4X7,5 GR

---

### Technical data

---

#### Dimensions

|        |         |
|--------|---------|
| Length | 42.7 mm |
| Width  | 20.3 mm |
| Height | 17.7 mm |

#### Materials

|                           |        |
|---------------------------|--------|
| Material                  | TPE    |
| Flammability class UL 94  | V-0    |
| Working temperature, min. | -40 °C |
| Working temperature, max. | 90 °C  |
| Halogen-free              | ✓      |
| Silicone-free             | ✓      |

#### Further technical data

|                      |         |
|----------------------|---------|
| Mounting type        | Plug in |
| Degree of protection | IP54    |
| Cable diameter, max. | 7.5 mm  |
| Number of wires      | 4       |

#### Environmental Product Compliance

|                                |            |
|--------------------------------|------------|
| REACH Conform                  | yes        |
| REACH Reference date           | 2023-01-17 |
| REACH Candidate Substance Note | No         |
| RoHS Conform                   | yes        |

---

### Media

---

## 28803.6 KDS-DES 4X7,5 GR

### Accessories

#### ##INVERSE##CONTA-CABLE



Round cable entry, Material: polyamide PA 6.6, glass-fibre reinforced | TPE, Colour: Black

| Article number          | Article name   | GTIN (EAN)    | Packaging unit |
|-------------------------|----------------|---------------|----------------|
| <a href="#">28774.4</a> | KDS-R 40-63 BK | 4044211234546 | 5 ST           |



Cable entry with foamed-in seal, Mounting type: Screws, Length: 153 mm, Width: 70 mm, IP 66, Colour: Black

| Article number          | Article name    | GTIN (EAN)    | Packaging unit |
|-------------------------|-----------------|---------------|----------------|
| <a href="#">28504.4</a> | KDS-SR 10/24 BK | 4044211210809 | 1 ST           |



Cable entry with foamed-in seal, Mounting type: Screws, Length: 106 mm, Width: 70 mm, IP 66, Colour: Black

| Article number          | Article name   | GTIN (EAN)    | Packaging unit |
|-------------------------|----------------|---------------|----------------|
| <a href="#">28500.4</a> | KDS-SR 6/10 BK | 4044211210021 | 1 ST           |



Cable entry with foamed-in seal, Mounting type: Screws, Length: 126 mm, Width: 70 mm, IP 66, Colour: Black

| Article number          | Article name   | GTIN (EAN)    | Packaging unit |
|-------------------------|----------------|---------------|----------------|
| <a href="#">28502.4</a> | KDS-SR 8/16 BK | 4044211210786 | 1 ST           |



Cable entry set, IP66, Consisting of: 1 x KDS-SR 10/24, 1 each of KDS-Inlay 2,4,6

| Article number          | Article name     | GTIN (EAN)    | Packaging unit |
|-------------------------|------------------|---------------|----------------|
| <a href="#">28605.4</a> | KDS-Set 10/24 BK | 4044211216214 | 1 ST           |



Cable entry set, IP66, Consisting of: 1 x KDS-SR 1-4 BK, 1 x KDS-Inlay 4 BK

| Article number          | Article name   | GTIN (EAN)    | Packaging unit |
|-------------------------|----------------|---------------|----------------|
| <a href="#">28602.4</a> | KDS-Set 1-4 BK | 4044211216184 | 1 ST           |



Cable entry set, IP66, Consisting of: 1 x KDS-SR 8/16, 1 x KDS-Inlay 1, 2 x KDS-Inlay 4

| Article number          | Article name    | GTIN (EAN)    | Packaging unit |
|-------------------------|-----------------|---------------|----------------|
| <a href="#">28604.4</a> | KDS-Set 8/16 BK | 4044211216207 | 1 ST           |

## 28803.6 KDS-DES 4X7,5 GR

---

### ##INVERSE##CONTA-CABLE

---

Cable entry set, IP66, Consisting of: 1 x KDS-SR 10/24, 1 each of KDS-Inlay 2,4,6



| Article number | Article name     | GTIN (EAN)    | Packaging unit |
|----------------|------------------|---------------|----------------|
| <u>28605.4</u> | KDS-Set 10/24 BK | 4044211216214 | 1 ST           |

---

Cable entry set, IP66, Consisting of: 1 x KDS-SR 10/24, 1 each of KDS-Inlay 2,4,6



| Article number | Article name     | GTIN (EAN)    | Packaging unit |
|----------------|------------------|---------------|----------------|
| <u>28605.4</u> | KDS-Set 10/24 BK | 4044211216214 | 1 ST           |

---