3.2 x 1.6 x 0.5 (mm) WiFi Dual Band Chip Antenna (AA077)

Engineering Specification

1. Product Number

H 2 U 8 4 W 1 H 1 S 0 3 0 0



2. Features

- *Stable and reliable performances in both 2.4 and 5 GHz bands
- *Low profile and compact size
- *RoHS 2.0 compliance
- *SMT processes compatible
- *AEC-Q200 compliant

3. Applications

- *Wi-Fi CERTIFIED ac applications
- *Wireless communication devices when IEEE802.11 a/b/g/n/ac functions are needed.
- *IoT applications

4. Description

Unictron's AA077 ceramic chip antenna is designed for Wi-Fi CERTIFIED ac applications, covering both 2400~2500 MHz & 5150~5850 MHz frequency bands. Fabricated with proprietary design and processes, AA077 shows recommendately performance and is fully compatible with SMT processes which can decrease the assembly cost and improve device's quality and consistency.

Document

REV.



詠業科技股份有限公司

Unictron Technologies Corporation Website:www.unictron.com

THIS DRAWINGS AND SPECIFICATIONS ARE THE PROPERTY OF UNICTRON TECHNOLOGIES CORPORATION AND SHALL NOT BE REPRODUCED OR USED AS THE BASIS FOR THE MANUFACTURE OR SALE OF APPARATUS OR DEVICES WITHOUT PERMISSION

Prepared by : Jane Designed by :Peter Checked by : Mike Approved by : Herbert

TITLE: 3.2 x 1.6 x 0.5 (mm) WiFi Dual Band Chip
Antenna (AA077) Engineering Specification

Antenna (AA077) Engineering Specification

NO.


H2U84W1H1S0300

5. Layout Guide & Electrical Specifications

5-1. Layout Guide (unit: mm)

Solder Land Pattern:

The solder land pattern (gold marking areas) is shown below. Recommendation on matching circuit will be provided according to customer's installation conditions.



Transmission Line with 50Ω Impedance Characteristic

Top View

Bottom View

5-2. Electrical Specifications (Evaluation Board Dimensions: 80 x 40 mm²) 5-2-1. Electrical Table

Characteristics	Specific	ations
Outline Dimension (mm)	3.2 x 1.6 x 0.5	
Working Frequency (MHz)	2400 ~ 2500	5150 ~ 5850
Peak Gain (dBi) (typical)**	1.4	2.3
Radiation Efficiency (%) (typical)**	76	67
VSWR (@ center frequency)*	< 2:1	< 2:1
Characteristic Impedance (Ω)	50	
Polarization	Linear Pol	arization Unictron

*Center frequency means the frequency with the lowest value in return loss of the chip antenna on the evaluation board 2020-07-01

Document Control Cent

REV.



詠業科技股份有限公司

Unictron Technologies Corporation Website:www.unictron.com THIS DRAWINGS AND SPECIFICATIONS ARE THE PROPERTY OF UNICTRON TECHNOLOGIES CORPORATION AND SHALL NOT BE REPRODUCED OR USED AS THE BASIS FOR THE MANUFACTURE OR SALE OF APPARATUS OR DEVICES WITHOUT PERMISSION

Prepared by : Jane Designed by :Peter Checked by : Mike Approved by : Herbert


TITLE: 3.2 x 1.6 x 0.5 (mm) WiFi Dual Band Chip
Antenna (AA077) Engineering Specification

DOCUMENT
NO.

H2U84W1H1S0300


^{**}A typical value is for reference only, not guaranteed.

5-2-2. Frequency vs. V.S.W.R. and Total Radiation Gain



6. Outline Dimensions of Antenna & Evaluation Board (unit: mm)

6-1. Antenna Dimensions



Unictron
T echnologies Corp.

2020-07-01

Document ontrol Cento



詠業科技股份有限公司

Unictron Technologies Corporation Website:www.unictron.com THIS DRAWINGS AND SPECIFICATIONS ARE THE PROPERTY OF UNICTRON TECHNOLOGIES CORPORATION AND SHALL NOT BE REPRODUCED OR USED AS THE BASIS FOR THE MANUFACTURE OR SALE OF APPARATUS OR DEVICES WITHOUT PERMISSION


Prepared by : Jane Designed by :Peter Checked by : Mike Approved by : Herbert

TITLE: 3.2 x 1.6 x 0.5 (mm) WiFi Dual Band Chip
Antenna (AA077) Engineering Specification

DOCUMENT NO.

H2U84W1H1S0300





PIN2 PIN2




PIN₁

Top View

Bottom View

PIN	1	2
Soldering PAD	Signal	Tuning / Ground

6-2. Evaluation Board with Antenna





詠業科技股份有限公司

Unictron Technologies Corporation Website:www.unictron.com THIS DRAWINGS AND SPECIFICATIONS ARE THE PROPERTY OF UNICTRON TECHNOLOGIES CORPORATION AND SHALL NOT BE REPRODUCED OR USED AS THE BASIS FOR THE MANUFACTURE OR SALE OF APPARATUS OR DEVICES WITHOUT PERMISSION

Prepared by : Jane Designed by :Peter Checked by : Mike Approved by : Herbert

TITLE: 3.2 x 1.6 x 0.5 (mm) WiFi Dual Band Chip Antenna (AA077) Engineering Specification DOCUMENT NO.

H2U84W1H1S0300


REV.


Document


7. 3D Radiation Gain Pattern (with 80 x 40 mm² Evaluation Board)


7-1. 2400~2500 MHz Band

3D Radiation Gain Pattern @ 2442 MHz (unit: dBi)











詠業科技股份有限公司

Unictron Technologies Corporation Website:www.unictron.com THIS DRAWINGS AND SPECIFICATIONS ARE THE PROPERTY OF UNICTRON TECHNOLOGIES CORPORATION AND SHALL NOT BE REPRODUCED OR USED AS THE BASIS FOR THE MANUFACTURE OR SALE OF APPARATUS OR DEVICES WITHOUT PERMISSION

Prepared by : Jane Designed by :Peter Checked by : Mike Approved by : Herbert


TITLE: 3.2 x 1.6 x 0.5 (mm) WiFi Dual Band Chip
Antenna (AA077) Engineering Specification


DOCUMENT NO.


H2U84W1H1S0300


7-2. 5150~5850 MHz Band

7-2-1. 3D Radiation Gain Pattern @ 5150 MHz (unit: dBi)











詠業科技股份有限公司

Unictron Technologies Corporation Website:www.unictron.com

THIS DRAWINGS AND SPECIFICATIONS ARE THE PROPERTY OF UNICTRON TECHNOLOGIES CORPORATION AND SHALL NOT BE REPRODUCED OR USED AS THE BASIS FOR THE MANUFACTURE OR SALE OF APPARATUS OR DEVICES WITHOUT PERMISSION


Prepared by : Jane Designed by :Peter Checked by : Mike Approved by : Herbert


TITLE: 3.2 x 1.6 x 0.5 (mm) WiFi Dual Band Chip
Antenna (AA077) Engineering Specification


DOCUMENT NO.


H2U84W1H1S0300

7-2-2. 3D Radiation Gain Pattern @ 5550 MHz (unit: dBi)











詠業科技股份有限公司

Unictron Technologies Corporation Website:www.unictron.com

THIS DRAWINGS AND SPECIFICATIONS ARE THE PROPERTY OF UNICTRON TECHNOLOGIES CORPORATION AND SHALL NOT BE REPRODUCED OR USED AS THE BASIS FOR THE MANUFACTURE OR SALE OF APPARATUS OR DEVICES WITHOUT PERMISSION


Prepared by : Jane Designed by :Peter Checked by : Mike Approved by : Herbert


TITLE: 3.2 x 1.6 x 0.5 (mm) WiFi Dual Band Chip
Antenna (AA077) Engineering Specification


DOCUMENT NO.


H2U84W1H1S0300

7-2-3. 3D Radiation Gain Pattern @ 5850 MHz (unit: dBi)











詠業科技股份有限公司

Unictron Technologies Corporation Website:www.unictron.com

THIS DRAWINGS AND SPECIFICATIONS ARE THE PROPERTY OF UNICTRON TECHNOLOGIES CORPORATION AND SHALL NOT BE REPRODUCED OR USED AS THE BASIS FOR THE MANUFACTURE OR SALE OF APPARATUS OR DEVICES WITHOUT PERMISSION

Prepared by : Jane Designed by :Peter Checked by : Mike Approved by : Herbert

TITLE: 3.2 x 1.6 x 0.5 (mm) WiFi Dual Band Chip
Antenna (AA077) Engineering Specification

DOCUMENT NO.

H2U84W1H1S0300


8. Frequency tuning and Matching circuit 8-1. Chip antenna tuning scenario: Signal Input Matching circuit Unictron Technologies Corp. 2020-07-01 Document THIS DRAWINGS AND SPECIFICATIONS ARE THE PROPERTY OF UNICTRON TECHNOLOGIES 詠業科技股份有限公司 CORPORATION AND SHALL NOT BE REPRODUCED OR USED AS THE BASIS FOR THE MANUFACTURE OR Unictron Technologies Corporation SALE OF APPARATUS OR DEVICES WITHOUT Website:www.unictron.com PERMISSION Prepared by : Jane Designed by :Peter Checked by : Mike **Approved by : Herbert DOCUMENT** TITLE: 3.2 x 1.6 x 0.5 (mm) WiFi Dual Band Chip REV. H2U84W1H1S0300

NO.

Antenna (AA077) Engineering Specification

8-2. Matching circuit:

With the following recommended values of matching and tuning components, the center frequencies will be about 2442 MHz for lower band & 5500 MHz for higher band at our standard 80x40 mm² evaluation board. However, these are typical reference values which may need to be changed when circuit boards or part vendors are different.



	System Matching C	ircuit Component	
Location	Description	Vendor	Tolerance
1	N/A		
2	0Ω, (0402)		
3	0.1 pF, (0402)	MURATA	±0.05 pF
4	12 pF, (0402)	MURATA	±5%
5 Fine tuning element	1 pF, (0402)	MURATA	±0.05 pF
6 Fine tuning element	0.8 pF, (0402)	MURATA	±0.05 pF

Unictron
T echnologies Corp.

2020-07-01

Document ontrol Cento



詠業科技股份有限公司

Unictron Technologies Corporation Website:www.unictron.com

THIS DRAWINGS AND SPECIFICATIONS ARE THE PROPERTY OF UNICTRON TECHNOLOGIES CORPORATION AND SHALL NOT BE REPRODUCED OR USED AS THE BASIS FOR THE MANUFACTURE OR SALE OF APPARATUS OR DEVICES WITHOUT PERMISSION


Prepared by : Jane Designed by :Peter Checked by : Mike Approved by : Herbert


TITLE: 3.2 x 1.6 x 0.5 (mm) WiFi Dual Band Chip
Antenna (AA077) Engineering Specification

DOCUMENT NO.

H2U84W1H1S0300

8-3. Reference for frequency tuning element 5 (2400~2500 MHz Band)







詠業科技股份有限公司

Unictron Technologies Corporation Website:www.unictron.com THIS DRAWINGS AND SPECIFICATIONS ARE THE PROPERTY OF UNICTRON TECHNOLOGIES CORPORATION AND SHALL NOT BE REPRODUCED OR USED AS THE BASIS FOR THE MANUFACTURE OR SALE OF APPARATUS OR DEVICES WITHOUT PERMISSION

Prepared by: Jane Designed by: Peter Checked by: Mike Approved by: Herbert

TITLE: 3.2 x 1.6 x 0.5 (mm) WiFi Dual Band Chip
Antenna (AA077) Engineering Specification


DOCUMENT NO.


H2U84W1H1S0300

REV.

Document

8-4. Reference for frequency tuning element 6 (5150~5850 MHz Band)







詠業科技股份有限公司

Unictron Technologies Corporation Website:www.unictron.com THIS DRAWINGS AND SPECIFICATIONS ARE THE PROPERTY OF UNICTRON TECHNOLOGIES CORPORATION AND SHALL NOT BE REPRODUCED OR USED AS THE BASIS FOR THE MANUFACTURE OR SALE OF APPARATUS OR DEVICES WITHOUT PERMISSION

Prepared by : Jane Designed by :Peter Checked by : Mike Approved by : Herbert

TITLE: 3.2 x 1.6 x 0.5 (mm) WiFi Dual Band Chip Antenna (AA077) Engineering Specification DOCUMENT NO.


H2U84W1H1S0300

REV.

Document

9. Soldering Conditions

Typical Soldering Profile for Lead-free Process



*Recommended solder paste alloy: SAC305 (Sn96.5 /Ag3 /Cu0.5) Lead Free solder paste

10. Reminders for users of Unictron's AA077 ceramic chip antennas

- 10-1. This chip antenna is made of ceramic materials which are relatively more rigid and brittle compared to printed circuit board materials. Bending of circuit board at the locations where chip antenna is mounted may cause the cracking of solder joints or antenna itself.
- 10-2. Punching/cutting of the break-off tab of PCB panel may cause severe bending of the circuit board which may result in cracking of solder joints or chip antenna itself. Therefore break-off tab shall be located away from the installation site of chip antenna.
- 10-3. Be cautious when ultrasonic welding process needs to be used near the locations where chip antennas are installed. Strong ultrasonic vibration recommendation cause the cracking of chip antenna solder joints.

2020-07-01

Document



詠業科技股份有限公司

Unictron Technologies Corporation Website:www.unictron.com THIS DRAWINGS AND SPECIFICATIONS ARE THE PROPERTY OF UNICTRON TECHNOLOGIES CORPORATION AND SHALL NOT BE REPRODUCED OR USED AS THE BASIS FOR THE MANUFACTURE OR SALE OF APPARATUS OR DEVICES WITHOUT PERMISSION

Prepared by : Jane Designed by :Peter Checked by : Mike Approved by : Herbert

TITLE: 3.2 x 1.6 x 0.5 (mm) WiFi Dual Band Chip
Antenna (AA077) Engineering Specification


DOCUMENT NO.

H2U84W1H1S0300

11. Packing

- (1) Quantity/Reel: 5000 pcs/Reel
- (2) Plastic tape: Black conductive polystyrene


a. Tape Drawing



b. Tape Dimensions (unit: mm)

Feature	Specifications	Tolerances
W	12.00	±0.30
Р	4.00	±0.10
E	1.75	±0.10
F	5.50	±0.10
P2	2.00	±0.10
D	1.50	+0.10
	1.50	-0.00
Po	4.00	±0.10
10Po	40.00	±0.20

c. Reel Drawing





詠業科技股份有限公司


Unictron Technologies Corporation Website:www.unictron.com THIS DRAWINGS AND SPECIFICATIONS ARE THE PROPERTY OF UNICTRON TECHNOLOGIES CORPORATION AND SHALL NOT BE REPRODUCED OR USED AS THE BASIS FOR THE MANUFACTURE OR SALE OF APPARATUS OR DEVICES WITHOUT PERMISSION

Prepared by: Jane Designed by: Peter Checked by: Mike Approved by: Herbert

TITLE: 3.2 x 1.6 x 0.5 (mm) WiFi Dual Band Chip
Antenna (AA077) Engineering Specification

DOCUMENT NO.

H2U84W1H1S0300





Website:www.unictron.com

SALE OF APPARATUS OR DEVICES WITHOUT PERMISSION

Prepared by : Jane Designed by :Peter Checked by : Mike Approved by : Herbert

TITLE: 3.2 x 1.6 x 0.5 (mm) WiFi Dual Band Chip **Antenna (AA077) Engineering Specification** **DOCUMENT** NO.

H2U84W1H1S0300

g. Picture of label

Unict	ron Technologies Corporation
CUST P/N	
DESC	
P/N	
L/N	
Q"TY	
DATE	

Unictron
T echnologies Corp.

2020-07-01

Document Control Cent



詠業科技股份有限公司

Unictron Technologies Corporation Website:www.unictron.com

THIS DRAWINGS AND SPECIFICATIONS ARE THE PROPERTY OF UNICTRON TECHNOLOGIES CORPORATION AND SHALL NOT BE REPRODUCED OR USED AS THE BASIS FOR THE MANUFACTURE OR SALE OF APPARATUS OR DEVICES WITHOUT PERMISSION

Prepared by : Jane Designed by :Peter Checked by : Mike Approved by : Herbert

TITLE: 3.2 x 1.6 x 0.5 (mm) WiFi Dual Band Chip
Antenna (AA077) Engineering Specification

DOCUMENT NO.

H2U84W1H1S0300

h. Reel with label



i. Small size carton with label



Unictron
Technologies Corp.

2020-07-01

Document ontrol Cente



詠業科技股份有限公司

Unictron Technologies Corporation Website:www.unictron.com

THIS DRAWINGS AND SPECIFICATIONS ARE THE PROPERTY OF UNICTRON TECHNOLOGIES CORPORATION AND SHALL NOT BE REPRODUCED OR USED AS THE BASIS FOR THE MANUFACTURE OR SALE OF APPARATUS OR DEVICES WITHOUT PERMISSION

Prepared by : Jane Designed by : Peter Checked by : Mike Approved by : Herbert

TITLE: 3.2 x 1.6 x 0.5 (mm) WiFi Dual Band Chip
Antenna (AA077) Engineering Specification


DOCUMENT NO.

H2U84W1H1S0300

j. Middle size carton with label




11-2. Process of packing



1 reel includes 5,000pcs(max.) chip antennas

1 small size carton includes 2pcs(max.) reels



1 middle size carton includes 5pcs(max.) small catons

1 large size carton includes 2pcs(max.) middle cartons

Unictron
T echnologies Corp.

2020-07-01

Document Control Cent



詠業科技股份有限公司

Unictron Technologies Corporation Website:www.unictron.com

THIS DRAWINGS AND SPECIFICATIONS ARE THE PROPERTY OF UNICTRON TECHNOLOGIES CORPORATION AND SHALL NOT BE REPRODUCED OR USED AS THE BASIS FOR THE MANUFACTURE OR SALE OF APPARATUS OR DEVICES WITHOUT PERMISSION

Prepared by: Jane Designed by: Peter Checked by: Mike Approved by: Herbert

TITLE: 3.2 x 1.6 x 0.5 (mm) WiFi Dual Band Chip
Antenna (AA077) Engineering Specification

DOCUMENT NO.

H2U84W1H1S0300

12. Operating & Storage Conditions

12-1. Operating

(1) Maximum Input Power: 2 W

(2) Operating Temperature: -40° C to 85° C

(3) Relative Humidity: 10% to 70%

12-2. Storage (sealed)

(1) Storage Temperature: -5°C to 40°C

(2) Relative Humidity: 20% to 70%

(3) Shelf Life: 1 year

12-3. Storage (unsealed)

Meet the criteria of J-STD-033 MSL2a

12-4. Storage (After mounted on customer's PCB with SMT process)

(1) Storage Temperature: -40°C to 85°C

(2) Relative Humidity: 10% to 70%

13. Notice

(1) Installation Guide:

Please refer to Unictron's application note "General guidelines for the installation of Unictron's chip antennas" for further information.

(2) All specifications are subject to change without notice.

Unictron
T echnologies Corp.

2020-07-01

Document ontrol Center



詠業科技股份有限公司

Unictron Technologies Corporation Website:www.unictron.com THIS DRAWINGS AND SPECIFICATIONS ARE THE PROPERTY OF UNICTRON TECHNOLOGIES CORPORATION AND SHALL NOT BE REPRODUCED OR USED AS THE BASIS FOR THE MANUFACTURE OR SALE OF APPARATUS OR DEVICES WITHOUT PERMISSION

Prepared by : Jane Designed by :Peter Checked by : Mike Approved by : Herbert

TITLE: 3.2 x 1.6 x 0.5 (mm) WiFi Dual Band Chip
Antenna (AA077) Engineering Specification

DOCUMENT NO.

H2U84W1H1S0300