# **Product data sheet**

Specifications





## Limit switch head, Limit switches XC Standard, ZCKD, steel roller plunger with boot

ZCKD029

Main	
Range of product	Telemecanique Limit switches XC Standard
Series name	Standard format
Product or component type	Limit switch head
Device short name	ZCKD
Head type	Plunger head
Product compatibility	XCKS XCKM XCKL
Associated body	ZCKL5H7 ZCKSD31H29 ZCKMD31H7 ZCKLD35H7 ZCKMD37 ZCKS1H29 ZCKS9 ZCKM7H7 ZCKMM1H7 ZCKMBH7 ZCKMBSH29 ZCKMBSH29 ZCKLD37 ZCKS5H29 ZCKLD37 ZCKS5H29 ZCKLD37H7 ZCKM6H7 ZCKM6H7 ZCKM6H7 ZCKM6H7 ZCKM6H7 ZCKM6H7 ZCKM6H7 ZCKM6H7 ZCKLD35 ZCKS5H29 ZCKLD35 ZCKS2H29 ZCKMD35 ZCKS2H29 ZCKMBH29 ZCKMBH29 ZCKMBH29 ZCKMBH29 ZCKMBH29 ZCKSD39 ZCKSSS ZCKSSS ZCKSSS ZCKL8H7 ZCKSSB2ZCKSSS ZCKL8H7 ZCKSSB12 ZCKMB12 ZCKMB12 ZCKMB12 ZCKMB12 ZCKMB12 ZCKMB12 ZCKSB13 ZCKSSB12 ZCKSB13 ZCKSSB12 ZCKSB13 ZCKLB17 ZCKSB12 ZCKSB13 ZCKLB17 ZCKSB12 ZCKMB12 ZCKMB13

ZCKM5 ZCKMD39H7 ZCKSD37H29 ZCKMD37H7 ZCKL7H7

ZCKSD31
ZCKL8
ZCKL7
ZCKS7
ZCKS7H29
ZCKM6
ZCKM6
ZCKS2
ZCKLD39H7
ZCKS6H29
ZCKMD37H29
ZCKMD37H29
ZCKMD39H29
ZCKMD39H7
ZCKM6H29
ZCKM5H7
ZCKM9
ZCKMD35H7
ZCKM6H29
ZCKMD35H7
ZCKLD31H7
ZCKM6H29
ZCKS8
ZCKL1H7
ZCKSD35H29
ZCKMSH29

Movement of operating head	Linear
Type of operator	Roller plunger spring return metal (with protective boot)
Type of approach	Lateral approach, 2 directions

### Complementary

Switch actuation	By 30° cam
Positive opening	With
Head material	Plastic

#### **Environment**

Ambient air temperature for operation	-2570 °C
Ambient air temperature for storage	-4070 °C
Environmental characteristic	Standard environment

#### **Packing Units**

•	
Unit Type of Package 1	PCE
Number of Units in Package 1	1
Package 1 Height	3.500 cm
Package 1 Width	7.500 cm
Package 1 Length	6.000 cm
Package 1 Weight	53.000 g
Unit Type of Package 2	S02
Number of Units in Package 2	80
Package 2 Height	15.000 cm
Package 2 Width	30.000 cm
Package 2 Length	40.000 cm
Package 2 Weight	4.550 kg

### Offer Sustainability

Sustainable offer status	Green Premium product	
REACh Regulation	REACh Declaration	
EU RoHS Directive	Pro-active compliance (Product out of EU RoHS legal scope) EU RoHS Declaration	

Mercury free	Yes
RoHS exemption information	Yes
Environmental Disclosure	Product Environmental Profile
California proposition 65	WARNING: This product can expose you to chemicals including: Diisononyl phthalate (DINP), which is known to the State of California to cause cancer, and Di-isodecyl phthalate (DIDP), which is known to the State of California to cause birth defects or other reproductive harm. For more information go to www.P65Warnings.ca.gov
Contractual warranty	
Warranty	18 months

Recommended replacement(s)