928309-8 - ACTIVE

RAST | RAST 5 IDC Connectors

TE Internal #: 928309-8 Crimp Terminal Housings, Tab, Tab Housing, 8 Position, Straight, UL 94V-2, Natural, Polyamide - GF, Contact Mating Retention, RAST 5 IDC Connectors

View on TE.com >

Terminals & Splices > Terminal Housings, Insulation Sleeves & Blocks > Crimp Terminal Housings



Terminal Type: Tab

Connector & Housing Type: Tab Housing

Number of Positions: 8

Terminal Orientation: Straight

UL Flammability Rating: UL 94V-2

Features

E T E connectivity

Product Type Features

Sealable	No
Connector & Housing Type	Tab Housing
Configuration Features	
Number of Positions	8
Body Features	
Connector & Keying Code	С
Primary Product Color	Natural
Contact Features	
Terminal Type	Tab
Terminal Orientation	Straight
Contact Mating Retention	With
Mechanical Attachment	
Mating Alignment	With

C For support call+1 800 522 6752

Crimp Terminal Housings, Tab, Tab Housing, 8 Position, Straight, UL 94V-2, Natural, Polyamide - GF, Contact Mating Retention, RAST 5 IDC Connectors



Connector Mounting Type	Panel Mount
Housing Features	
Housing Material	Polyamide - GF
Centerline (Pitch)	5 mm[.196 in]
Dimensions	
Product Length	33 mm[1.299 in]
Usage Conditions	
Operating Temperature Range	-40 – 105 °C[-40 – 221 °F]
Industry Standards	
UL Flammability Rating	UL 94V-2
Packaging Features	
Packaging Quantity	750
Product Compliance For compliance documentation, visit the product page on TE.com>	
EU RoHS Directive 2011/65/EU	Compliant
EU ELV Directive 2000/53/EC	Compliant

China RoHS 2 Directive MIIT Order No 32, 2016	No Restricted Materials Above Threshold
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JUNE 2023 (235) Candidate List Declared Against: JAN 2023 (233) Does not contain REACH SVHC
Halogen Content	Low Halogen - Br, Cl, F, I < 900 ppm per homogenous material. Also BFR/CFR/PVC Free

Solder Process Capability

Not applicable for solder process capability

Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: https://echa.europa.eu/guidance-documents/guidance-on-reach


Crimp Terminal Housings, Tab, Tab Housing, 8 Position, Straight, UL 94V-2, Natural, Polyamide - GF, Contact Mating Retention, RAST 5 IDC Connectors



Compatible Parts








TE Part # 293043-1 TE Part # 928309-7 8POS. FASTIN-FASTON, TAB 7P FF FLACHST GEH HOUSING RAST5


Also in the Series | RAST 5 IDC Connectors

A Contraction of the second se	A Contraction of the second se		
Automotive Terminals(8)	Connector Contacts(12)	Crimp Terminal Housings(41)	Insertion & Extraction Tools(1)

Crimp Terminal Housings, Tab, Tab Housing, 8 Position, Straight, UL 94V-2, Natural, Polyamide - GF, Contact Mating Retention, RAST 5 IDC Connectors







Customers Also Bought



TL T att π3-1771070-4
PTL 3X4 PLUG HSG HIGH TEMP KEY
ALGR

16/8W+4SC MQS SOCKET HSG

CRIMPER, INSULATION "F" (.120)

V-STRIPPING BLADES R0.1





Documents

C For support call+1 800 522 6752

Crimp Terminal Housings, Tab, Tab Housing, 8 Position, Straight, UL 94V-2, Natural, Polyamide - GF, Contact Mating Retention, RAST 5 IDC Connectors



Product Drawings 8P FF FLACHST GEH English **CAD** Files 3D PDF 3D Customer View Model ENG_CVM_CVM_928309-8_O.2d_dxf.zip English Customer View Model ENG_CVM_CVM_928309-8_O.3d_igs.zip English Customer View Model ENG_CVM_CVM_928309-8_O.3d_stp.zip English By downloading the CAD file I accept and agree to the Terms and Conditions of use.

Datasheets & Catalog Pages FASTIN_FASTON_Product_Line

English