


#### Z-PACK | Z-PACK 2mm HM

TE Internal #: 3-100141-0 Hard Metric Backplane Connectors, PCB Mount Header, 1 Gb/s, 25 Column, 5 Row, Traditional Backplane, 125 Position, Z-PACK 2mm ΗM

#### View on TE.com >

Connectors > PCB Connectors > Backplane Connectors > Hard Metric Backplane Connectors >

Hard Metric Male Connector: Traditional Backplane, Mezzanine, 2mm



PCB Connector Assembly Type: PCB Mount Header

Data Rate: 1 Gb/s

Number of Columns: 25

Number of Rows: 5

Backplane Architecture: Traditional Backplane

All Hard Metric Male Connector: Traditional Backplane, Mezzanine, 2mm (124)



### Features

#### **Product Type Features**

PCB Connector Assembly Type	PCB Mount Header	
Connector System	Board-to-Board	
Sealable	No	
Connector & Contact Terminates To	Printed Circuit Board	
Configuration Features		
Number of Columns	25	
Number of Rows	5	
Backplane Architecture	Traditional Backplane	
Number of Positions	125	
PCB Mount Orientation	Vertical	
Signal Characteristics		
Data Rate	1 Gb/s	

**C** For support call+1 800 522 6752

Hard Metric Backplane Connectors, PCB Mount Header, 1 Gb/s, 25 Column, 5 Row, Traditional Backplane, 125 Position, Z-PACK 2mm HM



#### **Body Features**

Primary Product Color	Gray
Contact Features	
CompactPCI Designation	None
Contact Type	Pin
Contact Mating Area Plating Material	Gold
Contact Mating Area Plating Material Thickness	.76 μm[30 μin]
Contact Current Rating (Max)	1.5 A
Mechanical Attachment	
Connector Mounting Type	Board Mount
Housing Features	
Centerline (Pitch)	2 mm[.07 in]
Usage Conditions	
Operating Temperature Range	-55 – 125 °C[-67 – 257 °F]
Operation/Application	
Circuit Application	Signal

## Packaging Features

#### Tube

# Product Compliance

For compliance documentation, visit the product page on TE.com>

EU RoHS Directive 2011/65/EU	Not Compliant	
EU ELV Directive 2000/53/EC	Compliant with Exemptions	
China RoHS 2 Directive MIIT Order No 32, 2016	Restricted Materials Above Threshold	
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JUNE 2023 (235) Candidate List Declared Against: JUNE 2022 (224) SVHC > Threshold: Pb (13% in Component Part) Aticle Safe Usage Statements: Do not eat, drink or smoke when using this product. Wash thoroughly after handling. Recycle if possible and dispose of the article by following all applicable governmental regulations relevant to your geographic location.	
Halogen Content	Not Low Halogen - contains Br or Cl > 900 ppm.	

Hard Metric Backplane Connectors, PCB Mount Header, 1 Gb/s, 25 Column, 5 Row, Traditional Backplane, 125 Position, Z-PACK 2mm HM



Solder Process Capability

Not applicable for solder process capability

Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: https://echa.europa.eu/guidance-documents/guidance-onreach

# **Compatible Parts**



## Also in the Series Z-PACK 2mm HM


	and the second s		
Backplane Coding Keys(60)	Backplane Connector Housings(4)	Backplane Guide Hardware(37)	Backplane Power Connectors(6)
A Contraction of the second se			
Board-to-Board Connector Contacts(2)	Hard Metric Backplane Connectors (269)	High Speed Backplane Connectors(1)	Insertion & Extraction Tools(2)

Hard Metric Backplane Connectors, PCB Mount Header, 1 Gb/s, 25 Column, 5 Row, Traditional Backplane, 125 Position, Z-PACK 2mm HM





# Customers Also Bought



#### Documents

Product Drawings Z-PACK/B MALE HDR 125P, 2MM HM

English

### CAD Files

3D PDF

3D

Customer View Model

ENG\_CVM\_CVM\_3-100141-0\_F.2d\_dxf.zip

English

Customer View Model

ENG\_CVM\_CVM\_3-100141-0\_F.3d\_igs.zip

English

Customer View Model

ENG\_CVM\_CVM\_3-100141-0\_F.3d\_stp.zip

English

By downloading the CAD file I accept and agree to the **Terms and Conditions** of use.

**C** For support call+1 800 522 6752

Hard Metric Backplane Connectors, PCB Mount Header, 1 Gb/s, 25 Column, 5 Row, Traditional Backplane, 125 Position, Z-PACK 2mm HM



Product Specifications Product Specification

English

Product Environmental Compliance

Product Compliance

English

**Product Compliance** 

English