



### Item description

- Suitable for a main distribution board with separate RDC/LS switches for each circuit; includes all required components for wiring supply terminal blocks and connecting 14 AC circuits and two three-phase circuits
- Connection of L- and N-conductors for RDC/LS switches to the circuits via multilevel installation terminal blocks without disconnection possibility; separation of N-potentials for insulation resistance measurement via RCD/LS switches

Contains:

Subject to changes. Please also observe the further product documentation!

---

WAGO GmbH & Co. KG  
Hansastr. 27  
32423 Minden  
Phone: +49571 887-0 | Fax: +49571 887-169  
Email: [info.de@wago.com](mailto:info.de@wago.com) | Web: [www.wago.com](http://www.wago.com)

Do you have any questions about our products?  
We are always happy to take your call at +49 (571) 887-44222.



- 16 x multilevel installation terminal block; N/L/PE; 4 mm<sup>2</sup> (2003-7646)
- 2 x multilevel installation terminal block; L/L; 4 mm<sup>2</sup> (2003-7642)
- 1 x end and intermediate plate (2003-7692)
- 3 x 2-conductor supply terminal block for distribution boxes; gray; 16 mm<sup>2</sup> (2016-7601)
- 1 x 2-conductor supply terminal block for distribution boxes; blue; 16 mm<sup>2</sup> (2016-7604)
- 1 x 2-conductor ground terminal block; green-yellow; 16 mm<sup>2</sup> (2016-7607)
- 1 x end and intermediate plate (2016-7692)
- 2 x screwless end stop; 10 mm wide (249-117)
- 1 x marking strip; white; 0.5 m (2009-110)
- 1 x WMB marker card; 1 ... 50 (793-5566)
- 1 x WMB marker card; L1, L2, L3, N, PE (793-5472)
- 1 x felt-tip pen (210-110)

Assembly width incl. end stop: 17.54 cm

## Data

### Material Data

Note (material data)

Information on material specifications can be found here

Fire load	6.311 MJ
Weight	495.1 g

### Commercial data

Product Group	22 (TOPJOB S)
eCl@ss 10.0	27-14-11-25
eCl@ss 9.0	27-14-11-25
ETIM 8.0	EC001329
ETIM 7.0	EC001329
PU (SPU)	1 pcs
Packaging type	box
Country of origin	QU
GTIN	4045454962319
Customs tariff number	80808080888

### Environmental Product Compliance

RoHS Compliance Status	Compliant, No Exemption
------------------------	-------------------------

Subject to changes. Please also observe the further product documentation!

WAGO GmbH & Co. KG  
 Hansastr. 27  
 32423 Minden  
 Phone: +49571 887-0 | Fax: +49571 887-169  
 Email: [info.de@wago.com](mailto:info.de@wago.com) | Web: [www.wago.com](http://www.wago.com)

Do you have any questions about our products?  
 We are always happy to take your call at +49 (571) 887-44222.



## Downloads

### Documentation

#### Bid Text

<a href="#">ausschreiben.de 821-123</a>	URL	Download
---	-----	----------

#### Additional Information

<a href="#">pdf</a> 2.3 MB	Download
-------------------------------	----------

## CAD/CAE-Data

### CAE data

<a href="#">WSCAD Universe 821-123</a>	URL	Download
--	-----	----------

## Environmental Product Compliance

### Compliance Search

<a href="#">Environmental Product Compliance 821-123</a> <a href="#">TOPJOB® S FI/LS main distribution board set</a>	URL	Download
---	-----	----------

## Installation Notes

## Product family

### TOPJOB® S

TOPJOB® S: In various industrial applications and modern building installations, WAGO's wide and versatile range of rail-mount terminal blocks provides more than just reliable electrical connections.

[Show all products from the family](#)

Subject to changes. Please also observe the further product documentation!

WAGO GmbH & Co. KG  
Hansastr. 27  
32423 Minden  
Phone: +49571 887-0 | Fax: +49571 887-169  
Email: [info.de@wago.com](mailto:info.de@wago.com) | Web: [www.wago.com](http://www.wago.com)

Do you have any questions about our products?  
We are always happy to take your call at +49 (571) 887-44222.