

REVISIONS


P	LTR	DESCRIPTION	DATE	DWN	APVD
E		Contact pin material change from CuSn to CuZn	20SEP2017	KJK	PS

NOTES:

△ MIN. 3µm TIN OVER 1.27µm NICKEL

△ OBSOLETE PARTS: OBSOLETE CIS STREAMLINING PER D.RENAUD/D.SINISI

POS. PER ROW	L±0.5	PART NUMBER
-	-	-
2	5.08	829 262 -2
3	7.62	-3
4	10.16	-4
5	12.70	-5
6	15.24	-6
7	17.78	-7
8	20.32	-8
9	22.86	-9
10	25.40	1-0
11	27.94	1--1
12	30.48	1--2
13	33.02	1--3
14	35.56	1--4
15	38.10	1--5
16	40.64	1--6
17	43.18	1--7
18	45.72	1--8
19	48.26	1--9
20	50.80	2-0
21	53.34	2--1
22	55.88	2--2
23	58.42	2--3
24	60.96	2--4
25	63.50	2--5
26	66.04	2--6
27	68.58	2--7
28	71.12	2--8
29	73.66	2--9
30	76.20	3-0
31	78.74	3--1
32	81.28	3--2
33	83.82	3--3
34	86.36	3--4
35	88.90	3--5
36	91.44	3--6
37	93.98	3--7
38	96.52	3--8
39	99.06	3--9
40	101.60	4-0
41	104.14	4--1
42	106.68	4--2
43	109.22	4--3
44	111.76	4--4
45	114.30	4--5
46	116.84	4--6
47	119.38	4--7
48	121.92	4--8
49	124.46	4--9
50	127.00	5-829 262 -0



CONTACT PIN	CuZn	△
PIN HOUSING	PBT	GREEN
DESCRIPTION	MATERIAL	COLOR/ FINISH

RELEASED FOR PUBLICATION

ALL RIGHTS RESERVED.

© COPYRIGHT - TE Connectivity

THIS DRAWING IS UNPUBLISHED.

DIMENSIONS: mm TOLERANCES UNLESS OTHERWISE SPECIFIED: ±0.2mm 0 PLC ± - 1 PLC ± - 2 PLC ± - 3 PLC ± - 4 PLC ± - ANGLES ± -	DWN G HOLAUS 17.07.89	MATERIAL SEE TABLE	FINISH SEE NOTE 1	
	CHK M SCHAARSCHMIDT 17.07.89	TE Connectivity NAME SPECIAL AMPMODU II PIN HEADER DUAL ROW		
APVD G FELDMEIER 12.11.92	SIZE A4			CAGE CODE 00779
PRODUCT SPEC 108-18012	CUSTOMER DRAWING			
APPLICATION SPEC -	SCALE 4:1		SHEET 1 OF 1	REV E
WEIGHT				