


Data sheet | Item number: 2005-7692
End and intermediate plate; 1 mm thick; orange

www.wago.com/2005-7692



Color:

Data

Physical data

Width	1 mm / 0.039 inches
Height	123.9 mm / 4.878 inches

Subject to changes. Please also observe the further product documentation!

WAGO GmbH & Co. KG
Hansastr. 27
32423 Minden
Phone: +49571 887-0 | Fax: +49571 887-169
Email: info.de@wago.com | Web: www.wago.com

Do you have any questions about our products?
We are always happy to take your call at +49 (571) 887-44222.



Depth	41.7 mm / 1.642 inches
-------	------------------------

Mechanical Data

Mounting type	snap-on type
---------------	--------------

Material Data

Note (material data)	Information on material specifications can be found here
----------------------	--

Color	orange
Material group	I
Insulation material	Polyamide (PA66)
Flammability class per UL94	V0
Fire load	0.116 MJ
Weight	3.9 g

Commercial data

Product Group	22 (TOPJOB S)
eCl@ss 10.0	27-14-11-33
eCl@ss 9.0	27-14-11-33
ETIM 8.0	EC000886
ETIM 7.0	EC000886
Recupel Type	
PU (SPU)	100 (25) pcs
Packaging type	box
Country of origin	DE
GTIN	4045454448172
Customs tariff number	8538909990

Environmental Product Compliance

RoHS Compliance Status	Compliant, No Exemption
------------------------	-------------------------

Required accessories**End plate**

Multilevel installation terminal block
--

Item no.: 2005-7641

Multilevel installation terminal block; with operating slots; 4 mm²; with N-disconnect slide link; NT/L/PE; www.wago.com/2005-7641

Subject to changes. Please also observe the further product documentation!



Push-in CAGE CLAMP®; 4,00 mm²; gray

Item no.: 2005-7642

Multilevel installation terminal block; with operating slots; 4 mm²; L/L; Push-in CAGE CLAMP®; 4,00 mm²; gray

www.wago.com/2005-7642

Item no.: 2005-7645

Multilevel installation terminal block; with operating slots; 4 mm²; L/L/PE; Push-in CAGE CLAMP®; 4,00 mm²; gray

www.wago.com/2005-7645

Item no.: 2005-7649

Multilevel installation terminal block; with operating slots; 4 mm²; N/L; Push-in CAGE CLAMP®; 4,00 mm²; gray

www.wago.com/2005-7649

Item no.: 2005-7646

Multilevel installation terminal block; with operating slots; 4 mm²; N/L/PE; Push-in CAGE CLAMP®; 4,00 mm²; gray

www.wago.com/2005-7646

Downloads

Documentation

Bid Text

2005-7692 X81 - Datei	2019 年2月19 日	xml 2.6 kB	Download
--------------------------	--------------	---------------	----------

2005-7692 doc - Datei	2017 年4月28 日	doc 24.1 kB	Download
--------------------------	--------------	----------------	----------

Additional Information

		pdf 2.3 MB	Download
--	--	---------------	----------

CAD/CAE-Data

CAE data

EPLAN Data Portal 2005-7692		URL	Download
-----------------------------	--	-----	----------

WSCAD Universe 2005-7692		URL	Download
--------------------------	--	-----	----------

ZUKEN Portal 2005-7692		URL	Download
------------------------	--	-----	----------

CAD data

2D/3D Models 2005-7692		URL	Download
------------------------	--	-----	----------

Subject to changes. Please also observe the further product documentation!

WAGO GmbH & Co. KG
Hansastr. 27
32423 Minden
Phone: +49571 887-0 | Fax: +49571 887-169
Email: info.de@wago.com | Web: www.wago.com

Do you have any questions about our products?
We are always happy to take your call at +49 (571) 887-44222.



Environmental Product Compliance

Compliance Search

Environmental Product Compliance 2005-7692
End and intermediate plate; 1 mm thick; orange

URL

Download

Installation Notes

Product family

TOPJOB® S

TOPJOB® S: In various industrial applications and modern building installations, WAGO's wide and versatile range of rail-mount terminal blocks provides more than just reliable electrical connections.

[Show all products from the family](#)

Subject to changes. Please also observe the further product documentation!