



REVISIONS			
REV	DESCRIPTION, ECN, EAR NO.	DATE	APP'D
A	PROPOSAL DRAWING	JUN18/15	Lawrence
B	PROPOSAL DRAWING	MAY0818	Lawrence



- MATERIALS:**
 HOUSING: HIGH TEMPERATURE ENGINEERING THERMOPLASTIC, FLAMMABILITY RATING UL94 V-0, COLOUR: BLACK
 CONTACTS: PHOSPHOR BRONZE
 PLATING: SELECTIVE GOLD PLATING ON MATING SURFACES:
 100u" [2.54 MICRONS] MIN. MATTE TIN ON SOLDER TAILS
 50u" [1.27 MICRONS] MIN. NICKEL UNDERPLATING OVERALL
 SHIELD: STAINLESS STEEL WITH MATTE TIN PLATING



- COPLANARITY SPECIFICATION:**
 WITH THE MODULAR JACK SITTING ON A LEVEL SURFACE, THE MAXIMUM GAP BETWEEN THE LEVEL SURFACE AND ALL TERMINAL TAILS AND BOTH FITTING NAILS IS 0.10 [0.004].

AMPHENOL PART NUMBER: RJE23-188-3X1X-X

- GOLD PLATING OPTION**
- 1= 6u" [0.15 MICRONS] GOLD PLATING
 - 2= 15u" [0.38 MICRONS] GOLD PLATING
 - 3= 30u" [0.76 MICRONS] GOLD PLATING
 - 4= 50u" [1.27 MICRONS] GOLD PLATING

- MODIFIER CODE**
- 5= WITH KAPTON TAPE
 - 6= WITHOUT KAPTON TAPE

- PACKAGING OPTION**
- BLANK= STANDARD (TRAY WITHOUT MYLAR)
 - T= TAPE AND REEL



UNLESS SPECIFIED OTHERWISE	DRAWN	Justin Feng	JUN18/15
PRIMARY UNITS	MILLIMETERS	CHECKED	L.Chan
SECONDARY	INCHES	M.E. APP'D	
REFERENCE IN PARENTHESES		Q.A. APP'D	
GENERAL TOLERANCES FOR MM	DWG APPR.		
1 DECIMAL PLACE	0.38	ENG. REL. NO.	
2 DECIMAL PLACES	0.25	REF.	
3 DECIMAL PLACES	0.0XX	THIRD ANGLE PROJECTION	
ANGULAR DEGREES	1.5	DO NOT SCALE DRAWING	

Amphenol Canada Corp.
www.amphenolcanada.com

TITLE:
 RJ45 SINGLE PORT MODULAR JACK, TOP ENTRY, 8P8C, SURFACE MOUNT, SHIELD WITH TABS-RoHS COMPLIANT

DWG. NO. **P-RJE23-188-3X1X-X** REV **B**

CODE ID. NO. **03554** DWG. SIZE: **C** SCALE: **5:1** SHEET **1** OF **1**