



- △ HOUSING: GLASS FILLED POLYESTER; COLOR: BLACK.
- △ CONTACT: HIGH CONDUCTIVITY COPPER ALLOY.
- △ NICKEL PLATE: 0.00127 [0.000050] MIN - ALL OVER.
- △ TIN-LEAD PLATE: 0.00254 [0.000100] MIN - SOLDER POSTS.
- △ GOLD PLATE: 0.00076 [0.000030] MIN - CONTACT AREA.
- △ NICKEL PLATE PER MIL-G-45204.
GOLD PLATE PER QQ-N-290.
- △ AMP PART NUMBER, DATE CODE AND CSA LOGO MAY BE MARKED IN APPROXIMATE AREA SHOWN, EITHER SIDE.
- △ DATUMS PLUS BASIC DIMENSIONS ESTABLISHED BY CUSTOMER.

14	23,24	35	1658504-1
OMIT PIN	MOLDED KEY BETWEEN PINS	NUMBER OF DUAL POSITIONS	PART NUMBER

THIS DRAWING IS A CONTROLLED DOCUMENT.

DIMENSIONS: mm [INCHES]	TOLERANCES UNLESS OTHERWISE SPECIFIED:	DWN A. W. FRANTUM 21 MAR 03	APVD A. W. FRANTUM 21 MAR 03	NAME	CONNECTION ASSEMBLY, HIGH CURRENT CARD EDGE DUAL POSITION, 2.54 [0.100] CL
0 PLC ± -	1 PLC ± -	2 PLC ± 0.13 [0.005]	3 PLC ± -	4 PLC ± -	ANGLES ± 2
MATERIAL	FINISH	SIZE	CODE	DRAWING NO	RESTRICTED TO
		A1	00779	1658504	
CUSTOMER DRAWING		SCALE	5:1	SHEET	1 OF 2

Tyco Electronics Corporation
 Harrisburg, Pa 17105-3608



THIS DRAWING IS A CONTROLLED DOCUMENT.		DN A. W. FRANTUM 21 MAR 03		Tyco Electronics Corporation Harrisburg, Pa 17105-3608	
DIMENSIONS: mm		CHK A. W. FRANTUM 21 MAR 03		NAME CONNECTOR ASSEMBLY, HIGH CURRENT CARD EDGE DUAL POSITION, 2.54 $[.100]$ CL	
TOLERANCES UNLESS OTHERWISE SPECIFIED:		APVD A. W. FRANTUM 21 MAR 03	PRODUCT SPEC	APPLICATION SPEC	RESTRICTED TO
0 PLC	\pm	SIZE	A1	SCALE	5:1
1 PLC	\pm	WEIGHT	00779	SHEET	2 OF 2
2 PLC	± 0.13 $[.005]$	CAGE CODE	C=1658504	REV	
3 PLC	\pm	CUSTOMER DRAWING			
4 PLC	\pm				
ANGLES	± 2				
FINISH	SEE SHEET 1				