

Data sheet | Item number: 283-400

Finger guard; touchproof cover protects unused conductor entries; yellow

www.wago.com/283-400



Subject to changes. Please also observe the further product documentation!

WAGO GmbH & Co. KG
Hansastr. 27
32423 Minden
Phone: +49571 887-0 | Fax: +49571 887-169
Email: info.de@wago.com | Web: www.wago.com

Do you have any questions about our products?
We are always happy to take your call at +49 (571) 887-44222.



Data

Material Data

Note (material data)

Information on material specifications can be found here

Color	yellow
Fire load	0.005 MJ
Weight	0.2 g

Commercial data

Product Group	1 (Rail Mounted Terminal Blocks)
eCl@ss 10.0	27-14-11-92
eCl@ss 9.0	27-14-11-92
ETIM 8.0	EC002848
ETIM 7.0	EC002848
PU (SPU)	100 (25) pcs
Packaging type	box
Country of origin	DE
GTIN	4017332286534
Customs tariff number	39269097900

Environmental Product Compliance

RoHS Compliance Status

Compliant, No Exemption

Downloads

Documentation

Bid Text

283-400 X81 - Datei	2019 年2月19 日	xml 2.7 kB	Download
------------------------	--------------	---------------	----------

283-400 doc - Datei	2017 年5月2 日	doc 23.0 kB	Download
------------------------	-------------	----------------	----------

Additional Information

		pdf 2.3 MB	Download
--	--	---------------	----------

Subject to changes. Please also observe the further product documentation!

CAD/CAE-Data

CAD data

2D/3D Models 283-400	URL	Download
----------------------	---------------------	--------------------------

CAE data

ZUKEN Portal 283-400	URL	Download
----------------------	---------------------	--------------------------

WSCAD Universe 283-400	URL	Download
------------------------	---------------------	--------------------------

Environmental Product Compliance


Compliance Search

Environmental Product Compliance 283-400	URL	Download
--	---------------------	--------------------------

Finger guard; touchproof cover protects unused conductor entries; yellow

Installation Notes

Cover



Finger guard seals an unused conductor entry.

Subject to changes. Please also observe the further product documentation!