





DATE	REV	REVISION RECORD	APP	DR	CK
11-29-07	NC	ECO 28708	RCW	YK	TK

THIS DRAWING CONTAINS INFORMATION PROPRIETARY TO POSITRONIC AND ITS SUBSIDIARIES. POSITRONIC BELIEVES THE DATA ON THIS DRAWING TO BE RELIABLE, SINCE THE TECHNICAL INFORMATION IS GIVEN FREE OF CHARGE, THE USER EMPLOYS SUCH INFORMATION AT HIS OWN DISCRETION AND RISK. POSITRONIC ASSUMES NO RESPONSIBILITY FOR RESULTS OBTAINED OR DAMAGES INCURRED FROM USE OF SUCH INFORMATION IN WHOLE OR IN PART.



TYPICAL INSERT



INSERT TREE ASSEMBLY

NOTES:

1. MATERIALS AND FINISHES:

HOOD, COVER AND INSERT: COMPOSITE, CONDUCTIVE VOLUME RESISTIVITY (1.0 OHM-cm MAX.), UL94V-0.

ATTENUATION: 40+ DECIBELS.


JACKSCREWS: STEEL WITH ZINC PLATE WITH CHROMATE SEAL.

CABLE CLAMPS: STEEL, NICKEL PLATE.

CABLE CLAMP SCREWS: BRASS, ZINC PLATE WITH CHROMATE SEAL.

COVER SCREWS: STAINLESS STEEL, PASSIVATED.

2. DIMENSIONS ARE IN INCHES [MILLIMETERS].



POSITRONIC INDUSTRIES INC.
SPRINGFIELD, MISSOURI 65801

DECIMAL TOL. ± 0.015 [0.38]	ANGULAR TOL. ± 5°
--------------------------------	----------------------

D SERIES	SCALE N.T.S.	DRAWN BY YK	APPROVED BY RCW
TITLE D37000Z00			
DATE 11-29-07	DRAWING NUMBER SK9116	REV. NC	