

Hinged frame 24B for 6 modules (A..F)



Image is for illustration purposes only. Please refer to product description.

Part number	09 14 024 0303
Specification	Hinged frame 24B for 6 modules (A..F)
HARTING eCatalogue	https://b2b.harting.com/09140240303

Version

Size	24 B
------	------

Technical characteristics

Limiting temperature	-40 ... +125 °C
Mating cycles	≥500

Material properties

Material	Zinc die-cast
RoHS	compliant with exemption
RoHS exemptions	6(c): Copper alloy containing up to 4 % lead by weight
ELV status	compliant with exemption
China RoHS	50
REACH Annex XVII substances	Not contained
REACH ANNEX XIV substances	Not contained
REACH SVHC substances	Yes
REACH SVHC substances	Lead
ECHA SCIP number	564b7d75-7bf6-4cfb-acb1-2168eb61b675
California Proposition 65 substances	Yes
California Proposition 65 substances	Lead Nickel

Specifications and approvals

Specifications	IEC 60664-1 IEC 61984
----------------	--------------------------



Pushing Performance
Since 1945

Specifications and approvals

UL / CSA UL 1977 ECBT2.E235076

Approvals DNV GL

Commercial data

Packaging size 2

Net weight 78.7 g

Country of origin Germany

European customs tariff number 85389099

GTIN 5713140021273

eCl@ss 27440206 Module carrier frame for industrial connectors