# **Product data sheet**

Specifications





## Limit switch head, Limit switches XC Standard, ZCKE, without lever left and right actuation

ZCKE05

Main	
Range of product	Telemecanique Limit switches XC Standard
Series name	Standard format
Product or component type	Limit switch head
Device short name	ZCKE
Head type	Rotary head
Product compatibility	XCKJ
Associated lever	ZCKY91 ZCKY52 ZCKY53 ZCKY11 ZCKY13 ZCKY43 ZCKY51 ZCKY14 ZCKY81 ZCKY41 ZCKY59
Associated body	ZCKJD37H7 ZCKJ5H29 ZCKJ8H7 ZCKJ1H29 ZCKJ4 ZCKJ7 ZCKJ41 ZCKJ41 ZCKJ4129 ZCKJ41H29 ZCKJ41H29 ZCKJ41H29 ZCKJ3H7 ZCKJ03SH7 ZCKJ03SH7 ZCKJ031H7 ZCKJ031H29 ZCKJ031H29 ZCKJ031H29 ZCKJ031H29 ZCKJ05 ZCKJ05 ZCKJ05 ZCKJ05 ZCKJ11 ZCKJ05 ZCKJ11 ZCKJ05 ZCKJ11 ZCKJ05 ZCKJ11 ZCKJ11 ZCKJ5 ZCKJ11 ZCKJ11 ZCKJ5 ZCKJ11 ZCKJ5 ZCKJ11 ZCKJ5 ZCKJ11 ZCKJ11 ZCKJ5 ZCKJ11 ZCKJ5 ZCKJ11 ZCKJ5 ZCKJ11 ZCKJ11 ZCKJ5 ZCKJ11 ZCKJ11 ZCKJ5 ZCKJ11 ZCKJ11 ZCKJ5 ZCKJ112 ZCKJ11 ZCKJ112 ZCKJ12 ZCKJ12 ZCKJ12 ZCKJ12



Movement of operating head	ZCKJ21H7 ZCKJ1 ZCKJ2H29 ZCKJD39H29 ZCKJD37 ZCKJ2 ZCKJ2 ZCKJ35 ZCKJ41H7 ZCKJ404 ZCKJ39 ZCKJ4104 ZCKJ21H29 ZCKJ404H7 Rotary
Type of operator	Without operating lever spring return
Type of approach	Lateral approach, 1 or 2 programmable direction
Complementary	
Switch actuation	From left and/or right CW and/or CCW
Positive opening	With
Head material	Metal
Environment	
Ambient air temperature for operation	-2570 °C
Ambient air temperature for storage	-4070 °C
Environmental characteristic	Standard environment
Packing Units	
Unit Type of Package 1	PCE
Number of Units in Package 1	1
Package 1 Height	4.200 cm
Package 1 Width	4.600 cm
Package 1 Length	8.700 cm
Package 1 Weight	168.000 g
Unit Type of Package 2	S01
Number of Units in Package 2	27
Package 2 Height	15.000 cm
Package 2 Width	15.000 cm
Package 2 Length	40.000 cm
Package 2 Weight	4.794 kg
Unit Type of Package 3	P06
Number of Units in Package 3	864
Package 3 Height	77.000 cm
Package 3 Width	80.000 cm
Package 3 Length	60.000 cm
Package 3 Weight	160.852 kg

### Offer Sustainability

Sustainable offer status

Green Premium product

REACh Regulation	REACh Declaration
EU RoHS Directive	Pro-active compliance (Product out of EU RoHS legal scope) EU RoHS Declaration
Mercury free	Yes
RoHS exemption information	Yes
Environmental Disclosure	Product Environmental Profile
California proposition 65	WARNING: This product can expose you to chemicals including: Diisononyl phthalate (DINP), which is known to the State of California to cause cancer, and Di-isodecyl phthalate (DIDP), which is known to the State of California to cause birth defects or other reproductive harm. For more information go to www.P65Warnings.ca.gov

### **Contractual warranty**

Warranty

18 months

#### Recommended replacement(s)