

# Digital display - MCR-SL-D-FIT - 2864024


Please be informed that the data shown in this PDF Document is generated from our Online Catalog. Please find the complete data in the user's documentation. Our General Terms of Use for Downloads are valid (<http://download.phoenixcontact.com>)



MCR digital display, for measuring and displaying frequencies, pulses and times, 6-fig. display



## Key commercial data

Packing unit	1
Minimum order quantity	1
Catalog page	Page 385 (IF-2009)
GTIN	 4 017918 976477
Weight per Piece (excluding packing)	92.6 GRM
Country of origin	GERMANY

## Technical data

### Input data

Input resistance of voltage input	10 kΩ
-----------------------------------	-------

### Switching output

Output name	1 NPN optocoupler
Maximum switching voltage	30 V DC

### Power supply

Supply voltage range	10 V DC ... 30 V DC
Max. current consumption	max. 40 mA

### General data

Width	48 mm
Height	24 mm
Depth	68 mm
Ambient temperature (operation)	-20 °C ... 65 °C
Ambient temperature (storage/transport)	-25 °C ... 70 °C
Degree of protection	IP65 from the front
Color	black
Housing material	Macrolon 2405

# Digital display - MCR-SL-D-FIT - 2864024

## Technical data

### General data

Conformance	CE-compliant
UL, USA / Canada	UL 508 Recognized

## Classifications

### eclass

eCl@ss 4.0	27210120
eCl@ss 4.1	27210120
eCl@ss 5.0	27210120
eCl@ss 5.1	27210120
eCl@ss 6.0	27210120

### etim

ETIM 2.0	EC001485
ETIM 3.0	EC001485
ETIM 4.0	EC001485

### unspsc

UNSPSC 6.01	30211506
UNSPSC 7.0901	39121008
UNSPSC 11	39121008
UNSPSC 12.01	39121008
UNSPSC 13.2	39121008

## Approvals

### Certificates

---

#### Certification

UL Recognized / cUL Recognized / cULus Recognized

---

#### Certification EX

---

#### Certification submitted

---

### Approval details

UL Recognized
---------------

cUL Recognized
----------------


# Digital display - MCR-SL-D-FIT - 2864024

## Approvals


cULus Recognized

## Drawings

### Dimensioned drawing



### Circuit diagram



### Dimensioned drawing

