

SHEET 1 OF 6

RECOMMENDED PCB LAYOUT FOR SSM-1XX-XXX-XX-XX-XX-XX




FIGURE 3 -SV

*ONLY ONE Ø.047 HOLE TO APPEAR ON 2 POSITION WITH -LC OPTION




FIGURE 4 -DV

PROPRIETARY NOTE THIS DOCUMENT CONTAINS INFORMATION

TIDD DECONLINE OF CONTROL OF THE CON



520 PARK EAST BLVD, NEW ALBANY, IN 47150 PHONE: 812-944-6733 FAX: 812-948-5047 e-Mail info@SAMTEC.com code 55322

REVISION C

RECOMMENDED PCB LAYOUT FOR SSM-1XX-XXX-XX-XX-XX-XX




FIGURE 5 -SV-BE C

*ONLY ONE Ø.047 HOLE TO APPEAR ON 2 POSITION WITH -LC OPTION




FIGURE 6 -DV-BE C

*ONLY ONE HOLE TO APPEAR ON 2 POSITION WITH -LC OR -A OPTION

PROPRIETARY NOTE

THIS DOCUMENT CONTAINS INFORMATION CONFIDENTIAL AND PROPRIETARY TO SAMTEC, INC. AND SHALL NOT BE REPRODUCED OR TRANSFERRED TO OTHER DOCUMENTS OR DISCLOSED TO OTHERS OR USED FOR ANY PURPOSE OTHER THAN THAT WHICH IT WAS OBTAINED WITHOUT THE EXPRESSED WRITTEN CONSENT OF SAMTEC, INC.



520 PARK EAST BLVD, NEW ALBANY, IN 47150 PHONE: 812-944-6733 FAX: 812-948-5047 code 55322

e-Mail info@SAMTEC.com

revision c	RECOMMENDED STENCIL LAYOUT FOR SSM-1XX-XXX-XX-XX-XXX
	SAME AS FIGURE 1 UNLESS NOTED OTHERWISE RECOMMENDED STENCIL THICKNESS .006[.152mm] -SH
	SAME AS FIGURE 2 UNLESS NOTED OTHERWISE RECOMMENDED STENCIL THICKNESS .006[.152mm] PROPRIETARY NOTE THIS DOCUMENT CONTAINS INFORMATION

ECOMMENDED STENCIL THICKNESS .006[.152mm]

-DH

-DH

THIS DOCUMENT CONTAINS INFORMATION CONFIDENTIAL AND PROPRIETARY TO SAMIEC, INC. AND SHALL NOT BE REPRODUCED ON TRANSFERRED TO OTHER DOCUMENTS OR DISCLOSED TO OTHER THAN THAT WHICH IT WAS OBTAINED WITHOUT THE EXPRESSED WRITTEN CONSENT OF SAMIEC, INC.



520 PARK EAST BLVD, NEW ALBANY, IN 47150
PHONE: 812-944-6733 FAX: 812-948-5047
e-Mail info@SAMTEC.com code 55322
SHEET 4 OF 6

revision c	RECOMMENDED STENCIL LAYOUT FOR SSM-1XX-XXX-XX-XX-XX-XX
	SAME AS FIGURE 3 UNLESS NOTED OTHERWISE RECOMMENDED STENCIL THICKNESS .006[.152mm] - <u>SV</u>
	SAME AS FIGURE 4 UNLESS NOTED OTHERWISE RECOMMENDED STENCIL THICKNESS .006[.152mm] -DV PROPRIETARY NOTE PROPRIETARY NOTE PROPRIETARY NOTE THE DOCUMENT COMMAND MICRONICAL PROPRIETARY NOTE

THIS DOCUMENT CONTAINS INFORMATION CONFIDENTIAL AND PROPRIETARY TO SAMTEC, INC. AND SHALL NOT BE REPRODUCED OR TRANSFERRED TO OTHER DOCUMENTS OR DISCLOSED TO OTHERS THAN UPUR TO SHEET THE THAN THAT WHICH IT WAS OBTAINED WITHOUT THE EXPRESSED WRITTEN CONSENT OF SAMTEC, INC.



520 PARK EAST BLVD, NEW ALBANY, IN 47150 PHONE: 812-944-6733 FAX: 812-948-5047 e-Mail info@SAMTEC.com code 55322

revision c	RECOMMENDED STENCIL LAYOUT FOR SSM-1XX-XXX-XX-XX-XX-XX
	SAME AS FIGURE 5 UNLESS NOTED OTHERWISE RECOMMENDED STENCIL THICKNESS .006[.152mm] -SV-BE
	SAME AS FIGURE 6 UNLESS NOTED OTHERWISE RECOMMENDED STENCIL THICKNESS .006[.152mm] -DV-BE C PROPRIETARY NOTE THIS DOCUMENT CONTAINS INFORMATION

THIS DOCUMENT CONTAINS INFORMATION
CONFIDENTIAL AND PROPRIETARY TO
SAMIEC, INC. AND SHALL NOT BE REPRODUCED
OF TRANSFERRED TO OTHER DOCUMENTS
OF REASTERED TO OTHER DOCUMENTS
OF SECURITY OF THE PROPRIET OF T



520 PARK EAST BLVD, NEW ALBANY, IN 47150 PHONE: 812-944-6733 FAX: 812-948-5047 e-Mail info@SAMTEC.com code 55322 SHEET 6 OF 6