

Triad 01 Panel/PCB Connector

TE Internal #: 1437720-9 Standard Circular Connectors, Wire-to-Panel, 8 Position, Sealable, Wire & Cable, Signal, Panel Mount, Reverse Gender, Triad 01 Panel /PCB Connector

View on TE.com >

Connectors > Circular Connectors > Standard Circular Connectors



Connector System: Wire-to-Panel

Number of Positions: 8

Sealable: Yes

Connector & Contact Terminates To: Wire & Cable

Contact Current Rating (Max): 1 A

Features



Product Type Features

| Product Type | Connector Assembly |
|--|--------------------|
| Connector System | Wire-to-Panel |
| Sealable | Yes |
| Connector & Contact Terminates To | Wire & Cable |
| Circular Connector Type | Receptacle |
| Shell Type | Metal |
| Configuration Features | |
| Number of Positions | 8 |
| Number of Power Positions | 0 |
| | 0 |
| Number of Signal Positions | 8 |
| | |
| Number of Signal Positions | 8 |
| Number of Signal Positions Contacts Preloaded | 8 |

Standard Circular Connectors, Wire-to-Panel, 8 Position, Sealable, Wire & Cable, Signal, Panel Mount, Reverse Gender, Triad 01 Panel/PCB Connector



| Shell Plating Material | Nickel |
|---|---------------------------|
| Shell Base Material | CuZn |
| Circular Connector Insulation Material Type | PBT |
| Hermetically Sealed | No |
| Contact Features | |
| Contact Current Rating (Max) | 1 A |
| Reverse Gender | Yes |
| Contact Layout Arrangement | Circular |
| Circular Connector Contact Type | Socket |
| Mechanical Attachment | |
| Connector Mounting Type | Panel Mount |
| Mating Retention | With |
| Dimensions | |
| Assembly Length | 17.7 mm |
| Wire Size | .14 mm ² |
| Usage Conditions | |
| Operating Temperature Range | -40 – 80 °C[-40 – 176 °F] |

Operation/Application

| Circuit Application | Signal |
|--|--------------------------------------|
| Shielded | No |
| Industry Standards | |
| UL Flammability Rating | UL 94V-2 |
| Packaging Features | |
| Packaging Quantity | 25 |
| Product Compliance For compliance documentation, visit the product page on TE.com> | |
| EU RoHS Directive 2011/65/EU | Compliant with Exemptions |
| EU ELV Directive 2000/53/EC | Compliant with Exemptions |
| China RoHS 2 Directive MIIT Order No 32, 2016 | Restricted Materials Above Threshold |
| | |

Standard Circular Connectors, Wire-to-Panel, 8 Position, Sealable, Wire & Cable, Signal, Panel Mount, Reverse Gender, Triad 01 Panel/PCB Connector



Candidate List Declared Against: JUNE 2023 (235) SVHC > Threshold: Pb (4% in Component Part) Article Safe Usage Statements:

Do not eat, drink or smoke when using this product. Wash thoroughly after handling. Recycle if possible and dispose of the article by following all applicable governmental regulations relevant to your geographic location.

Low Halogen - Br, Cl, F, I < 900 ppm per homogenous material. Also BFR/CFR/PVC Free

Solder Process Capability

Halogen Content

Hand solderable with lead free solder


Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: https://echa.europa.eu/guidance-documents/guidance-on-reach

Compatible Parts




Also in the Series | Triad 01 Panel/PCB Connector



Customers Also Bought

Standard Circular Connectors, Wire-to-Panel, 8 Position, Sealable, Wire & Cable, Signal, Panel Mount, Reverse Gender, Triad 01 Panel/PCB Connector







TE Part #7-1437719-5 T01-0570-S07-FEMALE REC PANEL-PCB STRT

Documents

Product Drawings T01-0580-S08-FEMALE REC PANEL MNT SOLDER

English

T01-0580-S08-FEMALE REC PANEL MNT SOLDER

English

CAD Files

3D PDF

3D

Customer View Model

ENG_CVM_CVM_1437720-9_A.2d_dxf.zip

English

Customer View Model

ENG_CVM_CVM_1437720-9_A.3d_igs.zip

English

Customer View Model

ENG_CVM_CVM_1437720-9_A.3d_stp.zip

English

By downloading the CAD file I accept and agree to the Terms and Conditions of use.

C For support call+1 800 522 6752

Standard Circular Connectors, Wire-to-Panel, 8 Position, Sealable, Wire & Cable, Signal, Panel Mount, Reverse Gender, Triad 01 Panel/PCB Connector



Datasheets & Catalog Pages M8 / M12 Connector System Catalog

English

M8 / M12 Connector System Catalog

Japanese

Product Specifications

Product Specification

English