

MAG-MATE

TE Internal #: 1217853-1

Magnet Wire Terminals, Splice, Size 2, .57 – .81 mm Magnet Wire, 23 – 20 AWG Magnet Wire, Insulation Displacement (IDC), Tin

Plating, MAG-MATE

View on TE.com >



Terminals & Splices > Magnet Wire Terminals











Magnet Wire Terminal Type: Splice Compatible With Cavity Size: Size 2 Magnet Wire Size: .57 – .81 mm

Stock Thickness (Magnet Wire Side)

Product Length

Termination Method to Wire & Cable: Insulation Displacement (IDC)

Features

Product Type Features	
Compatible With Discrete Wire Type	Magnet Wire, Solid
Body Features	
Compatible With Cavity Size	Size 2
Contact Features	
Magnet Wire Terminal Type	Splice
Terminal Plating Material	Tin
Terminal Orientation	Twisted
Termination Features	
Termination Method to Wire & Cable	Insulation Displacement (IDC)
Dimensions	
Terminal Height	7.62 mm[.3 in]
Magnet Wire Size	.57 – .81 mm

.41 mm[.016 in]

7.87 mm[.3 in]



Usage Conditions

Insulation Option	Uninsulated
Operating Temperature Range	-65 – 150 °C[-85 – 302 °F]
Operation/Application	
Compatible With Wire Base Material	Aluminum, Copper
Packaging Features	
Packaging Method	Reel, Reel/Carton

Product Compliance

For compliance documentation, visit the product page on TE.com>

EU RoHS Directive 2011/65/EU	Compliant
EU ELV Directive 2000/53/EC	Compliant
China RoHS 2 Directive MIIT Order No 32, 2016	No Restricted Materials Above Threshold
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JUNE 2023 (235) Candidate List Declared Against: JAN 2023 (233) Does not contain REACH SVHC
Halogen Content	Low Halogen - Br, Cl, F, I < 900 ppm per homogenous material. Also BFR/CFR/PVC Free
Solder Process Capability	Not applicable for solder process capability

Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: https://echa.europa.eu/guidance-documents/guidance-on-reach

Compatible Parts





TE Part # 1217688-1 SPECIAL LEAF CONTACT,300 SERIE



TE Part # 1217082-1 TERM MAG-MATE 25-22 016 TPPHBZ



TE Part # 1217824-1 TERM, POKE-IN, MAG-MATE



TE Part # 1742483-1 SPEC LEAF,300 SERIES,MAG-MATE,



TE Part # 62833-4 TERMINAL, POKE-IN, MAG-MATE



TE Part # 62833-1 MAG-MATE POKE-IN TERM 016TPBR



TE Part # 1217689-1 SPECIAL LEAF CONTACT,300 SERIE



TE Part # 1217209-1 TERM SPL TRISLOT 300 MTA MAG



TE Part # 1217690-1 SPECIAL LEAF CONTACT,300 SERIE



TE Part # 1217757-1 TERM, POKE-IN, LP, MAG-MATE



TE Part # 63754-1 TERM,MAG-MATE 27-23 016TPBR

Also in the Series MAG-MATE



Insertion & Extraction Tools(7)




Magnet Wire Terminals(435)



PCB Terminals(1)

Customers Also Bought



TE Part #917782-1 2.5 S.D.L POST HDR ASY 4P STD



TE Part #2299282-2 POD-LOK 250 STR. AWG 18-14 PTPBR GF



TE Part #2-1827393-3 GIC 3.3 HDR ASSY 8P



TE Part #917722-1 2.5 SIGNAL D/LOCK HDR ASSY 2P







TE Part #1-2292843-3
3P, POSITIVE-LOCK HOUSING, MKIII .
250 SE

Documents

CAD Files

3D PDF

3D

Customer View Model

ENG_CVM_CVM_1217853-1_B_c-1217853-1-b.2d_dxf.zip

English

Customer View Model

ENG_CVM_CVM_1217853-1_B_c-1217853-1-b.3d_igs.zip

English

Customer View Model

ENG_CVM_CVM_1217853-1_B_c-1217853-1-b.3d_stp.zip

English

By downloading the CAD file I accept and agree to the **Terms and Conditions** of use

Product Specifications

Application Specification

English

Product Environmental Compliance

TE Material Declaration

English