Data sheet | Item number: 216-1543

Twin ferrule; insulated; black

www.wago.com/216-1543



| Picture differs from the item. | | |
|---------------------------------|--------|--|
| 1 locale differs from the item. | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | Color: | |
| | Color: | |

Subject to changes. Please also observe the further product documentation!

WAGO GmbH & Co. KG Hansastr. 27 32423 Minden

Phone: +49571 887-0 | Fax: +49571 887-169 Email: info.de@wago.com | Web: www.wago.com Do you have any questions about our products? We are always happy to take your call at +49 (571) 887-44222.

Data sheet | Item number: 216-1543

www.wago.com/216-1543



Data

Technical data

Main product function Ferrule

Connection data

Fine-stranded conductor 1.5 mm² / 16 AWG

Physical data

| Length | 20 mm |
|---------------------------------|--------|
| Crimp length (length of sleeve) | 12 mm |
| Diameter | 6.5 mm |
| Inner Diameter plastic collar | 3.6 mm |
| Diameter crimp sleeve inside | 2.2 mm |

Material Data

| Color | black |
|--------|-------|
| Weight | 0.2 g |

Commercial data

| ETIM 8.0 | EC000005 |
|-----------------------|---------------|
| ETIM 7.0 | EC000005 |
| PU (SPU) | 1000 pcs |
| Packaging type | bag |
| Country of origin | DE |
| GTIN | 4055143642811 |
| Customs tariff number | 85369010000 |

Environmental Product Compliance

RoHS Compliance Status Compliant, No Exemption

Downloads

Environmental Product Compliance

Compliance Search

Environmental Product Compliance 216-1543

Subject to changes. Please also observe the further product documentation!

WAGO GmbH & Co. KG

Hansastr. 27 32423 Minden

Phone: +49571 887-0 | Fax: +49571 887-169 Email: info.de@wago.com | Web: www.wago.com Do you have any questions about our products?

We are always happy to take your call at +49 (571) 887-44222.

Data sheet | Item number: 216-1543

www.wago.com/216-1543



Twin ferrule; insulated; black

URL

Download

| nstallation Notes | | | | | | |
|-------------------|--|--|--|--|--|--|
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |

A perfect gas-tight crimp – both electrically and mechanically reliable

 $\label{thm:condition} \textbf{Subject to changes. Please also observe the further product documentation!}$

WAGO GmbH & Co. KG Hansastr. 27 32423 Minden

Phone: +49571 887-0 | Fax: +49571 887-169 Email: info.de@wago.com | Web: www.wago.com Do you have any questions about our products? We are always happy to take your call at +49 (571) 887-44222.