

4

3

2

1


THIS DRAWING IS UNPUBLISHED. RELEASED FOR PUBLICATION  
© COPYRIGHT - By - ALL RIGHTS RESERVED.

LOC		DIST		REVISIONS			
P	LTR	DESCRIPTION	DATE	DWN	APVD		
	A	RELEASE PER ECR-15-000195	09JAN15	SW	RZ		

PART NUMBER  
2064873-1

NOTES:

1. MAXIMUM INSERTION LOSS IS 0.5 dB AT 850 & 1300nm.
2. MINIMUM RETURN LOSS: 20dB AT 850 & 1300nm
3. INCLUDE IL & RL TEST DATA WITH EACH LOOPBACK
4. PRODUCT AND PROCESSING MUST MEET REQUIREMENTS OF TE STANDARD TEC-138-702.



2064873

THIS DRAWING IS A CONTROLLED DOCUMENT.		DWN	16OCT12		<b>STE</b> TE Connectivity
		CHK	16OCT12		
		APVD	16OCT12		NAME CABLE ASSY, FIBER OPTIC, MM 62.5/125 LC DUPLEX LOOPBACK
		PRODUCT SPEC			
		APPLICATION SPEC			RESTRICTED TO
		WEIGHT			
MATERIAL		FINISH	SIZE	CAGE CODE	DRAWING NO
			A2	00779	C-2064873
			CUSTOMER DRAWING		SCALE
			NTS		SHEET
			1 OF 1		REV
					A