

---

# HARD HATS

---

SAFETY • COMFORT • FIT



**KLEIN  
TOOLS**



# PROTECTION FROM IMPACT, PENETRATION, AND LATERAL DEFORMATION

**KLEIN HARD HATS ARE TESTED TO THE LATEST STANDARDS**

**TYPE I, CLASS E**  
ELECTRICAL PROTECTION  
UP TO 20KV

**TYPE I, CLASS C**  
ADJUSTABLE SIDE VENTS HELP  
MANAGE AIR CIRCULATION

- ① **ANSI/SEA Z89.1-2014**  
**CSA Z94.1-15**
- ② **EN12492:2012\***:  
4.2.1.2, 4.2.1.3, 4.2.1.4,
- ③ **EN397:2012+A1:2012:**  
5.2.4



(Shown: SKU 60248; TYPE I, CLASS E)

This hard hat provides LIMITED protection from small objects striking the top, front, back, left and right sides of the hard hat. This is NOT an ANSI/CSA Type II hard hat.



**Pivot Adjustment**

allows user to position the ratchet mechanism to clear bandana knots and pony-tails.



**Ratchet Adjustment**

Large knob mechanism allows for easy one-hand adjustment, even with gloves on.




**Replaceable, Top Comfort Pad**

Sweat-wicking and breathable padding; machine washable. Prevents straps from digging into your head. (Replacement part # KHHTOPPAD)

## LONG TERM COMFORT AND OPTIMAL FIT

**Flexible, Open-Frame Design**

allows suspension to conform to user's head, provides optimal fit, and improved ventilation.



**Rear Neck Pad**

Soft, non-slip rear pad provides excellent cushion and grip.

**Replaceable, Sweatband**

Front and side coverage; sweat-wicking and breathable padding; machine washable. (Replacement part # KHHSWTBND)

**Chin Strap Attachment Points**

Chin Strap is sold separately. (#KHHSTRP)

**Multi-Point Adjustment**

allows user to choose the best position for enhanced fit and comfort.

# SAFETY • COMFORT • FIT

With a continued focus on optimal safety, comfort and fit, these updated Klein® Hard Hats now offer additional protection from front, back, and side impacts! Long-term comfort and proper fit are achieved with an adjustable, flexible, open-frame suspension that hugs your head for a secure fit, coupled with a padded, sweat-wicking band and replaceable top pad. Vented models add further comfort with large adjustable vents to improve air circulation. All models feature patent pending accessory mounts on the front and back to easily and precisely attach Klein Tools' exclusive Jobsite Headlamps—no straps needed!



## NON-VENTED CLASS E

Specifically built with electricians and linemen in mind, these non-vented hard hats are tested up to 20kV.

**Class E, Type 1** hard hat meets ANSI Z89.1-2014, CSA Z94.1-15, EN12492:2012\*\*- Front, Back and Side impact and EN397:2012+A1:2012 -Lateral Deformation (LD) standards



## VENTED CLASS C


Built for the demands of general construction, plumbing, carpentry and iron worker use, these hard hats include adjustable vents that can be opened and closed. These hard hats do not provide electrical protection.

**Class C, Type 1** hard hat meets ANSI Z89.1-2014, CSA Z94.1-15, EN12492:2012\*\*- Front, Back and Side impact and EN397:2012+A1:2012 -Lateral Deformation (LD) standards  
\*\*Select clauses only (See instructions for details)



### LARGER VENTS = BETTER VENTILATION

The adjustable vents can be opened or closed for maximum air circulation.



### REVERSE DONNING

Suspension can be easily adjusted to wear hard hat frontwards or backwards



### UNIVERSAL ACCESSORY SLOTS

on both sides for hearing protection, face shield, and more.

ALL-ON SPOTLIGHT FLOODLIGHT



### RECHARGEABLE HEADLAMP/MAGNETIC WORKLIGHT #56062

Included on some models and also sold separately, this headlamp has a built-in tab for quick release without removing hard hat. With spot, flood or all-on mode, it tilts and has a built-in magnet to attach to metal surfaces. Also sold separately (#56062)

### ACCESSORY MOUNTS

Patent-pending accessory mounts ensure the Klein headlamp is always properly positioned, on **front or back** - with NO STRAP needed!

Rechargeable Headlamp/Magnetic Worklight sold separately (#56062)





## NON VENTED CLASS E





Cat. No.	UPC 0-92644+	Class	SKU Description
60100	60076-0	E	Cap style, non-vented, White
60107	60078-4	E	Cap Style, non-vented, Alkaline Headlamp # KHH56220, White (NOT shown)
60107RL	60426-3	E	Cap Style, non-vented, Headlamp #56062, White
60248	60248-1	E	Cap style, non-vented, Blue
60249	60249-8	E	Full brim, non-vented, Blue
60400	60081-4	E	Full brim, non-vented, White
60406RL	60427-0	E	Full brim non-vented, Headlamp #56062, White



## VENTED CLASS C

Cat. No.	UPC 0-92644+	Class	SKU Description
60105	60077-7	C	Cap style, vented, White
60113RL	60425-6	C	Cap Style, vented, Headlamp #56062, White
60401	60082-1	C	Full brim, vented, White
60407	60084-5	C	Full brim, vented, Alkaline Headlamp # KHH56220, White
60407RL	60428-7	C	Full brim, vented, Headlamp #56062, White
60262	60262-7	C	Full brim, vented, Yellow

## HEADLAMPS & ACCESSORIES

Cat. No.	UPC 0-92644+	Description	Lumens	Batteries	Battery Life	
56062	56062-0	Rechargeable Headlamp/ Magnetic Worklight	Boost: 300 Spot/High: 215 Flood/Low: 100	Rechargeable, Lithium-ion	Boost: 4 hrs Spot/High: 9 hrs Flood/Low: 14 hrs	
56048	56048-4	Rechargeable Auto-Off Headlamp	Boost: 400 Spot/High: 200 Flood/Low: 100	Rechargeable, Lithium-ion	Boost: 4 hrs Spot/High: 12 hrs Flood/Low: 22 hrs	
56049	56049-1	Rechargeable Light Array Headlamp/ Magnetic Worklight	High: 260 Low: 125	Rechargeable, Lithium-ion	High: 9 hrs Low: 14 hrs	
KHH56220	56043-9	Alkaline Headlamp/ Magnetic Worklight	Spotlight: 150 Floodlight: 50	3 x AAA	Spotlight: 6 hrs Floodlight: 10 hrs	

Cat. No.	UPC 0-92644+	Description	Pkg Qty
KHHSPN	60087-6	Klein Tools Hard Hat Replacement Suspension	1
KHHTOPPAD	60088-3	Klein Tools Hard Hat Replacement Top Pads	3
KHHSWTBND	60089-0	Klein Tools Hard Hat Replacement Sweatbands	3
KHHSTRP	60119-4	Klein Tools Hard Hat Chin Strap	1



For Professionals  
SINCE 1857™

Warning statement: Visit [www.kleintools.com](http://www.kleintools.com) for safety warnings.



See our complete line of Personal Protective Equipment  
[www.kleintools.com](http://www.kleintools.com)



© 2020 Klein Tools, Inc.  
Lincolnshire, IL 60069  
82810 Rev. 07/20 B