

Series: Stick Antenna

TECHNICAL DATA SHEET Description: 2.4-2.5GHz Dipole swivel stick antenna

PART NUMBER: W1030

Features:

- Frequency 2400-2500MHz
- Gain 2.0 dBi
- Return Loss -10dB
- Length 108mm Straight position
- Connector:
 - RP SMA Male as default
 - SMA Male available by request

Applications:

- · 2.4GHz ISM band radios
- Bluetooth, BLE, Zigbee
- WLAN, WiFi 802.11x for 2.4GHz
- Indoor use

All dimensions are in mm / inches

Issue: 2047

In the effort to improve our products, we reserve the right to make changes judged to be necessary. CONFIDENTIAL AND PROPRIETARY INFORMATION

This document contains confidential and proprietary information of Pulse Electronics, Inc. (Pulse) and is protected by copyright, trade secret and other state and federal laws. Its receipt or possession does not convey any rights to reproduce, disclose its contents, or to manufacture, use or sell anything it may describe. Reproduction, disclosure or use without specific written authorization of Pulse is strictly forbidden. For more information:

Pulse Worldwide Headquarters 15255 Innovation Drive #100 San Diego, CA 92128 USA Tel:1-858-674-8100 Pulse/Larsen Antennas 18110 SE 34th St Bldg 2 Suite 250 Vancouver, WA 98683 USA Tel: 1-360-944-7551 Europe Headquarters Pulse GmbH & Do, KG Zeppelinstrasse 15 Herrenberg, Germany Tel: 49 7032 7806 0 Pulse (Suzhou) Wireless Products Co, Inc. 99 Huo Ju Road(#29 Bldg,4th Phase Suzhou New District Jiangsu Province, Suzhou 215009 PR China Tel: 86 512 6807 9998





TECHNICAL DATA SHEET **Description** : 2.4-2.5GHz Dipole swivel stick antenna

Series: Stick Antenna

PART NUMBER: W1030

ELECTRICAL SPECIFICATIONS

Antenna Type Frequency Nominal Impedance **Return Loss Radiation Pattern** Gain Polarization **Electrical Length**

$1/2 \lambda$ Swivel Type Dipole Antenna 2.4-2.5 GHz **50** Ω ≤ -10dB Omni 2.0 dBi Vertical $1/2 \lambda$ dipole

MECHANICAL SPECIFICATIONS

Overall Length Weight Antenna Color Connector type

108 mm 6.3 g Black Reverse SMA (Male), default SMA (Male), by request

ENVIRONMENTAL SPECIFICATIONS

Operating Temperature Storage Temperature **RoHS** Compliant

-40~+85° C -40~+85° C Yes



In the effort to improve our products, we reserve the right to make changes judged to be necessary. CONFIDENTIAL AND PROPRIETARY INFORMATION



2



TECHNICAL DATA SHEET


Series: Stick Antenna

Description : 2.4-2.5GHz Dipole swivel stick

antenna

PART NUMBER: W1030

MECHANICAL DRAWING



Issue: 2047

In the effort to improve our products, we reserve the right to make changes judged to be necessary. CONFIDENTIAL AND PROPRIETARY INFORMATION



3




Series: Stick Antenna

TECHNICAL DATA SHEET Description : 2.4-2.5GHz Dipole swivel stick antenna

PART NUMBER: W1030

Return Loss



Issue: 2047

In the effort to improve our products, we reserve the right to make changes judged to be necessary.

CONFIDENTIAL AND PROPRIETARY INFORMATION

4




Description : 2.4-2.5GHz Dipole swivel stick

Series: Stick Antenna

PART NUMBER: W1030

Gain and efficiency

antenna



Issue: 2047

In the effort to improve our products, we reserve the right to make changes judged to be necessary.

CONFIDENTIAL AND PROPRIETARY INFORMATION



5




TECHNICAL DATA SHEET Description : 2.4-2.5GHz Dipole swivel stick antenna


Series: Stick Antenna

PART NUMBER: W1030

CHARTS

Radiation pattern





Issue: 2047

In the effort to improve our products, we reserve the right to make changes judged to be necessary. CONFIDENTIAL AND PROPRIETARY INFORMATION





TECHNICAL DATA SHEET Description : 2.4-2.5GHz Dipole swivel stick antenna

Series: Stick Antenna

PART NUMBER: W1030

PACKAGING

Pack 20pcs antenna in one PE bag, 30pcs PE bag (600pcs Antenna) in one carton.

In the effort to improve our products, we reserve the right to make changes judged to be necessary. CONFIDENTIAL AND PROPRIETARY INFORMATION



7