





THIS DRAWING IS UNPUBLISHED. RELEASED FOR PUBLICATION
 © COPYRIGHT - TE Connectivity Ltd. ALL RIGHTS RESERVED.

REVISIONS					
P	LTR	DESCRIPTION	DATE	DWN	APVD
R2		REVISED PER ECR-21-117185	25OCT2021	PJ	VS



- PARTS COMPLY WITH AMP SOLDERABILITY SPEC 109-11-2.
- CONTACT IS PLATED OVERALL WITH 0.00127 NICKEL, THEN 0.00076 GOLD OVER LENGTH INDICATED AND MATTE TIN ON SOLDER TAIL END.
- DIMENSION SHOWN REPRESENT PRODUCT IN DRY CONDITION. ADDITIONAL 2% GROWTH DUE TO END USE LOCATION MOISTURE ABSORPTION MAY OCCUR AND SHOULD BE ACCOUNTED FOR.



RECOMMENDED MOUNTING HOLE PATTERN FOR .062 THICK P.C. BOARD

SUPERSEDED BY 1586520-2

MM	IN	MM	IN
2.29	.090	-	-
1.78	.070	32.77	1.290
0.76	.030	19.94	.785
0.25	.010	9.53	.375
0.13	.005	9.14	.360
0.08	.003	4.95	.195
0.00127	.000050	4.57	.180
0.00076	.000030	3.81	.150
MM	IN	MM	IN

CONVERSION TABLE

CU ALLOY	Δ	NYLON, UL94V-0	NATURAL	-350213-2
CU ALLOY	PRE-TIN	NYLON, UL94V-0	NATURAL	350213-1
PIN		HOUSING		
MATERIAL		MATERIAL		PART NO
FINISH		COLOR		
THIS DRAWING IS A CONTROLLED DOCUMENT.				
DIMENSIONS: mm		TOLERANCES UNLESS OTHERWISE SPECIFIED:		
		0 PLC ± - 1 PLC ± - 2 PLC ± 0.13 3 PLC ± - 4 PLC ± - ANGLES ± -		
MATERIAL SEE TABLE		FINISH SEE TABLE		
DWN K. WHITAKER 10-APR-2000		CHK S. RIDGILL 10-APR-2000		
APVD S. RIDGILL 10-APR-2000		PRODUCT SPEC		
APPLICATION SPEC		NAME		
WEIGHT 0.000000		SIZE A2		CAGE CODE 00779
CUSTOMER DRAWING		DRAWING NO C-350213		RESTRICTED TO -
SCALE 4:1		SHEET 1 of 1		REV R2