

IBS RBC METER/F-T


Order No.: 2723123

The illustration shows the versions standard, highly flexible and remote bus cables for underground runs



<http://eshop.phoenixcontact.de/phoenix/treeViewClick.do?UID=2723123>

Remote bus cable for flexible installation, sold by the meter

| Commercial data | |
|--------------------------|---|
| GTIN (EAN) |  4 017918 132552 |
| Note | Made-to-order |
| sales group | K900 |
| Pack | 1 m |
| Customs tariff | 85444993 |
| Catalog page information | Page 417 (AX-2009) |

Product notes

WEEE/RoHS-compliant since:
04/02/2006



<http://www.download.phoenixcontact.com>
Please note that the data given here has been taken from the online catalog. For comprehensive information and data, please refer to the user documentation. The General Terms and Conditions of Use apply to Internet downloads.

| Technical data | |
|---|--------------------------------------|
| General data | |
| Ambient temperature (storage/transport) | -40 °C ... 80 °C |
| Conductor data | |
| External cable diameter | 8.1 mm |
| Wire colors | Green-yellow, white-brown, gray-pink |

| | |
|------------------------|--------------------------|
| External sheath, color | Green RAL 6017 |
| Outer sheath, material | PUR mixture halogen-free |

Certificates / Approvals



Certification

GOST

Address

PHOENIX CONTACT Inc., USA
586 Fulling Mill Road
Middletown, PA 17057, USA
Phone (800) 888-7388
Fax (717) 944-1625
<http://www.phoenixcon.com>



© 2011 Phoenix Contact
Technical modifications reserved;