

Data sheet | Item number: 211-110

Marker; for IP200 plotter; for use in nozzles; Length: 12 mm; white

www.wago.com/211-110



Color:

Data

Technical data

Marking method	plotting
Marking	plain

Subject to changes. Please also observe the further product documentation!

WAGO GmbH & Co. KG
Hansastr. 27
32423 Minden
Phone: +49571 887-0 | Fax: +49571 887-169
Email: info.de@wago.com | Web: www.wago.com

Do you have any questions about our products?
We are always happy to take your call at +49 (571) 887-44222.



Delivery form	Marker card
Printing device	Plotter

Physical data

Depth	2 mm
Length	12 mm

Mechanical Data

Mounting type	Pushing in
Smear resistance	in conjunction with the WAGO Plotter Pen 258-32x

Material Data

Color	white
Material	Polycarbonate
UV resistance	EN 60068-2-5:2010 Procedure B
Adhesive information	without adhesive
Halogen-free	Yes
Weight	14.4 g

Environmental requirements

Ambient temperature (storage)	+10 ... +25 °C
Ambient temperature (operation)	-40 ... +140 °C
Relative humidity	40 ... 50 %

Commercial data

Product Group	2 (Terminal Block Accessories)
eCl@ss 10.0	27-40-06-29
eCl@ss 9.0	27-40-06-29
ETIM 8.0	EC001288
ETIM 7.0	EC001288
PU (SPU)	18 pcs
Packaging type	box
Country of origin	DE
GTIN	4045454486037
Customs tariff number	4911990000

Subject to changes. Please also observe the further product documentation!



Environmental Product Compliance

RoHS Compliance Status

Compliant, No Exemption

Downloads

Environmental Product Compliance

Compliance Search

Environmental Product Compliance 211-110

URL

Download

Marker; for IP200 plotter; for use in nozzles; Length: 12 mm; white

Installation Notes

Subject to changes. Please also observe the further product documentation!

WAGO GmbH & Co. KG

Hansastr. 27

32423 Minden

Phone: +49571 887-0 | Fax: +49571 887-169

Email: info.de@wago.com | Web: www.wago.com

Do you have any questions about our products?

We are always happy to take your call at +49 (571) 887-44222.