




THIS DRAWING IS UNPUBLISHED. RELEASED FOR PUBLICATION JUL, 1994.  
 © COPYRIGHT 1994 BY TYCO ELECTRONICS CORPORATION. ALL INTERNATIONAL RIGHTS RESERVED.

LOC	DIST	REVISIONS					
J	/	P	LTR	DESCRIPTION	DATE	DWN	APVD
		B		REACTIVATE ECR-09-024354	06NOV09	T.T	T.M



- ① 材料: \*ハウジング; ガラス入り ナイロン 6T (UL 94V-0) 色、黒。  
\*コンタクト: 磷青銅。
- ② 表面仕上げ;  
ニッケル下地めっきに接触部金めっき、半田付部半田めっきを施す。金めっき厚は下表参照。
- ① MATERIAL: HOUSING: GLASS FILLED NYLON 6T (UL 94V-0) BLACK.  
CONTACT: PHOSPHOR-BRONZE,
- ② FINISH: GOLD PLATING ON CONTACT AREA AND TIN-LEAD PLATING ON TINE AREA OVER NICKEL PLATING. GOLD PLATING THICKNESS SHOWN TABLE.

\*- -\*; AS SHOWN

49	62.23	64.03	67.47	74.85	0.76 μm	100	2-179530-4						
a	A	b	B	c	C	D	E	F	G	H	THK OF GOLD	POS.	P/N

THIS DRAWING IS A CONTROLLED DOCUMENT.

DWN	H.KODAMA	26JUL1994	 Tyco Electronics Corporation Kawasaki, Japan
CHK	Y.FUJIURA	27JUL1994	
APVD	Y.FUJIURA	27JUL1994	
NAME	Y.FUJIURA		
PRODUCT SPEC	製品規格		
APPLICATION SPEC	取付適用規格		
SIZE	A3	CAGE CODE	00779
DRAWING NO	C-179530		RESTRICTED TO
WEIGHT	CUSTOMER DRAWING		
SCALE	NTS		SHEET 1 OF 1
REV	B		

GENERAL TOLERANCE 一般公差  
 10 ≥ : ±0.2  
 30 ≥ > 10: ±0.25  
 100 ≥ > 30: ±0.3  
 ANGLES: ±3°

DIMENSIONS: 単位: 耗 mm	TOLERANCES UNLESS OTHERWISE SPECIFIED: 一般公差
0 PLC ± -	1 PLC ± -
2 PLC ± -	3 PLC ± -
4 PLC ± -	ANGLES ± -
MATERIAL 材料	FINISH 仕上
①	②