



Product Specifications

Nanosecond

ExtremeSlim HDMI Cable – Standard to Micro HDMI (2.6 FT / 0.8 m)

World's thinnest & most flexible 4K Standard HDM to Micro HDMI cable. Strong and flexible, allowing connections in tight spaces.



MODEL NUMBER: **RDNA-D26BK**



Product Highlights / Features

World's Thinnest & Most Flexible Cable

World's thinnest & most flexible HDMI Cable. Strong and flexible, allowing connection in tight spaces.

4K Ultra HD HDMI

Incredibly thin and capable of delivering the maximum high-definition digital video and multi-channel digital audio performance. Supports 4K Ultra High-Definition HDMI and HDR.

0.8m Standard HDMI to Micro HDMI Cable

The perfect cable for streaming 4K HDR video from Apple TV, MacBook, iPhone, smartphones, tablets, PC laptops, cameras, drones, and all HDMI video devices.

Perfect Connection

24k gold contacts for signal integrity.

Premium Quality

Official Certified HDMI adopter cord carries the official Premium High Speed HDMI Signal.

Product Specifications

| OVERVIEW | |
|--------------------------------|--------------------|
| Part Number | RDNA-D26BK |
| Product Type | Passive |
| Technology | HDMI |
| VIDEO | |
| Max Supported Video Resolution | 4K @ 60 Hz |
| INPUT | |
| Production Length (in.) | 31.5 |
| Production Length (ft.) | 2.6 |
| PHYSICAL | |
| Color | Black |
| Cable Jacket Material | PVC |
| Cable Outer Diameter (O.D) | 2mm |
| Cable Length | 2.6 ft / 0.8 meter |
| Cable Length (m.) | 0.8 |
| Cable Length (in.) | 31.5 |
| Material of Construction | PVC |
| Wire (AWG) | 40 |
| Cable Type | Micro-Coaxial |



| CONNECTIONS | |
|-------------------------|--------------------------|
| Side A – Connector 1 | Standard HDMI (MALE) |
| Side B – Connector 1 | Micro HDMI (MALE) |
| Connector Plating | Gold |
| Contact Plating | Gold |
| STANDARDS & COMPLIANCE | |
| Compliance | RoHS |
| WARRANTY | |
| Product Warranty Period | 3 Years Limited Warranty |

© 2022 Nanosecond LLC

This document contains proprietary & confidential information belonging exclusively to Nanosecond. All information is subject to change without notice and should not be construed as a commitment by Nanosecond LLC. Nanosecond assume no responsibility for any errors that may appear in this specification. In no event shall Nanosecond be liable for incidental or consequential damages arising from use of this specification/products. All Rights Reserved.