





LOC		DIST		REVISIONS			
P	LTR	DESCRIPTION	DATE	DN	APVD		
B1		REVISED PER ECO-11-005140	28MAR11	RK	HMR		



1. MATERIAL:
 HOUSING (SEE TABLE) - COLOR: BLACK
 TERMINAL - 0.36[.014] THICK PHOS BRONZE PLATED WITH 1.27 μ m [.000050] THICK HARD GOLD IN LOCALIZED GOLD PLATE AREA AND 3.81 μ m [.000150] THICK MATTE TIN IN SOLDER AREA OVER 1.27 μ m [.000050] THICK NICKEL UNDERPLATE
 SHIELD - 0.25 [.010] THICK COPPER ALLOY PLATED WITH 3.0 μ m [.000120] MINIMUM THICK REFLOWED TIN
- 2 CAVITY CONFORMS TO FCC RULES AND REGULATIONS PART 68, SUBPART F.
- 3 DIMENSIONS MEASURED ALONG FRONT EDGES OF MATING FACE



RECOMMENDED PRINTED CIRCUIT BOARD LAYOUT (COMPONENT SIDE)



RECOMMENDED PANEL CUTOUT

YES	HIGH TEMP NYLON	5555141-3
NO	PBT POLYESTER	5555141-1
IR PROCESS COMPATIBLE	HOUSING MATERIAL	PART NUMBER

THIS DRAWING IS A CONTROLLED DOCUMENT.

DIMENSIONS: mm [INCHES]	TOLERANCES UNLESS OTHERWISE SPECIFIED:	DIN G. GARRETT/L.A. MAYER	04APR2005	TE Connectivity
0 PLC ± -	1 PLC ± -	J. WESTMAN	04APR2005	
1 PLC ± -	2 PLC ± 0.13[.005]	S. FLICKINGER	04APR2005	NAME: MODULAR JACK ASSEMBLY, SHIELDED, 8 POSITION, LOW PROFILE, RIGHT ANGLE, PANEL GROUND WITH PANEL STOPS
2 PLC ± -	3 PLC ± -			PRODUCT SPEC: 108-1163
3 PLC ± -	4 PLC ± -			APPLICATION SPEC: 114-2048
4 PLC ± -	ANGLES ± -			SIZE: A1
MATERIAL: SEE NOTE 1	FINISH: SEE NOTE 1	WEIGHT: -	SCALE: 4:1	DRAWING NO: 00779
				CAGE CODE: 5555141
				RESTRICTED TO: -
				CUSTOMER DRAWING

SCALE: 4:1 SHEET 1 OF 1 REV B1