2103124-4 - ACTIVE

HVA 280

TE Internal #: 2103124-4 PCB Mount Header, Wire-to-Wire, 2 Position, 10.4 mm [.409 in] Centerline, Fully Shrouded, Sealable, Signal, Orange, HVA 280 View on TE.com >



Connectors > PCB Connectors > PCB Headers & Receptacles > High-Voltage Header



Connector System: Wire-to-Wire

Number of Positions: 2

Centerline (Pitch): 10.4 mm [.409 in]

Sealable: Yes

Number of Rows: 1

All High-Voltage Header (34)

Features

Product Type Features

Hybrid Header	Yes	
Connector Shape	Rectangular	
PCB Connector Assembly Type	PCB Mount Header	
Header Type	Fully Shrouded	
Connector System	Wire-to-Wire	
Sealable	Yes	
Configuration Features		
Number of Sections	1	
Number of Signal Positions	2	
Number of Positions	2	
Number of Rows	1	
Body Features		
Primary Product Color	Orange	
Connector & Keying Code	D	
Contact Features		
Contact Type	Tab	
Mating Tab Width	2.8 mm[.11 in]	

PCB Mount Header, Wire-to-Wire, 2 Position, 10.4 mm [.409 in] Centerline, Fully Shrouded, Sealable, Signal, Orange, HVA 280



Mating Tab Thickness	.8 mm[.031 in]
Mechanical Attachment	
Mounting Holes	Without
Mating Retention	With
Mating Alignment	With
PCB Mount Alignment	Without
Panel Mount Feature	Without
PCB Mount Retention	Without
Mating Retention Type	Locking Interface
Housing Features	
Centerline (Pitch)	10.4 mm[.409 in]
Dimensions	
Connector Length	45.4 mm[1.78 in]
Connector Width	40.6 mm[1.59 in]
Operation/Application	
Shielded	Yes
Circuit Application	Signal

Packaging Features

Packaging Type	Package	
Packaging Quantity	1	
Product Compliance		
For compliance documentation, visit the product page on TE.com>		
EU RoHS Directive 2011/65/EU	Compliant	
EU ELV Directive 2000/53/EC	Compliant	
China RoHS 2 Directive MIIT Order No 32, 2016	No Restricted Materials Above Threshold	
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JUNE 2023 (235) Candidate List Declared Against: JUNE 2023 (235) SVHC > Threshold: Octamethylcyclotetrasiloxane (D4) (.5% in Component Part) Dodecamethylcyclohexasiloxane (D6) (.5% in Component Part)	

PCB Mount Header, Wire-to-Wire, 2 Position, 10.4 mm [.409 in] Centerline, Fully Shrouded, Sealable, Signal, Orange, HVA 280



Decamethylcyclopentasiloxane (D5) (.5% in

Component Part)

Article Safe Usage Statements: Wash thoroughly after handling. Recycle if possible and dispose of the article by following all applicable governmental regulations relevant to your geographic location.

Low Bromine/Chlorine - Br and Cl < 900 ppm per homogenous material. Also BFR /CFR/PVC Free

Halogen Content

Solder Process Capability

Not reviewed for solder process capability

Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: https://echa.europa.eu/guidance-documents/guidance-onreach

Compatible Parts












Also in the Series HVA 280

PCB Mount Header, Wire-to-Wire, 2 Position, 10.4 mm [.409 in] Centerline, Fully Shrouded, Sealable, Signal, Orange, HVA 280





Customers Also Bought



TE Part #1-968853-3 AMP MCP 2.8, CONTACT	TE Part #2103124-6 HVA280 2P HEADER ASSY, KEY F	TE Part #5-968220-6 MQS0,63 Ag rec CB unseal. 0,2-0,35	TE Part #2322948-1 6POS,MQS,REC HSG,UNSLD
TE Part #2361221-1 2POS,MQS,REC HSG	TE Part #CD24483001 44A0111-16-45CK0300	TE Part #F566273001 44A0111-16-0CK0001	TE Part #2367138-1 2POS,HVA280,HDR ASSY,COD A
TE Part #3-2344512-1 2POS,21MM,HEADER HSG,ASSY	TE Part #6-2355198-1 HVP800 2P HEADER ASSY		

Documents

PCB Mount Header, Wire-to-Wire, 2 Position, 10.4 mm [.409 in] Centerline, Fully Shrouded, Sealable, Signal, Orange, HVA 280



Product Drawings HVA280 2P HEADER ASSY, KEY D

English

CAD Files

3D PDF

3D

Customer View Model

ENG_CVM_CVM_2103124-4_B.2d_dxf.zip

English

Customer View Model

ENG_CVM_CVM_2103124-4_B.3d_igs.zip

English

Customer View Model

ENG_CVM_CVM_2103124-4_B.3d_stp.zip

English

By downloading the CAD file I accept and agree to the **Terms and Conditions** of use.

Instruction Sheets Instruction Sheet (U.S.)

English