

VIEW ON MATING SIDE

a	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B						
◁	A	A	A	A	A	A	A	A	A	A	A	A	A	A	A	A	A	A	A	A	A	A	A	A	A	A	A	A	A	A	A	A	A	A	A	A	A	A	A	A	A	A	A	A	A	A	A	A	A	A	A	A	A	A	A	A	A

A = 32 STANDARD CONTACTS L=3

B = 32 STANDARD CONTACTS L=3

S = 64 TOTAL NUMBER OF CONTACTS

Marking	Standard
Performance level	G1/O = Contact area level I / Termination fin
Flux proof	no
Fixing clip	no
Dimensions	SDA-85001-0001 sht.1
Technical Data	PS-85003-0001

B	G1/O	b1-32
A	G1/O	a1-32
Contact symbol	Perform. level	Contact position number

C	see ECN No. 2204
LTR	REVISIONS

UNLESS OTHERWISE SPECIFIED TOLERANCES: ANGULAR ± 2°		DRWG BY		SIGN	
INCH		Cc		SIGN	
METRIC		CHK'D BY		SIGN	
3 PLACE ± .		KN		SIGN	
2 PLACE ± .		APP'D BY		SCALE	
1 PLACE ± .					
DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS					
DESIGN DIMENSION		<input type="checkbox"/> MM		<input type="checkbox"/> IN.	
EQUIVALENT DIMENSION		<input type="checkbox"/> MM		<input type="checkbox"/> IN.	
IF TWO DIMENSIONS ARE SHOWN, THE UPPER IS THE DESIGN DIMENSION, LOWER IS SECONDARY					

FOR PREVIOUS REVISIONS SEE MRI LIST		
-------------------------------------	--	--

REVISE ONLY ON CAD SYSTEM	SH. REV.
CAD/CAM PROJECT NAME s8500102	THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX INC. & SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION
TITLE 64 pos. Male connector acc. DIN 41612 style B contacts arrangement	SHEET NO. DATE 1 OF 1 95/05/22
PART NO. DWG NO. 85001-0256 SDA-85001-0256	
SIZE A	