



Thermofit<sup>®</sup> Molded Parts  
 Specification Control Drawing  
 Limited Distribution

Part Number : 301A512-XX-12  
 Description : Slimline Transition, "T"

NOTES

- All dimensions are in  $\frac{\text{inches}}{[\text{millimeters}]}$
- Dimensions appearing in table are as follows:  
 a - As Supplied  
 b - After Unrestricted Recovery
- Coating is optional. As supplied dimensions appearing in table are for uncoated parts. When coating is added, entry diameters will be reduced by .06 max.



PART NUMBER	H		J & K		W	P	S
	Min	Max	Min	Max			
	a	b	a	b	Nom	Max	Max
301A512-XX-12	$\frac{1.95}{[49,5]}$	$\frac{.45}{[11,4]}$	$\frac{1.35}{[34,3]}$	$\frac{.45}{[11,4]}$	$\frac{.05}{[1,3]}$	$\frac{2.25}{[57,1]}$	$\frac{1.40}{[35,6]}$

**Raychem**

RAYCHEM CORPORATION  
 300 CONSTITUTION DRIVE  
 MENLO PARK, CALIFORNIA 94025  
 (415) 361-6055

Revision : A  
 Date : 05/30/91


Part Number : 301A512-XX-12  
 Description : Slimline Transition, "T"

Thermofit<sup>®</sup> Molded Parts  
 Specification Control Drawing  
 Limited Distribution

Part Number : 301A512-XX-12  
 Description : Slimline Transition, "T"

COMPATABILITY CHART					
MATERIAL DASH NO.	MATERIAL DESCRIPTION	RT SPEC	COATING SLASH NO.	COATING S NO.	COATING DESCRIPTION
-50	Flexible VPB	RT-1313			

ORDERING INFORMATION



THIS DRAWING IS SUBJECT TO CHANGE WITHOUT NOTICE; CONSULT YOUR NEAREST FIELD REPRESENTATIVE FOR CURRENT REVISION

If this document is printed it becomes uncontrolled.  
 Check for the latest revision.

**Raychem**

RAYCHEM CORPORATION  
 300 CONSTITUTION DRIVE  
 MENLO PARK, CALIFORNIA 94025  
 (415) 361-6055

Revision : A  
 Date : 05/30/91

Part Number : 301A512-XX-12  
 Description : Slimline Transition, "T"