


						2							
PRODUCT NO.	ROW S		LP			SIGNAL			.HIGH	HIGH POWER		R	
PRUDULI NU.	RUWS	E1	P1 P2 P3	3 P4 P5	P6 1	2 3	4	5	5 P7	P8	P9	E2	
10106266-3606001LF	D C B A			JLJLJ						$\left \frac{1}{2} \right $	$\left \frac{1}{2} \right $		



		3		PDS: R	lev :	A				ST
www.	fci.com	cat. no	٥.					P	٢o	du
	Y	+ VER	TICAL	STB	ΗE	ADER				d u ST
F	C Ì	<u></u> <u></u> <u></u> <u></u> <u></u> <u></u> <u></u> <u></u> <u></u> <u></u>	P +	24S	+	3HP				
appr	Pei-Ming Zheng		2015/02/11			product	fa	umily		
chr	-		-			\square				
e n g	Rainbow Zhan		2015/02/11				-			
dr	Rainbow Zhan		2015/01/26			proje	ect	ion		

В

А

С



D

3

2

1	1
-	t

			4				
	CODE		DES	CRIPT	ION		
	E	ST) SI(GNAL (CONTAC	Ţ	
	H				CONTAC		
	ΗI	STD	HIGH	POWE	R CONT	ACT	
	НА	M	ETAL	HOLD) DOWN		А
	LJ	STD	LOW	POWER	R CONTA	AC T	
							В
							_
							С
							-
	ΜM	1	size	A 3	scale 3.2		D
_	• • • • •		ecn no		3:2		
		Blade+	rel le	v e I	Rele		
			0626	6-360	06001	rev	
<u> </u>		5				A	
luc		ustomer 1	Drw		heet 2 of		
TA	TUS:Relea	sed		Printed:	Feb 11, 201	5	

STATUS:Released

Printed: Feb 11, 2015

3

NOTES:

- I) "FCI", PART NUMBER AND DATE CODE TO BE MARKED ON THIS SURFACE. THE MARK CAN BE OMITTED IF THERE IS NOT ENOUGH SPACE ON THIS SURFACE.
- 2) MATERIALS:
 - -HOUSING GLASS FILLED WITH HIGH TEMP THERMOPLASTIC, UL94V-0. -SIGNAL CONTACT - COPPER ALLOY. -POWER CONTACT - HIGH CONDUCTIVITY COPPER ALLOY.
- 3) PLATING SPECIFICATION REFER TO FCI 10116351
- 4) DENOTES CONNECTOR KEEP OUT ZONE.
- 5) DATUM AND BASIC DIMENIONS WERE ESTABLISHED BY CUSTOMER.

2

- 6) ALL HOLE DIAMETERS ARE FINISHED HOLE SIZES.
- 7) I.I5±0.025MM DRILLED HOLE PLATED WITH 0.00762MM MIN Sn OVER 0.0254-0.0762MM Cu PLATING TO ACHIEVE A 1.02 ± 0.07 MM HOLE.
- 8) PRODUCT SPECIFICATION REFER TO FCI GS-12-658. APPLICATION SPECIFICATION REFER TO FCI GS-20-141. PRODUCT PACKAGED IN TRAYS, REFER TO FCI GS-14-1502.

d r Rainbow Zhan		2015/01/26	proje	ection	MM		size scal		;	
eng	Rainbow Zhan		2015/02/11		\square	יו	VIIVI	A 3	3:2	
chr	-		-	\square		-		ecn no	-	
appr	Pei-Ming Zheng	I	2015/02/11	product	family	P	wrBlade+	rel level	Rele	eased
F	Ċj		P + 24S Rtical stb h				on gwb	06266-3	606001	rev A
www	.fci.com				Pro	oduct –	Customer	Drw	sheet 3 of	
		3	PDS: Rev	A: v		STATUS:	eleased	Printe	ed: Feb 11, 20 ⁻	15

В

FCI

Copyright

D

А

4

А

В

С