

Color:

Data

Technical data

Main product function	Testing accessories
Total number of potentials	1

Subject to changes. Please also observe the further product documentation!

Electrical data

Rated current	20 A
Test voltage	42 V

Connection data

Connection technology	CAGE CLAMP®
Strip length	9 ... 11 mm / 0.35 ... 0.43 inches
Connection points	1
Solid conductor	0.08 ... 2.5 mm² / 28 ... 14 AWG
Fine-stranded conductor	0.08 ... 2.5 mm² / 28 ... 14 AWG

Physical data

Width	8 mm / 0.315 inches
Height	15 mm / 0.591 inches
Depth	40 mm / 1.575 inches

Material Data

Color	green
Fire load	0.04 MJ
Weight	3.9 g

Commercial data

Product Group	2 (Terminal Block Accessories)
eCl@ss 10.0	27-44-03-13
eCl@ss 9.0	27-44-03-13
ETIM 8.0	EC002255
ETIM 7.0	EC002255
Recupel Type	
PU (SPU)	50 pcs
Packaging type	box
Country of origin	DE
GTIN	4045454293505
Customs tariff number	85366990990

Subject to changes. Please also observe the further product documentation!

Environmental Product Compliance

CAS-No.	7439-92-1
REACH Candidate List Substance	Lead
RoHS Compliance Status	Compliant,With Exemption
RoHS Exemption	6(c)
SCIP notification number (Austria)	96026abb-e43e-446b-8476-fad52b8c8987
SCIP notification number (Belgium)	14f6b0a6-f106-4176-8cd7-ef5a2fd37f00
SCIP notification number (Bulgaria)	3b9dc1ec-f063-4d2a-afff-728e94056f97
SCIP notification number (Czech Republic)	e83e0467-b42f-4636-89e5-86c72494075e
SCIP notification number (Denmark)	cfc3d457-5c1e-43f8-b2f6-61633a66e952
SCIP notification number (Finland)	5c4479fb-3155-4b28-af58-41a3aefcb802
SCIP notification number (France)	c9919993-0618-442c-a68b-eb0178ba6795
SCIP notification number (Germany)	f22d61d1-462f-4eae-bae6-68ce4cc3b654
SCIP notification number (Hungary)	2ebcc17c-8039-4d29-8c9c-9ef6146a5691
SCIP notification number (Italy)	b437c9e0-25e3-4d32-8f0f-7e84443deb85
SCIP notification number (Netherlands)	516577f5-726d-4b5d-ad6a-2017f48c2bf8
SCIP notification number (Poland)	bc0fb5f3-2815-4d6b-94cb-ce3f5c930394
SCIP notification number (Romania)	e44725af-be33-42ad-adcc-281ed8d1e54d
SCIP notification number (Sweden)	7d7e5e04-844b-455d-9878-47963c20f28f

Downloads

Documentation

Bid Text

215-411 X81 - Datei	2019 年2月19 日	xml 3.1 kB	Download
215-411 doc - Datei	2017 年9月19 日	doc 25.6 kB	Download

CAD/CAE-Data

CAE data

EPLAN Data Portal 215-411	URL	Download
WSCAD Universe 215-411	URL	Download

Subject to changes. Please also observe the further product documentation!

CAD data

2D/3D Models 215-411

URL

Download

Environmental Product Compliance

Compliance Search

Environmental Product Compliance 215-411

URL

Download

Banana plug; for socket 4 mm Ø; 2,50 mm²; green

Installation Notes

Conductor termination



Conductor termination: Press button fully, insert stripped conductor into square entry and release.

Testing



Testing via banana plug.

Picture shows a test plug adapter (209-170).

Subject to changes. Please also observe the further product documentation!

WAGO GmbH & Co. KG

Hansastra. 27

32423 Minden

Phone: +49571 887-0 | Fax: +49571 887-169

Email: info.de@wago.com | Web: www.wago.com

Do you have any questions about our products?

We are always happy to take your call at +49 (571) 887-44222.