

**Data sheet | Item number: 236-700**

End plate; 1 mm thick; snap-fit type; light green

[www.wago.com/236-700](http://www.wago.com/236-700)



Subject to changes. Please also observe the further product documentation!

WAGO GmbH & Co. KG  
Hansastr. 27  
32423 Minden  
Phone: +49571 887-0 | Fax: +49571 887-169  
Email: [info.de@wago.com](mailto:info.de@wago.com) | Web: [www.wago.com](http://www.wago.com)

Do you have any questions about our products?  
We are always happy to take your call at +49 (571) 887-44222.



## Data

### Physical data

|        |                      |
|--------|----------------------|
| Width  | 1 mm / 0.039 inches  |
| Height | 13 mm / 0.512 inches |
| Depth  | 14 mm / 0.551 inches |

### Mechanical Data

|               |              |
|---------------|--------------|
| Mounting type | snap-on type |
|---------------|--------------|

### Material Data

|                      |  |
|----------------------|--|
| Note (material data) | Information on material specifications can be found here |
|----------------------|--|

|                             |                  |
|-----------------------------|------------------|
| Color                       | light green      |
| Material group              | I                |
| Insulation material         | Polyamide (PA66) |
| Flammability class per UL94 | V0               |
| Fire load                   | 0.004 MJ         |
| Weight                      | 0.1 g            |

### Commercial data

|                       |                                |
|-----------------------|--------------------------------|
| Product Group         | 4 (Printed Circuit Connectors) |
| eCl@ss 10.0           | 27-44-04-92                    |
| eCl@ss 9.0            | 27-44-04-92                    |
| ETIM 8.0              | EC000886                       |
| ETIM 7.0              | EC000886                       |
| PU (SPU)              | 2000 (100) pcs                 |
| Packaging type        | box                            |
| Country of origin     | CH                             |
| GTIN                  | 4017332267632                  |
| Customs tariff number | 85389099990                    |

### Environmental Product Compliance

|                        |                         |
|------------------------|-------------------------|
| RoHS Compliance Status | Compliant, No Exemption |
|------------------------|-------------------------|

Subject to changes. Please also observe the further product documentation!

WAGO GmbH & Co. KG  
 Hansastr. 27  
 32423 Minden  
 Phone: +49571 887-0 | Fax: +49571 887-169  
 Email: [info.de@wago.com](mailto:info.de@wago.com) | Web: [www.wago.com](http://www.wago.com)

Do you have any questions about our products?  
 We are always happy to take your call at +49 (571) 887-44222.



## Approvals / Certificates

### Approvals for marine applications

| Logo | Approval                         | Additional Approval Text | Certificate name |
|------|----------------------------------|--------------------------|------------------|
|      | <b>BV</b><br>Bureau Veritas S.A. | IEC 60998                | 11915/D0<br>BV   |

## Required accessories

### End plate

| PCB terminal block                       |   |  |
|--|---|--|
| <b>Item no.: 236-743/332-000/999-950</b> | Stackable PCB terminal block; 2.5 mm <sup>2</sup> ; Pin spacing 5/5.08 mm; 1-pole; suitable for Ex-e applications; CAGE CLAMP®; commoning option; 2,50 mm <sup>2</sup> ; light gray   | <a href="http://www.wago.com/236-743/332-000/999-950">www.wago.com/236-743/332-000/999-950</a> |
| <b>Item no.: 236-747</b>                 | Stackable PCB terminal block; 2.5 mm <sup>2</sup> ; Pin spacing 5/5.08 mm; 1-pole; CAGE CLAMP®; commoning option; 2,50 mm <sup>2</sup> ; light green                                  | <a href="http://www.wago.com/236-747">www.wago.com/236-747</a>                                 |
| <b>Item no.: 236-744</b>                 | Stackable PCB terminal block; 2.5 mm <sup>2</sup> ; Pin spacing 5/5.08 mm; 1-pole; CAGE CLAMP®; commoning option; 2,50 mm <sup>2</sup> ; blue   | <a href="http://www.wago.com/236-744">www.wago.com/236-744</a>                                 |
| <b>Item no.: 236-746/332-000</b>         | Stackable PCB terminal block; 2.5 mm <sup>2</sup> ; Pin spacing 5/5.08 mm; 1-pole; CAGE CLAMP®; commoning option; 2,50 mm <sup>2</sup> ; orange                                       | <a href="http://www.wago.com/236-746/332-000">www.wago.com/236-746/332-000</a>                 |
| <b>Item no.: 236-745</b>                 | Stackable PCB terminal block; 2.5 mm <sup>2</sup> ; Pin spacing 5/5.08 mm; 1-pole; CAGE CLAMP®; commoning option; 2,50 mm <sup>2</sup> ; green  | <a href="http://www.wago.com/236-745">www.wago.com/236-745</a>                                 |
| <b>Item no.: 236-743/999-950</b>         | Stackable PCB terminal block; 2.5 mm <sup>2</sup> ; Pin spacing 5/5.08 mm; 1-pole; suitable for Ex-e applications; CAGE CLAMP®; commoning option; 2,50 mm <sup>2</sup> ; light gray   | <a href="http://www.wago.com/236-743/999-950">www.wago.com/236-743/999-950</a>                 |
| <b>Item no.: 236-746</b>                 | Stackable PCB terminal block; 2.5 mm <sup>2</sup> ; Pin spacing 5/5.08 mm; 1-pole; CAGE CLAMP®; commoning option; 2,50 mm <sup>2</sup> ; orange                                       | <a href="http://www.wago.com/236-746">www.wago.com/236-746</a>                                 |
| <b>Item no.: 236-747/332-000</b>         | Stackable PCB terminal block; 2.5 mm <sup>2</sup> ; Pin spacing 5/5.08 mm; 1-pole; CAGE CLAMP®; commoning option; 2,50 mm <sup>2</sup> ; light green                                  | <a href="http://www.wago.com/236-747/332-000">www.wago.com/236-747/332-000</a>                 |
| <b>Item no.: 236-753/332-000/999-950</b> | Stackable PCB terminal block; 2.5 mm <sup>2</sup> ; Pin spacing 7.5/7.62 mm; 1-pole; suitable for Ex-e applications; CAGE CLAMP®; commoning option; 2,50 mm <sup>2</sup> ; light gray | <a href="http://www.wago.com/236-753/332-000/999-950">www.wago.com/236-753/332-000/999-950</a> |
| <b>Item no.: 236-755</b>                 | Stackable PCB terminal block; 2.5 mm <sup>2</sup> ; Pin spacing 7.5/7.62 mm; 1-pole; CAGE CLAMP®; commoning option; 2,50 mm <sup>2</sup> ; green                                      | <a href="http://www.wago.com/236-755">www.wago.com/236-755</a>                                 |
| <b>Item no.: 236-752</b>                 |   |  |

Subject to changes. Please also observe the further product documentation!



|   |  |
|---|--|
| Stackable PCB terminal block; 2.5 mm <sup>2</sup> ; Pin spacing 7.5/7.62 mm; 1-pole; CAGE CLAMP®; commoning option; 2,50 mm <sup>2</sup> ; dark gray  | <a href="http://www.wago.com/236-752">www.wago.com/236-752</a>                                 |
| <b>Item no.: 236-744/332-000</b><br>Stackable PCB terminal block; 2.5 mm <sup>2</sup> ; Pin spacing 5/5.08 mm; 1-pole; CAGE CLAMP®; commoning option; 2,50 mm <sup>2</sup> ; blue   | <a href="http://www.wago.com/236-744/332-000">www.wago.com/236-744/332-000</a>                 |
| <b>Item no.: 236-753</b><br>Stackable PCB terminal block; 2.5 mm <sup>2</sup> ; Pin spacing 7.5/7.62 mm; 1-pole; CAGE CLAMP®; commoning option; 2,50 mm <sup>2</sup> ; light gray   | <a href="http://www.wago.com/236-753">www.wago.com/236-753</a>                                 |
| <b>Item no.: 236-752/332-000</b><br>Stackable PCB terminal block; 2.5 mm <sup>2</sup> ; Pin spacing 7.5/7.62 mm; 1-pole; CAGE CLAMP®; commoning option; 2,50 mm <sup>2</sup> ; dark gray  | <a href="http://www.wago.com/236-752/332-000">www.wago.com/236-752/332-000</a>                 |
| <b>Item no.: 236-756</b><br>Stackable PCB terminal block; 2.5 mm <sup>2</sup> ; Pin spacing 7.5/7.62 mm; 1-pole; CAGE CLAMP®; commoning option; 2,50 mm <sup>2</sup> ; orange   | <a href="http://www.wago.com/236-756">www.wago.com/236-756</a>                                 |
| <b>Item no.: 236-753/999-950</b><br>Stackable PCB terminal block; 2.5 mm <sup>2</sup> ; Pin spacing 7.5/7.62 mm; 1-pole; suitable for Ex-e applications; CAGE CLAMP®; commoning option; 2,50 mm <sup>2</sup> ; light gray         | <a href="http://www.wago.com/236-753/999-950">www.wago.com/236-753/999-950</a>                 |
| <b>Item no.: 236-757/332-000</b><br>Stackable PCB terminal block; 2.5 mm <sup>2</sup> ; Pin spacing 7.5/7.62 mm; 1-pole; CAGE CLAMP®; commoning option; 2,50 mm <sup>2</sup> ; light green  | <a href="http://www.wago.com/236-757/332-000">www.wago.com/236-757/332-000</a>                 |
| <b>Item no.: 236-763/332-000/999-950</b><br>Stackable PCB terminal block; 2.5 mm <sup>2</sup> ; Pin spacing 10/10.16 mm; 1-pole; suitable for Ex-e applications; CAGE CLAMP®; commoning option; 2,50 mm <sup>2</sup> ; light gray | <a href="http://www.wago.com/236-763/332-000/999-950">www.wago.com/236-763/332-000/999-950</a> |
| <b>Item no.: 236-754</b><br>Stackable PCB terminal block; 2.5 mm <sup>2</sup> ; Pin spacing 7.5/7.62 mm; 1-pole; suitable for Ex-i applications; CAGE CLAMP®; commoning option; 2,50 mm <sup>2</sup> ; blue                       | <a href="http://www.wago.com/236-754">www.wago.com/236-754</a>                                 |
| <b>Item no.: 236-762/332-000</b><br>Stackable PCB terminal block; 2.5 mm <sup>2</sup> ; Pin spacing 10/10.16 mm; 1-pole; CAGE CLAMP®; commoning option; 2,50 mm <sup>2</sup> ; dark gray  | <a href="http://www.wago.com/236-762/332-000">www.wago.com/236-762/332-000</a>                 |
| <b>Item no.: 236-763/999-950</b><br>Stackable PCB terminal block; 2.5 mm <sup>2</sup> ; Pin spacing 10/10.16 mm; 1-pole; suitable for Ex-e applications; CAGE CLAMP®; commoning option; 2,50 mm <sup>2</sup> ; light gray         | <a href="http://www.wago.com/236-763/999-950">www.wago.com/236-763/999-950</a>                 |
| <b>Item no.: 236-763</b><br>Stackable PCB terminal block; 2.5 mm <sup>2</sup> ; Pin spacing 10/10.16 mm; 1-pole; CAGE CLAMP®; commoning option; 2,50 mm <sup>2</sup> ; light gray   | <a href="http://www.wago.com/236-763">www.wago.com/236-763</a>                                 |
| <b>Item no.: 236-757</b><br>Stackable PCB terminal block; 2.5 mm <sup>2</sup> ; Pin spacing 7.5/7.62 mm; 1-pole; CAGE CLAMP®; commoning option; 2,50 mm <sup>2</sup> ; light green  | <a href="http://www.wago.com/236-757">www.wago.com/236-757</a>                                 |
| <b>Item no.: 236-762</b><br>Stackable PCB terminal block; 2.5 mm <sup>2</sup> ; Pin spacing 10/10.16 mm; 1-pole; CAGE CLAMP®; commoning option; 2,50 mm <sup>2</sup> ; dark gray  | <a href="http://www.wago.com/236-762">www.wago.com/236-762</a>                                 |
| <b>Item no.: 236-710</b><br>Stackable PCB terminal block; 2.5 mm <sup>2</sup> ; Pin spacing 5/5.08 mm; 1-pole; CAGE CLAMP®; commoning   | <a href="http://www.wago.com/236-710">www.wago.com/236-710</a>                                 |

Subject to changes. Please also observe the further product documentation!

option; 2,50 mm<sup>2</sup>; red**Item no.: 236-501**Stackable PCB terminal block; 2.5 mm<sup>2</sup>; Pin spacing 7.5/7.62 mm; 1-pole; CAGE CLAMP®; commoning option; 2,50 mm<sup>2</sup>; gray [www.wago.com/236-501](http://www.wago.com/236-501)**Item no.: 236-501/332-000**Stackable PCB terminal block; 2.5 mm<sup>2</sup>; Pin spacing 7.5/7.62 mm; 1-pole; CAGE CLAMP®; commoning option; 2,50 mm<sup>2</sup>; gray [www.wago.com/236-501/332-000](http://www.wago.com/236-501/332-000)**Item no.: 236-764/332-000**Stackable PCB terminal block; 2.5 mm<sup>2</sup>; Pin spacing 10/10.16 mm; 1-pole; suitable for Ex-i applications; CAGE CLAMP®; commoning option; 2,50 mm<sup>2</sup>; blue [www.wago.com/236-764/332-000](http://www.wago.com/236-764/332-000)**Item no.: 236-766**Stackable PCB terminal block; 2.5 mm<sup>2</sup>; Pin spacing 10/10.16 mm; 1-pole; CAGE CLAMP®; commoning option; 2,50 mm<sup>2</sup>; orange [www.wago.com/236-766](http://www.wago.com/236-766)**Item no.: 236-767**Stackable PCB terminal block; 2.5 mm<sup>2</sup>; Pin spacing 10/10.16 mm; 1-pole; CAGE CLAMP®; commoning option; 2,50 mm<sup>2</sup>; light green [www.wago.com/236-767](http://www.wago.com/236-767)**Item no.: 236-767/332-000**Stackable PCB terminal block; 2.5 mm<sup>2</sup>; Pin spacing 10/10.16 mm; 1-pole; CAGE CLAMP®; commoning option; 2,50 mm<sup>2</sup>; light green [www.wago.com/236-767/332-000](http://www.wago.com/236-767/332-000)**Item no.: 236-764**Stackable PCB terminal block; 2.5 mm<sup>2</sup>; Pin spacing 10/10.16 mm; 1-pole; suitable for Ex-i applications; CAGE CLAMP®; commoning option; 2,50 mm<sup>2</sup>; blue [www.wago.com/236-764](http://www.wago.com/236-764)**Item no.: 236-851**Stackable PCB terminal block; 2.5 mm<sup>2</sup>; Pin spacing 5/5.08 mm; 1-pole; CAGE CLAMP®; commoning option; 2,50 mm<sup>2</sup>; black [www.wago.com/236-851](http://www.wago.com/236-851)**Item no.: 236-765**Stackable PCB terminal block; 2.5 mm<sup>2</sup>; Pin spacing 10/10.16 mm; 1-pole; CAGE CLAMP®; commoning option; 2,50 mm<sup>2</sup>; green [www.wago.com/236-765](http://www.wago.com/236-765)**Item no.: 236-852**Stackable PCB terminal block; 2.5 mm<sup>2</sup>; Pin spacing 7.5/7.62 mm; 1-pole; CAGE CLAMP®; commoning option; 2,50 mm<sup>2</sup>; black [www.wago.com/236-852](http://www.wago.com/236-852)**Item no.: 236-853**Stackable PCB terminal block; 2.5 mm<sup>2</sup>; Pin spacing 10/10.16 mm; 1-pole; CAGE CLAMP®; commoning option; 2,50 mm<sup>2</sup>; black [www.wago.com/236-853](http://www.wago.com/236-853)**Item no.: 236-854**Stackable PCB terminal block; 2.5 mm<sup>2</sup>; Pin spacing 5/5.08 mm; 1-pole; CAGE CLAMP®; commoning option; 2,50 mm<sup>2</sup>; black [www.wago.com/236-854](http://www.wago.com/236-854)**Item no.: 236-766/332-000**Stackable PCB terminal block; 2.5 mm<sup>2</sup>; Pin spacing 10/10.16 mm; 1-pole; CAGE CLAMP®; commoning option; 2,50 mm<sup>2</sup>; orange [www.wago.com/236-766/332-000](http://www.wago.com/236-766/332-000)**Item no.: 236-891**Stackable PCB terminal block; 2.5 mm<sup>2</sup>; Pin spacing 5/5.08 mm; 1-pole; CAGE CLAMP®; commoning option; 2,50 mm<sup>2</sup>; violet [www.wago.com/236-891](http://www.wago.com/236-891)**Item no.: 236-884**Stackable PCB terminal block; 2.5 mm<sup>2</sup>; Pin spacing 5/5.08 mm; 1-pole; CAGE CLAMP®; commoning [www.wago.com/236-884](http://www.wago.com/236-884)

Subject to changes. Please also observe the further product documentation!

WAGO GmbH &amp; Co. KG

Hansastr. 27

32423 Minden

Phone: +49571 887-0 | Fax: +49571 887-169

Email: [info.de@wago.com](mailto:info.de@wago.com) | Web: [www.wago.com](http://www.wago.com)

Do you have any questions about our products?

We are always happy to take your call at +49 (571) 887-44222.

option; 2,50 mm<sup>2</sup>; brown**Item no.: 236-855**Stackable PCB terminal block; 2.5 mm<sup>2</sup>; Pin spacing 7.5/7.62 mm; 1-pole; CAGE CLAMP®; commoning option; 2,50 mm<sup>2</sup>; black [www.wago.com/236-855](http://www.wago.com/236-855)**Item no.: 236-301**Stackable PCB terminal block; 2.5 mm<sup>2</sup>; Pin spacing 10/10.16 mm; 1-pole; CAGE CLAMP®; commoning option; 2,50 mm<sup>2</sup>; gray [www.wago.com/236-301](http://www.wago.com/236-301)**Item no.: 236-401**Stackable PCB terminal block; 2.5 mm<sup>2</sup>; Pin spacing 5/5.08 mm; 1-pole; CAGE CLAMP®; commoning option; 2,50 mm<sup>2</sup>; gray [www.wago.com/236-401](http://www.wago.com/236-401)**Item no.: 236-401/332-000**Stackable PCB terminal block; 2.5 mm<sup>2</sup>; Pin spacing 5/5.08 mm; 1-pole; CAGE CLAMP®; commoning option; 2,50 mm<sup>2</sup>; gray [www.wago.com/236-401/332-000](http://www.wago.com/236-401/332-000)**Item no.: 236-712**Stackable PCB terminal block; 2.5 mm<sup>2</sup>; Pin spacing 5/5.08 mm; 1-pole; CAGE CLAMP®; commoning option; 2,50 mm<sup>2</sup>; dark gray [www.wago.com/236-712](http://www.wago.com/236-712)**Item no.: 236-714**Stackable PCB terminal block; 2.5 mm<sup>2</sup>; Pin spacing 5/5.08 mm; 1-pole; CAGE CLAMP®; commoning option; 2,50 mm<sup>2</sup>; blue [www.wago.com/236-714](http://www.wago.com/236-714)**Item no.: 236-715**Stackable PCB terminal block; 2.5 mm<sup>2</sup>; Pin spacing 5/5.08 mm; 1-pole; CAGE CLAMP®; commoning option; 2,50 mm<sup>2</sup>; green [www.wago.com/236-715](http://www.wago.com/236-715)**Item no.: 236-716**Stackable PCB terminal block; 2.5 mm<sup>2</sup>; Pin spacing 5/5.08 mm; 1-pole; CAGE CLAMP®; commoning option; 2,50 mm<sup>2</sup>; orange [www.wago.com/236-716](http://www.wago.com/236-716)**Item no.: 236-717**Stackable PCB terminal block; 2.5 mm<sup>2</sup>; Pin spacing 5/5.08 mm; 1-pole; CAGE CLAMP®; commoning option; 2,50 mm<sup>2</sup>; light green [www.wago.com/236-717](http://www.wago.com/236-717)**Item no.: 236-722**Stackable PCB terminal block; 2.5 mm<sup>2</sup>; Pin spacing 7.5/7.62 mm; 1-pole; CAGE CLAMP®; commoning option; 2,50 mm<sup>2</sup>; dark gray [www.wago.com/236-722](http://www.wago.com/236-722)**Item no.: 236-723**Stackable PCB terminal block; 2.5 mm<sup>2</sup>; Pin spacing 7.5/7.62 mm; 1-pole; CAGE CLAMP®; commoning option; 2,50 mm<sup>2</sup>; light gray [www.wago.com/236-723](http://www.wago.com/236-723)**Item no.: 236-711**Stackable PCB terminal block; 2.5 mm<sup>2</sup>; Pin spacing 5/5.08 mm; 1-pole; CAGE CLAMP®; commoning option; 2,50 mm<sup>2</sup>; yellow [www.wago.com/236-711](http://www.wago.com/236-711)**Item no.: 236-724**Stackable PCB terminal block; 2.5 mm<sup>2</sup>; Pin spacing 7.5/7.62 mm; 1-pole; suitable for Ex-i applications; CAGE CLAMP®; commoning option; 2,50 mm<sup>2</sup>; blue [www.wago.com/236-724](http://www.wago.com/236-724)**Item no.: 236-713**Stackable PCB terminal block; 2.5 mm<sup>2</sup>; Pin spacing 5/5.08 mm; 1-pole; CAGE CLAMP®; commoning option; 2,50 mm<sup>2</sup>; light gray [www.wago.com/236-713](http://www.wago.com/236-713)**Item no.: 236-727**Stackable PCB terminal block; 2.5 mm<sup>2</sup>; Pin spacing 7.5/7.62 mm; 1-pole; CAGE CLAMP®; commoning option; 2,50 mm<sup>2</sup>; light green [www.wago.com/236-727](http://www.wago.com/236-727)**Item no.: 236-732**

Subject to changes. Please also observe the further product documentation!

WAGO GmbH &amp; Co. KG

Hansastr. 27

32423 Minden

Phone: +49571 887-0 | Fax: +49571 887-169

Email: [info.de@wago.com](mailto:info.de@wago.com) | Web: [www.wago.com](http://www.wago.com)

Do you have any questions about our products?

We are always happy to take your call at +49 (571) 887-44222.



|   |  |
|---|--|
| Stackable PCB terminal block; 2.5 mm <sup>2</sup> ; Pin spacing 10/10.16 mm; 1-pole; CAGE CLAMP®; commoning option; 2,50 mm <sup>2</sup> ; dark gray  | <a href="http://www.wago.com/236-732">www.wago.com/236-732</a>                 |
| <b>Item no.: 236-733</b><br>Stackable PCB terminal block; 2.5 mm <sup>2</sup> ; Pin spacing 10/10.16 mm; 1-pole; CAGE CLAMP®; commoning option; 2,50 mm <sup>2</sup> ; light gray                           | <a href="http://www.wago.com/236-733">www.wago.com/236-733</a>                 |
| <b>Item no.: 236-734</b><br>Stackable PCB terminal block; 2.5 mm <sup>2</sup> ; Pin spacing 10/10.16 mm; 1-pole; suitable for Ex-i applications; CAGE CLAMP®; commoning option; 2,50 mm <sup>2</sup> ; blue | <a href="http://www.wago.com/236-734">www.wago.com/236-734</a>                 |
| <b>Item no.: 236-735</b><br>Stackable PCB terminal block; 2.5 mm <sup>2</sup> ; Pin spacing 10/10.16 mm; 1-pole; CAGE CLAMP®; commoning option; 2,50 mm <sup>2</sup> ; green                                | <a href="http://www.wago.com/236-735">www.wago.com/236-735</a>                 |
| <b>Item no.: 236-736</b><br>Stackable PCB terminal block; 2.5 mm <sup>2</sup> ; Pin spacing 10/10.16 mm; 1-pole; CAGE CLAMP®; commoning option; 2,50 mm <sup>2</sup> ; orange                               | <a href="http://www.wago.com/236-736">www.wago.com/236-736</a>                 |
| <b>Item no.: 236-726</b><br>Stackable PCB terminal block; 2.5 mm <sup>2</sup> ; Pin spacing 7.5/7.62 mm; 1-pole; CAGE CLAMP®; commoning option; 2,50 mm <sup>2</sup> ; orange                               | <a href="http://www.wago.com/236-726">www.wago.com/236-726</a>                 |
| <b>Item no.: 236-740</b><br>Stackable PCB terminal block; 2.5 mm <sup>2</sup> ; Pin spacing 5/5.08 mm; 1-pole; CAGE CLAMP®; commoning option; 2,50 mm <sup>2</sup> ; red                                    | <a href="http://www.wago.com/236-740">www.wago.com/236-740</a>                 |
| <b>Item no.: 236-742</b><br>Stackable PCB terminal block; 2.5 mm <sup>2</sup> ; Pin spacing 5/5.08 mm; 1-pole; CAGE CLAMP®; commoning option; 2,50 mm <sup>2</sup> ; dark gray                              | <a href="http://www.wago.com/236-742">www.wago.com/236-742</a>                 |
| <b>Item no.: 236-742/332-000</b><br>Stackable PCB terminal block; 2.5 mm <sup>2</sup> ; Pin spacing 5/5.08 mm; 1-pole; CAGE CLAMP®; commoning option; 2,50 mm <sup>2</sup> ; dark gray                      | <a href="http://www.wago.com/236-742/332-000">www.wago.com/236-742/332-000</a> |
| <b>Item no.: 236-743/332-000</b><br>Stackable PCB terminal block; 2.5 mm <sup>2</sup> ; Pin spacing 5/5.08 mm; 1-pole; CAGE CLAMP®; commoning option; 2,50 mm <sup>2</sup> ; light gray                     | <a href="http://www.wago.com/236-743/332-000">www.wago.com/236-743/332-000</a> |
| <b>Item no.: 236-743</b><br>Stackable PCB terminal block; 2.5 mm <sup>2</sup> ; Pin spacing 5/5.08 mm; 1-pole; CAGE CLAMP®; commoning option; 2,50 mm <sup>2</sup> ; light gray                             | <a href="http://www.wago.com/236-743">www.wago.com/236-743</a>                 |
| <b>Item no.: 236-737</b><br>Stackable PCB terminal block; 2.5 mm <sup>2</sup> ; Pin spacing 10/10.16 mm; 1-pole; CAGE CLAMP®; commoning option; 2,50 mm <sup>2</sup> ; light green                          | <a href="http://www.wago.com/236-737">www.wago.com/236-737</a>                 |
| <b>Item no.: 236-741</b><br>Stackable PCB terminal block; 2.5 mm <sup>2</sup> ; Pin spacing 5/5.08 mm; 1-pole; CAGE CLAMP®; commoning option; 2,50 mm <sup>2</sup> ; yellow                                 | <a href="http://www.wago.com/236-741">www.wago.com/236-741</a>                 |
| <b>Item no.: 236-101</b><br>Stackable PCB terminal block; 2.5 mm <sup>2</sup> ; Pin spacing 5/5.08 mm; 1-pole; CAGE CLAMP®; commoning option; 2,50 mm <sup>2</sup> ; gray                                   | <a href="http://www.wago.com/236-101">www.wago.com/236-101</a>                 |
| <b>Item no.: 236-201</b><br>Stackable PCB terminal block; 2.5 mm <sup>2</sup> ; Pin spacing 7.5/7.62 mm; 1-pole; CAGE CLAMP®; commoning option; 2,50 mm <sup>2</sup> ; gray                                 | <a href="http://www.wago.com/236-201">www.wago.com/236-201</a>                 |
| <b>Item no.: 236-601</b><br>Stackable PCB terminal block; 2.5 mm <sup>2</sup> ; Pin spacing 10/10.16 mm; 1-pole; CAGE CLAMP®; commoning option; 2,50 mm <sup>2</sup> ; gray                                 | <a href="http://www.wago.com/236-601">www.wago.com/236-601</a>                 |

Subject to changes. Please also observe the further product documentation!



option; 2,50 mm<sup>2</sup>; gray

**Item no.: 236-601/332-000**

Stackable PCB terminal block; 2.5 mm<sup>2</sup>; Pin spacing 10/10.16 mm; 1-pole; CAGE CLAMP®; commoning option; 2,50 mm<sup>2</sup>; gray [www.wago.com/236-601/332-000](http://www.wago.com/236-601/332-000)

**Item no.: 236-885**

Stackable PCB terminal block; 2.5 mm<sup>2</sup>; Pin spacing 7.5/7.62 mm; 1-pole; CAGE CLAMP®; commoning option; 2,50 mm<sup>2</sup>; brown [www.wago.com/236-885](http://www.wago.com/236-885)

**Item no.: 236-894**

Stackable PCB terminal block; 2.5 mm<sup>2</sup>; Pin spacing 5/5.08 mm; 1-pole; CAGE CLAMP®; commoning option; 2,50 mm<sup>2</sup>; violet [www.wago.com/236-894](http://www.wago.com/236-894)

**Item no.: 236-881**

Stackable PCB terminal block; 2.5 mm<sup>2</sup>; Pin spacing 5/5.08 mm; 1-pole; CAGE CLAMP®; commoning option; 2,50 mm<sup>2</sup>; brown [www.wago.com/236-881](http://www.wago.com/236-881)

**Item no.: 236-882**

Stackable PCB terminal block; 2.5 mm<sup>2</sup>; Pin spacing 7.5/7.62 mm; 1-pole; CAGE CLAMP®; commoning option; 2,50 mm<sup>2</sup>; brown [www.wago.com/236-882](http://www.wago.com/236-882)

**Item no.: 236-725**

Stackable PCB terminal block; 2.5 mm<sup>2</sup>; Pin spacing 7.5/7.62 mm; 1-pole; CAGE CLAMP®; commoning option; 2,50 mm<sup>2</sup>; green [www.wago.com/236-725](http://www.wago.com/236-725)

**Item no.: 236-856**

Stackable PCB terminal block; 2.5 mm<sup>2</sup>; Pin spacing 10/10.16 mm; 1-pole; CAGE CLAMP®; commoning option; 2,50 mm<sup>2</sup>; black [www.wago.com/236-856](http://www.wago.com/236-856)

**Downloads**

**Documentation**

**Additional Information**

2019 年4月3日 [pdf](#) [Download](#)  
2.0 MB

**CAD/CAE-Data**

**CAE data**

EPLAN Data Portal 236-700 [URL](#) [Download](#)

ZUKEN Portal 236-700 [URL](#) [Download](#)

**CAD data**

2D/3D Models 236-700 [URL](#) [Download](#)

Subject to changes. Please also observe the further product documentation!

WAGO GmbH & Co. KG  
Hansastr. 27  
32423 Minden  
Phone: +49571 887-0 | Fax: +49571 887-169  
Email: [info.de@wago.com](mailto:info.de@wago.com) | Web: [www.wago.com](http://www.wago.com)

Do you have any questions about our products?  
We are always happy to take your call at +49 (571) 887-44222.





## Environmental Product Compliance

### Compliance Search

Environmental Product Compliance 236-700  
End plate; 1 mm thick; snap-fit type; light green

URL

Download

---

## Installation Notes

Subject to changes. Please also observe the further product documentation!

---

WAGO GmbH & Co. KG  
Hansastr. 27  
32423 Minden  
Phone: +49571 887-0 | Fax: +49571 887-169  
Email: [info.de@wago.com](mailto:info.de@wago.com) | Web: [www.wago.com](http://www.wago.com)

Do you have any questions about our products?  
We are always happy to take your call at +49 (571) 887-44222.