Data sheet | Item number: 280-425

Operating tool; made of insulating material; 5-way

www.wago.com/280-425



	\Box

Data

Technical data

Main product function	Operating tool
Number of spacings	5 -way

 $\label{thm:condition} \textbf{Subject to changes. Please also observe the further product documentation!}$

WAGO GmbH & Co. KG Hansastr. 27

32423 Minden

Phone: +49571 887-0 | Fax: +49571 887-169 Email: info.de@wago.com | Web: www.wago.com Do you have any questions about our products?

We are always happy to take your call at +49 (571) 887-44222.

Data sheet | Item number: 280-425

www.wago.com/280-425



Physical data

Depth	141 mm / 5.55 inches	

Material Data

Fire load	0.872 MJ
Weight	28.9 g

Commercial data

Product Group	1 (Rail Mounted Terminal Blocks)
eCl@ss 10.0	27-14-11-92
eCl@ss 9.0	27-14-11-92
ETIM 8.0	EC002848
ETIM 7.0	EC002848
PU (SPU)	30 pcs
Packaging type	box
Country of origin	DE
GTIN	4017332554473
Customs tariff number	82055980000

Environmental Product Compliance

RoHS Compliance Status	Compliant,No Exemption

Downloads CAD/CAE-Data

CAE data

WSCAD Universe 280-425 URL Download

Environmental Product Compliance

Compliance Search

Environmental Product Compliance 280-425 URL Download

Operating tool; made of insulating material; 5-way

 $\label{thm:condition} \textbf{Subject to changes. Please also observe the further product documentation!}$

WAGO GmbH & Co. KG Hansastr. 27

32423 Minden

Phone: +49571 887-0 | Fax: +49571 887-169 Email: info.de@wago.com | Web: www.wago.com Do you have any questions about our products? We are always happy to take your call at +49 (571) 887-44222.

Data sheet | Item number: 280-425

www.wago.com/280-425

W/AGO

Installation Notes

 $\label{thm:condition} \textbf{Subject to changes. Please also observe the further product documentation!}$

WAGO GmbH & Co. KG Hansastr. 27 32423 Minden

Phone: +49571 887-0 | Fax: +49571 887-169 Email: info.de@wago.com | Web: www.wago.com Do you have any questions about our products? We are always happy to take your call at +49 (571) 887-44222.