

Ph. 480-503-4295 | NOPP@FocusLCD.com

## TFT | CHARACTER | UWVD | FSC | SEGMENT | CUSTOM | REPLACEMENT

## **Graphic Display Module**

Part Number

G128ALGFGSW6WTC3XAM

## Overview

128x128(71.3x75.41), FSTN, Gray background, White Edge lit, Bottom view, Wide temp, Transflective (positive), 3.0V LCD, 3.3V LED, Controller=ST7528 or equivalent, RoHS Compliant



## 1.Features


- 1. 128X128 dots
- 2. Built-in controller (ST7528i)
- +3.0V power supply
   1/128 duty cycle;1/12bias
   BKL to be driven by A, K.

LCD type	☑FSTN positiv	e		□FSTN Negative	
	□STN Yellow (	Green	□STN	Gray	□STN-Blue
View direction	☑6 O'clock		□12 C	o'clock	
Rear Polarizer	□Reflective		☑Tran	sflective	□Transmissive
Backlight Type	□LED Array			□Internal Power	□4.2V input
	☑LED Edge	□CCFL	_		☑3.0 input
Backlight Color	☑White	□Ambe	er	□Blue-Green	□Yellow-Green
Temperature Range	□Normal		□Wide	9	☑Super Wide
DC to DC circuit	☑Build-in			□Not Build-in	
El Driver IC	□Build-in			☑Not Build-in	
Touch screen	□With			□Without	
Font type	□English-Jap	□Englis	sh-Eur	□English-Russian	☑other
	anese	open			

## 2. MECHANICAL SPECIFICATIONS

Module size	71.3 mm(L) * 75.41mm(W) * 5.9(H)mm
Viewing area	65.5 mm(L) * 60.51 mm(W)
Dots size	0.42 mm(L) * 0.42 mm(W)
Dots pitch	0.44 mm(L) * 0.44 mm(W)
Weight	Approx.

## 3. Outline dimension



3

www.FocusLCDs.com



## 4. Absolute maximum ratings


Item	Symbol		Standard		Unit
Power voltage	V <sub>DD</sub> -V <sub>SS</sub>	0.3	-	3.6	V
Input voltage	$V_{IN}$	VSS	-	VDD	V
Operating temperature range	T <sub>OP</sub>	-20	-	+70	°C
Storage temperature range	T <sub>ST</sub>	-30	-	+80	C

**5.Interface pin description**Recommended Connector: FH19C-30S-0.5SH(99)

		nector. FH 19C-30S-	
Pin	Symbol	External	Function
no.	- <b>,</b>	connection	
1~3	PS0~PS2	1	Microprocessor interface select input pin  - PS[2:0]=001: 8080-series parallel MPU interface  - PS[2:0]=011: 68000-series parallel MPU interface  - PS[2:0]=000: 3-Line-SPI MPU interface  - PS[2:0]=010: 4-Line-SPI MPU interface  - PS[2:0]=100: IIC-SPI MPU interface
4	CSB	1	Chip select input pins
5	RST	I	Reset input pin
6	A0	I	Register select input pin
7	RW-WR	I	Read / Write execution control pin
8	E-RD	I	Read / Write execution control pin
9~16	DB0~DB7	I/O	8-bit bi-directional data bus that is connected to the standard 8-bit microprocessor data bus.
17	VDD	Power supply	Power supply for LCM (+3.0V)
18	VDD	Power supply	Power supply for LCM (+3.0V)
19	VSS	Power supply	
20	VSS	Power supply	
21	VOUT-OUT	supply	If the internal Vout voltage generator is used, the VOUT_IN & VOUT_OUT must be connected together. If an external supply is used, this pin must be left open.
22	VOUT-IN	supply	An external Vout supply voltage can be supplied using the VOUT_IN pad. In this case, VOUT_OUT has to be left open, and the internal voltage generator has to be programmed to zero.
23~27	V4~V0	I/O	LCD driver supply voltages
28	VR	1	V0 voltage adjustment pin
29	INTRS	I	Internal resistor select pin
30	NC		



## 6.Optical characteristics



STN type display module (Ta=25°C, VDD=3.0V)

Item		Symbol	Condition	Min.	Тур.	Max.	Unit
Viewing angle	LeftRight	θ	Ta=25℃	-	60	-	dog
(6 0'clock)	TopBottom	θ	1a=25 C	-	70	-	deg
Contrast ratio		CR		3	5	-	-
Doopongo timo	Rise	<b>t</b> r	Ta=25°C	-	150	250	mo
Response time	Tall	<b>t</b> f		-	200	300	ms

## 7. Electrical characteristics

DC characteristics

Parameter	Symbol	Conditions	Min.	Тур.	Max.	Unit
Supply voltage for LCD	$V_{DD}$ - $V_0$	Ta =25℃	-	3.0	-	V
Input voltage	$V_{DD}$		-	3.0	-	
Supply current	I <sub>DD</sub>	Ta=25℃, V <sub>DD</sub> =3.0V	-	0.25	0.45	mA
Input leakage current	ILKG		-	-	1.0	uA
"H" level input voltage	VIH		2.2	-	$V_{DD}$	
"L" level input voltage	VIL	Twice initial value or less	0	-	0.6	V
"H" level output voltage	Vон	LOH=-0.25mA	2.4	-	-	V
"L" level output voltage	Vol	LOH=1.6mA	-	-	0.4	


Backlight information

Parameter	Symbol	Conditions	Min.	Тур.	Max.	Unit
Supply Current	ILED	Ta =25℃, V=3.0V	75	-	90	mA
Supply voltage	Vf		3.0	-	3.3	\/
Reverse voltage	VR	Ta=25℃,	-	5.0	-	V
Luminous Intensity	IV	ILED=80mA	-	-	-	Cd/m2
Peak wavelength	VIH		-	-	-	nm



## 8. TIMING CHARACTERISTICS

SERIAL INTERFACE(IIC Interface)



(VDD=3.3V,Ta=-30~85°C)

	C:	Complete	Condition	Ra	iting	
Item	Signal	Symbol	Condition	Min,	Max.	Units
SCL clock frequency	SCL	FSCLK		1	400	kHZ
SCL clock low period	SCL	TLOW		1.3	-	us
SCL clock high period	SCL	THIGH		0.6	H-1	us
Data set-up time	SI	TSU;Data		100	HI.	ns
Data hold time	SI	THD;Data		0	0.9	us
SCL,SDA rise time	SCL	TR		20+0.1Cb	300	ns
SCL,SDA fall time	SCL	TF		20+0.1Cb	300	ns
Capacitive load represented by each bus line		Cb		<u> </u>	400	pF
Setup time for a repeated START condition	SI	TSU;SUA		0.6	324	us
Start condition hold time	SI	THD;STA		0.6		us
Setup time for STOP ondition		TSU;STO		0.6	-	us
Tolerable spike width on bus		TSW		-	50	ns
BUS free time between a STOP and StART condition	SCL	TBUF		1.3		us

## 9. DESCRIPTION OF FUNCTIONS

#### **IIC Interface**

The IIC interface receives and executes the commands sent via the IIC Interface. It also receives RAM data and sends it to the RAM.

The IIC Interface is for bi-directional, two-line communication between different ICs or modules. The two lines are a Serial Data line (SDA) and a Serial Clock line (SCL). Both lines must be connected to a positive supply via a pull-up resistor. Data transfer may be initiated only when the bus is not busy.

## **BIT TRANSFER**

One data bit is transferred during each clock pulse. The data on the SDA line must remain stable during the HIGH period of the clock pulse because changes in the data line at this time will be interpreted as a control signal. Bit transfer is illustrated in Figure 3.

## START AND STOP CONDITIONS

Both data and clock lines remain HIGH when the bus is not busy. A HIGH-to-LOW transition of the data line, while the clock is HIGH is defined as the START condition (S). A LOW-to-HIGH transition of the data line while the clock is HIGH is defined as the STOP condition (P). The START and STOP conditions are illustrated in



## Figure 4.

## SYSTEM CONFIGURATION

The system configuration is illustrated in Figure 5.

- · Transmitter: the device, which sends the data to the bus.
- · Receiver: the device, which receives the data from the bus.
- · Master: the device, which initiates a transfer, generates clock signals and terminates a transfer.
- · Slave: the device addressed by a master.
- · Multi-Master: more than one master can attempt to control the bus at the same time without corrupting the message.
- · Arbitration: procedure to ensure that, if more than one master simultaneously tries to control the bus, only one is allowed to do so and the message is not corrupted.
- · Synchronization: procedure to synchronize the clock signals of two or more devices.

## **ACKNOWLEDGE**

Each byte of eight bits is followed by an acknowledge bit. The acknowledge bit is a HIGH signal put on the bus by the transmitter during which time the master generates an extra acknowledge related clock pulse. A slave receiver which is addressed must generate an acknowledge after the reception of each byte. A master receiver must also generate an acknowledge after the reception of each byte that has been clocked out of the slave transmitter. The device that acknowledges must pull-down the SDA line during the acknowledge clock pulse, so that the SDA line is stable LOW during the HIGH period of the acknowledge related clock pulse (set-up and hold times must be taken into consideration). A master receiver must signal an end-of-data to the transmitter by not generating an acknowledge on the last byte that has been clocked out of the slave. In this event the transmitter must leave the data line HIGH to enable the master to generate a STOP condition.

Acknowledgement on the IIC Interface is illustrated in Figure 5.




Figure 4 Definition of START and STOP conditions




Figure 5 Acknowledgement on the 2-line Interface

## **IIC Interface protocol**

The ST7528 supports command, data write addressed slaves on the bus. Before any data is transmitted on the IIC Interface, the device, which should respond, is addressed first. Four 7-bit slave addresses (0111100, 0111101, 0111110 and 0111111) are reserved for the ST7528. The least significant bit of the slave address is set by connecting the input SA0 and SA1 to either logic 0 (VSS) or logic 1 (VDD). The IIC Interface protocol is illustrated in Figure 6.



#### Note: ST7528 IIC interface can not use with other slaver IIC device

The sequence is initiated with a START condition (S) from the IIC Interface master, which is followed by the slave address. All slaves with the corresponding address acknowledge in parallel, all the others will ignore the IIC Interface transfer. After acknowledgement, one or more command words follow which define the status of the addressed slaves. A command word consists of a control byte, which defines Co and A0, plus a data byte. The last control byte is tagged with a cleared most significant bit (i.e. the continuation bit Co). After a control byte with a cleared Co bit, only data bytes will follow. The state of the A0 bit defines whether the data byte is interpreted as a command or as RAM data. All addressed slaves on the bus also acknowledge the control and data bytes. After the last control byte, depending on the A0 bit setting; either a series of display data bytes or command data bytes may follow. If the A0 bit is set to logic 1, these display bytes are stored in the display RAM at the address specified by the data pointer. The data pointer is automatically updated and the data is directed to the intended ST7528 device. If the A0 bit of the last control byte is set to logic 0, these command bytes will be decoded and the setting of the device will be changed according to the received commands. Only the addressed slave makes the acknowledgement after each byte. At the end of the transmission the IIC INTERFACE-bus master issues a STOP condition (P). If the R/W bit is set to logic 1 the chip will output data immediately after the slave address if the A0 bit, which was sent during the last write access, is set to logic 0. If no acknowledge is generated by the master after a byte, the driver stops transferring data to the master. Write mode:




Figure 6 2-line Interface protocol

ر (	0	Last control byte to be sent. Only a stream of data bytes is allowed to follow. This stream may only be terminated by s STOP or RE-START condition.	Ì
00	1	Another control byte will follow the data byte unless a STOP or RE-START condition is received.	Ì

## **DISPLAY DATA RAM (DDRAM)**

When Mode 0 is selected

The Display Data RAM stores pixel data for the LCD. It is 129-row (17 pages by 8 bits) by 132-column addressable array.

Each pixel can be selected when the page and column addresses are specified. The 129 rows are divided into 16 pages of 8 lines and the 17th page with a single line (DB0 only). Data is read from or written to the 8 lines of each page directly through DB0 to DB7. The display data of DB0 to DB7 from the microprocessor correspond to the LCD common lines. The microprocessor can read from and write to RAM through the I/O buffer. Since the LCD controller operates independently, data can be written into RAM at the same time as data is being displayed without causing the LCD flicker.

When Mode 1 is selected

The Display Data RAM stores pixel data for the LCD. It is 101-row (13 pages by 8 bits) by 160-column addressable array.

Each pixel can be selected when the page and column addresses are specified. The 101 rows are divided into 12 pages of 8 lines and the 13th page with 4 lines; the Page Address 16 (17th page) is for Icon page with a single line (DB0 only). Data is read from or written to the 8 lines of each page directly through DB0 to DB7. The display data of DB0 to DB7 from the microprocessor correspond to the LCD common lines. The microprocessor can read from and write to RAM through the I/O buffer. Since the LCD controller operates independently, data can be written into RAM at the same time as data is being displayed without causing the LCD flicker.

## **Page Address Circuit**

In mode 0

It incorporates 4-bit Page Address register changed by only the "Set Page" instruction. Page Address 16 is a



special RAM area for the icons and display data DB0 is only valid. The page address is set from 0 to 15, and Page 16 is for Icon page.

#### In mode 1

It incorporates 4-bit Page Address register changed by only the "Set Page" instruction. Page Address 16 is a special RAM area for the icons and display data DB0 is only valid. The page address is set from 0 to 12, and Page 16 is for Icon page.

#### **Line Address Circuit**

#### In mode 0

This circuit assigns DDRAM a Line Address corresponding to the first line (COM0) of the display. Therefore, by setting Line Address repeatedly, it is possible to realize the screen scrolling and page switching without changing the contents of on-chip RAM. It incorporates 7-bit Line Address register changed by only the initial display line instruction and 7-bit counter circuit. At the beginning of each LCD frame, the contents of register are copied to the line counter which is increased by CL signal and generates the line address for transferring the 128-bit RAM data to the display data latch circuit. When icon is enabled by setting icon control register, display data of icons are not scrolled because the MPU can not access Line Address of icons. *In mode 1* 

The 7-bit Line Address register is set from  $0 \sim 99$ , If the register is set from  $100 \sim 127$ , It will be no operation. The register value will be kept in last value.

## **Column Address Circuit**

#### In Mode 0, 1

Column Address Circuit has a 10-bit preset counter that provides Column Address to the Display Data RAM. When set Column Address MSB / LSB instruction is issued, 8-bit [Y9:Y2] are set and lowest 2 bit, Y[1:0] is set to "00". Since this address is increased by 1 each a read or write data instruction, microprocessor can access the display data continuously. However, the counter is not increased and locked if a non-existing address above 9FH. It is unlocked if a column address is set again by set Column Address MSB / LSB instruction. And the column address counter is independent of page address register.

ADC select instruction makes it possible to invert the relationship between the Column Address and the segment outputs. It is necessary to rewrite the display data on built-in RAM after issuing ADC select instruction. Refer to the following Figure 9 and Figure 10.

(Note: in mode read or write in fourth, the column address will turn to next column address)

SEG output			EG )				EG 1				EG 2				EG 3		ses	52,		EG 28		65,		EG 29		62		EG 30				G 31	
Column address [Y9:Y2]		00	ЭН			01	1H			02H 03H										81	ΙH			82	2H			83H					
Internal column address [Y9:Y0]	00	01	02	03	04	05	08	07	08	09	0A	08	0C	OD	0E	OF	•••	200	201	202	203	204	205	208	207	208	209	20A	20B	20C	20D	20E	20F
Display data (ADC=0)	1	1	4	1	1	1	1	0	1	1	0	1	1	1	D	0	52.5	0	0	1	1	0	0	1	0	0	D	0	1	0	0	0	0
LCD panel display																22-31	***	2		***					**			*		S 7		0 8	50
				Vine	_					_								_	_		_						_				_		
Display data (ADC=1)	0	0	0	0	0	0	0	1	0	0	1	0	0	0	1	1	***	1	1	0	0	1	1	0	1	1	7	1	0	1	4	1	1
LCD panel	-	6	8 8	25 15				17 - X				58 0		ine e		39 3		200	W.	08 3	0 E		13		13			de d					

Figure 9. The Relationship between the Column Address and the Segment Outputs

## Mode-0 Display RAM Mapping diagram



Pag D3	ge A			Data	Line Address	COM
O	0	0	0	D0 D1 D2 D2 D3 Page 0 D5 D6 D7	00H 01H 02H 03H 04H 05H 06H 07H	COM0 COM1 COM2 COM3 COM4 COM5 COM6 COM7
0	0	0	1	D0 D1 D2 D2 D3 D4 D5 D6 D7	08H 09H 0AH 0BH 0CH 0DH 0EH 0FH	COM8 COM9 COM10 COM11 COM12 COM13 COM14 COM15
0	0	1	0	D0 D1 D2 D2 D3 D4 Page 2 D5 D6 D7	10H 11H 12H 13H 14H 15H 16H 17H	COM16 COM17 COM18 COM19 COM20 COM21 COM22 COM22
1	1	0	1	D0 D1 D2 D3 Page 13 D5 D6 D7	68H 69H 6AH 6BH 6CH 6DH 6EH	COM104 COM105 COM106 COM107 COM108 COM109 COM110 COM111
1	1	1	0	D0 D1 D2 D3 Page 14 D5 D6 D7	70H 71H 72H 73H 74H 75H 76H	COM112 COM113 COM114 COM115 COM116 COM117 COM118 COM119
1	1	1	1	D0 D1 D2 D3 D4 D5 D6 D7 Page 15	78H 79H 7AH 7BH 7CH 7DH 7EH 7FH	COM120 COM121 COM122 COM123 COM124 COM125 COM126 COM127
£ 3	ICO	N		D0   Page 16	80H	COMS
ON addre can set N ON in	by		1	7/E05 SEG126 7/D06 SEG123 7/C07 SEG124 7/D06 SEG124 7/D07 SEG124 7/D07 SEG7 05/74 SEG5 04/74 SEG4 03/80 SEG3 02/81 SEG2 01/82 SEG1 00/83 SEG1	ADC SEG 0 1 SEG 0 1 SEG 131 SEG 131 SEG 139 SEG 128 SEG 127 FIGAL SEG 127 SEG	



## MODE 1

SEG output			EG 0	8		SE	EG 1				G 2	1000		SE	EG 3	8	***			EG 56				EG. 57				EG 58		SEG 159				
Column address [Y9:Y2]		0(	ЭН			0	ΙH			02H 03H									9	СН			91	ЭH			91	ΕH			9FH			
Internal column address [Y9:Y0]	00	01	02	03	04	05	06	07	08	09	OA	ОВ	oc	0D	0E	OF	ere.	271	0 27	1 272	273	3 274	275	276	277	278	279	27A	278	27C	27D	27E	27F	
Display data (ADC=0)	1	1	1	1	1	1	1	0	1	1	0	1	1	1	0	0	MA	0	0	1	1	0	o	্ৰ	0	0	0	0	1	0	0	0	0	
LCD panel display													Œ.				***			·						22				71.				
			_				_		_			_	_		-	_	=	>		_		=	-											
Display data (ADC=1)	0	0	0	0	0	0	0	1	0	0	1	0	0	0	1	1	1115	1	1	0	0	1	a	0	1	1	1	1	D	1	4	1	1	
LCD panel display		100	b0 - 8	Ž.	6 X - 3	i - 11		(H )		**			22 3	# 18		40	6930	3			0		505			188	*		è					

Figure 10. The Relationship between the Column Address and the Segment Outputs

Mode-1 Display RAM Mapping diagram



	nge A			Data					Line Address	5	COM
0	0	0	0	D0 D1 D2 D3 D4 D5 D6 D7			Page 0		00H 01H 02H 03H 04H 05H 06H 07H		COM0 COM1 COM2 COM3 COM4 COM5 COM6
0	0	0	1	D0 D1 D2 D3 D4 D5 D6 D7			Page 1		08H 09H 0AH 0BH 0CH 0DH 0EH		COM8 COM9 COM10 COM11 COM12 COM13 COM14 COM15
0	0	1	0	D0 D1 D2 D3 D4 D5 D6 D7			Page 2		10H 11H 12H 13H 14H 15H 16H 17H		COM16 COM17 COM18 COM19 COM20 COM21 COM22 COM23
ļ	- 8					0.5				2	
     				D0 D1 D2 D3				   	50H 51H 52H	]	COM81 COM82
1	0	1	0	D1 D2 D3 D4 D5 D6 D7 D0 D1 D2			Page 10		51H 52H 53H 54H 55H 56H 57H 58H 59H		COM80 COM81 COM82 COM83 COM84 COM85 COM86 COM87 COM88 COM89 COM90
1	0	1	0	D1 D2 D3 D4 D5 D6 D7 D0 D1 D2 D3 D4 D5 D6 D7 D0 D1 D5 D6 D7 D0 D1 D5 D6 D7 D0 D1 D5 D6 D7 D7 D7 D7 D8 D8 D8 D8 D8 D8 D8 D8 D8 D8 D8 D8 D8					51H 52H 53H 54H 55H 56H 57H 58H 59H 5AH 5CH 5DH 5EH 5FH 60H 61H		COM80 COM81 COM82 COM83 COM85 COM86 COM87 COM88 COM90 COM91 COM92 COM93 COM94 COM95 COM96 COM97 COM97
S		0		D1 D2 D3 D4 D5 D6 D7 D0 D1 D2 D3 D4 D5 D6 D7 D0 D1 D5 D6 D7 D0 D1 D5 D6 D7 D7 D7 D7 D7 D8 D8 D8 D8 D8 D8 D8 D8 D8 D8 D8 D8 D8			Page 10		51H 52H 53H 54H 55H 56H 57H 58H 59H 5AH 5BH 5CH 5CH 5EH 5FH 60H		COM80 COM81 COM82 COM83 COM84 COM85 COM86 COM87 COM88 COM89 COM90

## **LCD DISPLAY CIRCUITS**

## FRC (Frame Rate Control) and PWM (Pulse Width Modulation) Function Circuit

The ST7528 incorporates an FRC function and a PWM function circuit to display a 16-level gray scale. The FRC function and PWM utilize liquid crystal characteristics whose transmittance is changed by an effective

12



value of applied voltage. The ST7528 provides palette-registers to assign the desired gray level. These registers are set by the instructions and the RESETB.

## - Gray Scale Table of 4 FRC (Frame Rate Control)

4 FRC setting	(DB7 to DB0)						
1st FR (FR1)	Set 1st Frame Pulse Width Modulation Instruction						
1st FR (FR1)	Set 1st Frame Pulse Width Modulation Data						
2nd FR (FR2)	Set 2nd Frame Pulse Width Modulation Instruction						
2nd FR (FR2)	Set 2nd Frame Pulse Width Modulation Data						
3rd FR (FR3)	Set 3rd Frame Pulse Width Modulation Instruction						
3rd FR (FR3)	Set 3rd Frame Pulse Width Modulation Data						
4th FR (FR4)	Set 4th Frame Pulse Width Modulation Instruction						
4th FR (FR4)	Set 4th Frame Pulse Width Modulation Data						

## **Gray Scale Table of 3 FRC (Frame Rate Control)**

3 FRC setting	(DB7 to DB0)
1st FR (FR1)	Set 1st Frame Pulse Width Modulation Instruction
1st FR (FR1)	Set 1st Frame Pulse Width Modulation Data
2nd FR (FR2)	Set 2nd Frame Pulse Width Modulation Instruction
2nd FR (FR2)	Set 2nd Frame Pulse Width Modulation Data
3rd FR (FR3)	Set 3rd Frame Pulse Width Modulation Instruction
3rd FR (FR3)	Set 3rd Frame Pulse Width Modulation Data
4th FR (FR4)	No used
4th FR (FR4)	No used

## **Gray Scale Table of 45 PWM (Pulse Width Modulation)**

Dec	Hex	6-bits	PWM (on width)	Note
0	00	000000	0(0/45)	Brighter
1	01	000001	1/45	
2	02	000010	2/45	
3	03	000011	3/45	
4	04	000100	4/45	x 95
334.1	14.4	***	818	
2252	1444	54445	3446	
3884	315	1995	288	
8222	152223	13250	\$12	
42	2A	101010	42/45	
43	2B	101011	43/45	
44	2C	101100	44/45	*
45	2D	101101	1(45/45)	Darker
See 3	***	5***		
3344			3446	This area is
61	3D	111101	0/45	selected to OFF
62	3E	111110	0/45	level (0/45 level
63	3F	111111	0/45	



## -Gray Scale Table of 60 PWM (Pulse Width Modulation)

Dec	Hex	6-bits	PWM (on width)	Note
0	00	000000	0(0/60)	Brighter
1	01	000001	1/60	
2	02	000010	2/60	
3	03	000011	3/60	1
4	04	000100	4/60	
355				
922	92.4	2244	E 7459	
3242	5211	5211	1020	9
3234	8811	8844	1328	
333	8999	5200	9928	
300	1 999	1 599	1	li li
56	39	111001	56/60	
57	3A	111010	57/60	
58	3B	111011	58/60	
59	3C	111100	59/60	+
60	39	111001	1 (60/60)	Darker
61	3D	111101	0/60	This area is
62	3E	111110	0/60	selected to OFF
63	3F	111111	0/60	level (0/60 level

## **Partial Display on LCD**

The ST7528 realizes the Partial Display function on LCD with low-ratio driving for saving power consumption and showing the various display ratio. To show the various display ratio on LCD, LCD driving ratio and bias are programmable via the instruction. And, built-in power supply circuits are controlled by the instruction for adjusting the LCD driving voltages.

In mode 0 the partial display ratio could be set from 16 ~ 128.

In mode 1 could be set from 16 ~ 100.

If the partial display region is out of the Max. Display range, it would be no operation.




Figure 13 Reference Example for Partial Display






Figure 14 Partial Display (Partial Display ratio=16,initial COM0=0)

#### **POWER SUPPLY CIRCUITS**

The Power Supply circuits generate the voltage levels necessary to drive liquid crystal driver circuits with low power consumption and the fewest components. There are voltage converter circuits, voltage regulator circuits, and voltage follower circuits. They are controlled by power control instruction. For details, refers to "Instruction Description". Table 4 shows the referenced combinations in using Power Supply circuits.

**Table 4 Recommended Power Supply Combinations** 

User setup	Power control (VC VR VF)	V/C circuits	V/R circuits	V/F circuits	VOUT_IN	V0	V1 to V4
Only the internal power supply circuits are used	111	ON	ON	ON	Internal	Without capacitor	With capacitor
Only the voltage regulator circuits and voltage follower circuits are used	0 1 1	OFF	ON	ON	External input	Without capacitor	With capacitor
Only the voltage follower circuits are used	0 0 1	OFF	OFF	ON	OPEN	External input	With capacitor
Only the external power supply circuits are used	0 0 0	OFF	OFF	OFF	OPEN	External input	External input

## **Voltage Converter Circuits**

These circuits boost up the electric potential between VDD2 and Vss to 3, 4, 5 or 6 times toward positive side and boosted voltage is outputted from VOUT pin. It is possible to select the lower boosting level in any boosting circuit by "Set DC-DC Step-up" instruction. When the higher level is selected by instruction, VOUT voltage is not valid.

## Note: we would like to recommend to use the external VOUT when the panel is large than 1.8 inch Voltage Regulator Circuits

The function of the internal Voltage Regulator circuits is to determine liquid crystal operating voltage, V0, by adjusting resistors, Ra and Rb, within the range of |V0| < |VOUT|. Because VOUT is the operating voltage of operational-amplifier circuits shown in Figure 16, it is necessary to be applied internally or externally. For the Eq. 1, we determine V0 by Ra, Rb and VEV. The Ra and Rb are connected internally or externally by INTRS pin. And VEV called the voltage of electronic volume is determined by Eq. 2, where the parameter a is the value selected by instruction, "Set Reference Voltage Register", within the range 0 to 63. VREF voltage at Ta= 25°C is shown in Table 5.



Rb 
$$V0 = (1 + \frac{1}{2}) \times VEV [V] - \cdots (Eq. 1)$$
Ra  $(63 - \alpha)$ 
 $VEV = (1 - \frac{1}{2}) \times VREF [V] - \cdots (Eq. 2)$ 

## Table 5 VREF Voltage at Ta = 25° C

REF	Temp. coefficient	VREF [ V ]
1	-0.125% / °C	2.1
0	External input	VEXT

## In Case of Using Internal Resistors, Ra and Rb (INTRS = "H")

When INTRS pin is "H", resistor Ra is connected internally between VR pin and VSS, and Rb is connected between V0 and VR. We determine V0 by two instructions, "Regulator Resistor Select" and "Set Reference Voltage".

## Table 6 Internal Rb / Ra Ratio depending on 3-bit Data (R2 R1 R0)

3-bit data settings (R2 R1 R0)										
000 001 010 011 100 101 110										
1 + (Rb / Ra)	2.3	3.0	3.7	4.4	5.1	5.8	6.5	7.2		

#### **RESET CIRCUIT**

Setting RESETB to "L" or Reset instruction can initialize internal function.

When RESETB becomes "L", following procedure is occurred.

Page address: 0 Column address: 0 Read-modify-write: OFF Display ON / OFF: OFF Initial display line: 0 (first) Initial COM0 register: 0 (COM0) Partial display ratio: 1/128

Reverse display ON / OFF: OFF (normal) N-line inversion register: 0 (disable)

Entire Display ON/OFF: OFF

ICON Control register ON/OFF: OFF (ICON disable) Power control register (VC, VR, VF) = (0, 0, 0)

DC-DC converter circuit = (0, 0)Booster Efficiency BE = (1)

Regulator resistor select register: (R2, R1, R0) = (0, 0, 0)

Contrast Level: 32 LCD bias ratio: 1/12 COM Scan Direction: 0

ADC Select: 0 Oscillator: OFF

Power Save Mode: Release

Display Data Length register: 0 (for SPI mode)

All Gray Level Set: OFF

In Level0, 2, 4, 6, 8, 10, 12, 14, the Gray Level palette register (GA5, GA4, GA3, GA2, GA1, GA0) = (0,0,0,0,0)

All Gray Level Set: OFF

In Level 1, 3, 5, 7, 9, 11, 13, 15, the Gray Level palette register (GA5, GA4, GA3, GA2, GA1, GA0) = (1,1,1,1,1)

FRC, PWM mode: 4FRC, 45PWM

When RESET instruction is issued, following procedure is occurred.

Page address: 0



Column address: 0
Read-modify-write: OFF
Initial display line: 0 (First)

Regulator resistor select register: (R2, R1, R0) = (0, 0, 0)

Contrast Level: 32

Display Data Length register: 0 (for SPI mode)

All Gray Level Set : OFF

In Level0, 2, 4, 6, 8, 10, 12, 14, the Gray Level palette register (GA5, GA4, GA3, GA2, GA1, GA0) = (0,0,0,0,0)

All Gray Level Set: OFF

In Level 1, 3, 5, 7, 9, 11, 13, 15, the Gray Level palette register (GA5, GA4, GA3, GA2, GA1, GA0) = (1,1,1,1,1)

FRC, PWM mode: 4FRC, 45PWM

While RESETB is "L" or reset instruction is executed, no instruction except read status can be accepted. Reset status appears at DB4. After DB4 becomes "L", any instruction can be accepted. RESETB must be connected to the reset pin of the MPU, and initialize the MPU and this LSI at the same time. The initialization by RESETB is essential before used.



## 10. Table of LCM commands

Instruction	A0	RW	DB7	DB6	DB5	DB4	DB3	DB2	DB1	DB0	Description
EXT=0 or 1											in .
	0	0	0	0	1	1	1	0	0	0	2-byte instruction to set
Mode Set	0	0	FR3	FR2	FR1	FR0	0	BE	x'	EXT	Mode and FR( Frame frequency control) BE( Booster efficiency control)
EXT=0											
Read display data	1	1				Read	data				Read data into DDRAM
Write display data	1	0	(i.			Write	data				Write data into DDRAM
Read status	0	1	BUSY	ON	RES	MF2	MF1	MF0	DS1	DS0	Read the internal status
ICON control register ON/OFF	0	0	1	0	1	0	0	0	1	ICON	ICON=0: ICON disable(default) ICON=1: ICON enable & set the page address to 16
Set page address	0	0	1	0	1	1	P3	P2	P1	P0	Set page address
Set column address MSB	0	0	0	0	0	1	Y9	Y8	Y7	Y6	Set column address MSB
Set column address LSB	0	0	0	0	0	0	Y5	Y4	Y3	Y2	Set column address LSB
Set modify-read	0	0	1	1	1	0	0	0	0	0	Set modify-read mode
Reset modify-read	0	0	1	1	1	0	1	1	1	0	release modify-read mode
Display ON/OFF	0	0	1	0	1	0	1	1	1	D	D=0: Display OFF D=1: Display ON
Set initial display line register	0	0	0	3 <b>1</b>	0	0	0	0	X <sup>r</sup>	x'	2-byte instruction to specify the initial display line to realize
Set minar display line register	0	0	x'	S6	S5	S4	S3	S2	S1	S0	vertical scrolling
Pot initial COMO espirator	0	0	0	1	0	0	0	1	X*	x'	2-byte instruction to specify the initial COM0 to realize
Set initial COM0 register	0	0	x'	C6	C5	C4	С3	C2	C1	C0	window scrolling
Colori portiol display line	0	0	0	11	0	0	1	0	x'	x'	2-byte instruction to set partial
Select partial display line	0	0	D7	D6	D5	D4	D3	D2	D1	D0	display ratio
(1)	0	0	0	1	0	0	1	1	X <sup>t</sup>	x'	2-byte instruction to set N-line
Set N-line inversion	0	0	x'	x'	x,	N4	N3	N2	N1	NO	inversion register
Release N-line inversion	0	0	1	1	1	0	0	1	0	0	Release N-line inversion mode
Reverse display ON/OFF	0	0	1	0	1	0	0	1	1	RE∀	REV=0: normal display REV=1: reverse display
Entire display ON/OFF	0	0	1	0	1	0	0	1	0	EON	EON=0: normal display EON=1: entire display ON



Instruction	A0	RW	DB7	DB6	DB5	DB4	DB3	DB2	DB1	DB0	Description	
Ext=0	100										ti.	
Power control	0	0	0	0	1	0	1	VC	VR	VF	Control power circuit operation	
Select DC-DC step-up	0	0	0	4	1	0	0	1	DC1	DC0	Select the step-up of internal voltage converter	
Select regulator register	0	0	0	0	1	0	0	R2	R1	R0	Select the internal resistance ratio of the regulator resistor	
Select electronic volumn	0	0	1	0	0	0	0	0	0	1	2-byte instruction to specify	
register	0	0	x,	x'	EV5	EV4	EV3	EV2	EV1	EV0	the reference voltage	
Select LCD bias	0	0	0	1	0	1	0	B2	B1	В0	Select LCD bias	
C-1 Bi B C M-J-	0	0	1	1	1	1	0	0	1	1	Bias Power save Save the Bias	
Set Bias Power Save Mode	0	0	0	0	0	0	0	0	0	0	current consumption	
Release Bias Power Save	0	0	1	1	1	1	0	0	1	1	Bias Power save release	
Mode	0	0	0	0	0	0	0	1	0	0	set the Bias power to normal	
SHL select	0	0	1	1	0	0	SHL	X,	x'	x <sup>r</sup>	COM bi-directional selection SHL=0: normal direction SHL=1: reverse direction	
ADC select	0	0	1	0	1	0	0	0	0	ADC	SEG bi-direction selection ADC=0: normal direction ADC=1: reverse direction	
Oscillator on start	0	0	1	0	1	0	1	0	1	1	Start the built-in oscillator	
Set power save mode	0	0	1	0	1	0	1	0	0	Р	P=0: normal mode P=1: sleep mode	
Release power save mode	0	0	1	1	1	0	0	0	0	1	release power save mode	
Reset	0	0	1	1	1	0	0	0	1	0	initial the internal function	
Set data direction &	x'	x'	1	1	1	0	1	0	0	0	2-byte instruction to specify	
display data length(DDL)	x'	x'	D7	D6	D5	D4	D3	D2	D1	D0	the number of data bytes. (SPI mode)	
Select FRC and PWM mode	0	o	1	0	0	1	0	FRC	PWM1	PWM0	FRC(1:3FRC, 0:4FRC)  PWM1 PWM0  0 0 45PWM  0 1 45 PWM  1 0 60PWM  1 1	
NOP	0	0	1	1	1	0	0	0	1	1	No operation	
Test Instruction	0	0	1	1	1	1	×	x'	x'	x,	Don't use this instruction	



Instruction	A0	RW	DB7	DB6	DB5	DB4	DB3	DB2	DB1	DB0	Description	
EXT=1											,	
Set white mode and 1st frame,	0	0	1	0	0	0	0	0	0	0		
set pulse width	0	0	X'	X'	GA05	GA04	GA03	GA02	GA01	GA00	-Set white mode and 1st frame	
Set white mode and 2 <sup>nd</sup> frame,	0	0	1	0	0	0	0	0	0	1	Set white mode and 2nd	
set pulse width	0	0	X'	X'	GA05	GA04	GA03	GA02	GA01	GA00	frame	
Set white mode and 3rd frame,	0	0	1	0	0	0	0	0	1	0	Set white mode and 3rd	
set pulse width	0	0	X'	X'	GA05	GA04	GA03	GA02	GA01	GA00	frame	
Set white mode and 4 <sup>th</sup> frame,	0	0	1	0	0	0	0	0	1	1	Set white mode and 4th	
set pulse width	0	0	X'	X'	GA05	GA04	GA03	GA02	GA01	GA00	frame	
Set gray level 1 mode	0	0			84	4H~87I	H (4 b	ytes)			Set gray level1	
Set gray level 2 mode	0	0			88	3H~8B	H (4 b	ytes)			Set gray level2	
Set gray level 3 mode	0	0	1		80	CH~8F	H (4b	ytes)	Ċ		Set gray level3	
Set gray level 4 mode	0	0			9	0H~93	H (4b	ytes)			Set gray level4	
Set gray level 5 mode	0	0	3		9.	4H~97	H (4b	ytes)		Ì	Set gray level5	
Set gray level 6 mode	0	0			98	3H~9B	H (4 b	ytes)	i i	j	Set gray level6	
Set gray level 7 mode	0	0			90	CH~9F	H (4 b	ytes)			Set gray level7	
Set gray level 8 mode	0	0			ΑŒ	0H~A3	H (4 b	ytes)			Set gray level8	
Set gray level 9 mode	0	0			Α	4H~A7	H (4 b	ytes)	ĺ		Set gray level9	
Set gray level 10 mode	0	0			A8	BH~AB	H (4 b	ytes)			Set gray level10	
Set gray level 11mode	0	0			AC	CH~AF	H (4 b	ytes)			Set gray level11	
Set gray level 12 mode	0	0			В	0H~B3	H (4 b	ytes)			Set gray level12	
Set gray level 13 mode	0	0			B4	4H~B7	H (4 b	ytes)			Set gray level13	
Set gray level 14 mode	0	0			В	BH~BB	H (4 b	ytes)			Set gray level14	
Set Dark mode and 1st frame,	0	0	1	0	1	1	1	1	0	0	Set Dark mode and 1st	
set pulse width	0	0	X'	X'	GAF5	GAF4	GAF3	GAF2	GAF1	GAF0	frame, set pulse width	
Set Dark mode and 2nd frame,	0	0	1	0	1	1	1	1	0	1	Set Dark mode and 2nd	
set pulse width	0	0	X'	X'	GAF5	GAF4	GAF3	GAF2	GAF1	GAF0	frame, set pulse width	
Set Dark mode and 3rd frame,	0	0	1	0	-1	1	:1	1	1	0	Set Dark mode and 3rd	
set pulse width	0	0	X'	X'	GAF5	GAF4	GAF3	GAF2	GAF1	GAF0	frame, set pulse width	
Set Dark mode and 4th frame,	0	0	1	0	1	1	1	1	1	1	Set Dark mode and 4th	
set pulse width	0	0	X'	X.	GAF5	GAF4	GAF3	GAF2	GAF1	GAF0	frame, set pulse width	



## **Set Mode Register**

2-byte instruction to set Mode (EXT) and FR (Frame frequency control), BE (Booster efficiency control).

#### The 1st Instruction

A0	RW	DB7	DB6	DB5	DB4	DB3	DB2	DB1	DB0
0	0	0	0	1	1	1	0	0	0

#### The 2nd Instruction

Α0	RW	DB7	DB6	DB5	DB4	DB3	DB2	DB1	DB0
0	0	FR3	FR2	FR1	FR0	0	BE	x'	EXT

#### Frame frequency

This command is used to set the frame frequency. This table is suitable for no partial display

FR3	FR2	FR1	FR0	FR frequency
0	0	0	0	77 Hz ±5%
0	0	0	1	51 Hz ±20%
0	0	1	0	55 Hz ±20%
0	0	1	1	58 Hz ±20%
0	1	0	0	63 Hz ±20%
0	1	0	1	67 Hz ±20%
0	1	1	0	68 Hz ±20%
0	1	1	1	70 Hz ±20%
1	0	0	0	73 Hz ±20%
1	0	0	1	75 Hz ±20%
1	0	1	0	80 Hz ±20%
1	0	1	1	85 Hz ±20%
1	1	0	0	91 Hz ±20%
1	1	0	1	102 Hz ±20%
1	1	1	0	113 Hz ±20%
1	1	1	1	123 Hz ±20%

## **Booster Efficiency**

The ST7528 incorporates software configurable Booster Efficiency Command. It could be used with Voltage multiplier to get the suitable Vout and Power consumption. Default setting is Level 2

Flag	Description	Description						
RE	0	Booster Efficiency Level 1						
DL	1	Booster Efficiency Level 2						

### Mode Set

Flag	Description	
	Default	EXT=0
EXT	EXT=0	The Instruction of EXT=0 Mode is available
	EXT=1	The Instruction of EXT=1 Mode is available

## **Read Display Data**

8-bit data from Display Data RAM specified by the column address and page address can be read by this instruction. As the column address is increased by 1 automatically after each this instruction, the microprocessor can continuously read data from the addressed page. A dummy read is required after loading an address into the column address register. Display Data cannot be read through the serial interface.

A0	RW	DB7	DB6	DB5	DB4	DB3	DB2	DB1	DB0
1	1	Read dat	a						

### **Write Display Data**

8-bit data of Display Data from the microprocessor can be written to the RAM location specified by the column address and page address. The column address is increased by 1 automatically so that the microprocessor

21

www.FocusLCDs.com



can continuously write data to the addressed page. During auto-increment, the column address wraps to 0 after the last column is written.

A0	RW	DB7	DB6	DB5	DB4	DB3	DB2	DB1	DB0
1	1	Write dat	a						




Figure 18 Sequence for Writing Display Data (Left) and Sequence for Reading Display Data (Right) Read Status

Indicates the internal status of the ST7528

A0	RW	DB7	DB6	DB5	DB4	DB3	DB2	DB1	DB0
0	1	BUSY	ON	RES	MF2	MF1	MF0	DS1	DS0

Flag	Description
BUSY	The device is busy when internal operation or reset. Any instruction is rejected until BUSY goes Low. 0: chip is active, 1: chip is being busy
ON	Indicates display ON / OFF status 0: display OFF, 1: display ON
RESET	Indicates the initialization is in progress by RESET signal.
	0: chip is active, 1: chip is being reset
MF	Manufacturer ID; suggest value: MF2 MF1 MF0 = [0 0 0] The value of MF2, MF1 and MF0
	will follow the hardware selection.
DS	Display size ID; suggest value: DS1 DS0 = [1 0] The value of DS1 and DS2 will follow the
	hardware selection.

## **Set Page Address**

Sets the Page Address of display data RAM from the microprocessor into the page address register. Any RAM data bit can be accessed when its Page Address and column address are specified. Along with the column address, the Page Address defines the address of the display RAM to write or read display data. Changing the Page Address doesn't affect the display status. Set Page Address instruction can not be used to set the page address to "16". Use ICON control register ON/OFF instruction to set the page address to "16".

A0	RW	DB7	DB6	DB5	DB4	DB3	DB2	DB1	DB0
0	0	1	0	1	1	P3	P2	P1	P0



P3	P2	P1	P0	Page
0	0	0	0	0
0	0	0	1	1
:	:	:	:	:
1	1	1	0	14
1	1	1	1	15

#### **Set Column Address**

Sets the Column Address of display RAM from the microprocessor into the column address register. Along with the Column Address, the Column Address defines the address of the display RAM to write or read display data. When the microprocessor reads or writes display data to or from display RAM, Column Addresses are automatically increased.

### **Set Column Address MSB**

<b>A</b> 0	RW	DB7	DB6	DB5	DB4	DB3	DB2	DB1	DB0
0	0	0	0	0	1	Y9	Y8	Y7	Y6

#### Set Column Address LSB

A0	RW	DB7	DB6	DB5	DB4	DB3	DB2	DB1	DB0
0	0	0	0	0	0	Y5	Y4	Y3	Y2

Y9	Y8	Y7	Y6	Y5	Y4	Y3	Y2	Column address[Y9:Y2]
0	0	0	0	0	0	0	0	0
0	0	0	0	0	0	0	1	1
:	:	:	:	:	:	:	:	•
0	1	1	1	1	1	1	0	126
0	1	1	1	1	1	1	1	127
:	:	:	:	:	:	:	:	•
1	0	0	1	1	1	1	0	158
1	0	0	1	1	1	1	1	159

## **Set Modify-Read**

This instruction stops the automatic increment of the column address by the read display data instruction, but the column address is still increased by the write display data instruction. And it reduces the load of microprocessor when the data of a specific area is repeatedly changed during cursor blinking or others. This mode is canceled by the reset Modify-Read instruction.

ĺ	<b>A</b> 0	RW	DB7	DB6	DB5	DB4	DB3	DB2	DB1	DB0
ĺ	0	0	1	1	1	0	0	0	0	0

## **Reset Modify-Read**

This instruction cancels the Modify-Read mode, and makes the column address return to its initial value just before the set Modify-Read instruction is started.

23

	<b>A</b> 0	RW	DB7	DB6	DB5	DB4	DB3	DB2	DB1	DB0
ſ	0	0	1	1	1	0	1	1	1	0

www.FocusLCDs.com






Figure 19 Sequence for Cursor Display

## Display ON / OFF

Turns the display ON or OFF.

This command has priority over Entire Display On/Off and Reverse Display On/Off. Commands are accepted while the display is off, but the visual state of the display does not change.

<b>A</b> 0	RW	DB7	DB6	DB5	DB4	DB3	DB2	DB1	DB0
0	0	1	0	1	0	1	1	1	DON

DON = 1: display ON DON = 0: display OFF

## **Set Initial Display Line Register**

Sets the line address of display RAM to determine the initial display line using 2-byte instruction. The RAM display data is displayed at the top of row (COM0) of LCD panel.

## The 1st Instruction

Α0	RW	DB7	DB6	DB5	DB4	DB3	DB2	DB1	DB0
0	0	0	1	0	0	0	0	Х	Х

## The 2nd Instruction

A0	RW	DB7	DB6	DB5	DB4	DB3	DB2	DB1	DB0
0	0	Х	S6	S5	S4	S3	S2	S1	S0

S6	S5	S4	S3	S2	S1	S0	Line address
0	0	0	0	0	0	0	0
0	0	0	0	0	0	1	1
0	0	0	0	0	1	0	2
0	0	0	0	0	1	1	3
:	:	:	:	:	:	:	•
1	1	0	0	1	0	0	125
							126
1	1	1	1	1	1	1	127






Figure 20 Sequence For Setting Initial Display Line

## **Set Initial COM0 Register**

Sets the initial row (COM) of the LCD panel using the 2-byte instruction. By using this instruction, it is possible to realize the window moving without the change of display data.

## The 1st Instruction

Α0	RW	DB7	DB6	DB5	DB4	DB3	DB2	DB1	DB0
0	0	0	1	0	0	0	1	Х	Х

## The 2nd Instruction

Α0	RW	DB7	DB6	DB5	DB4	DB3	DB2	DB1	DB0
0	0	Х	C6	C5	C4	C3	C2	C1	C0

C6	C5	C4	C3	C2	C1	C0	Initial COM0
0	0	0	0	0	0	0	СОМО
0	0	0	0	0	0	1	COM1
0	0	0	0	0	1	0	COM2
0	0	0	0	0	1	1	СОМЗ
:	:	:	:	:	:	:	:
1	1	1	1	1	0	0	COM124
1	1	1	1	1	0	1	COM125
1	1	1	1	1	1	0	COM126
1	1	1	1	1	1	1	COM127




Figure 21 Sequence For Setting Initial COM

## Select partial display line

Sets the ratio within range of 16 to 128 (ICON disabled) or 17 to 129 (ICON enabled) to realize partial display by using the 2-byte instruction.

25

## The 1st Instruction

Α0	RW	DB7	DB6	DB5	DB4	DB3	DB2	DB1	DB0
0	0	0	1	0	0	1	0	Х	Х


www.FocusLCDs.com



## The 2nd Instruction

A0	RW	DB7	DB6	DB5	DB4	DB3	DB2	DB1	DB0
0	0	D7	D6	D5	D4	D3	D2	D1	D0

D7	D6	D5	D4	D3	D2	D1	D0	Selected partial Display line mode 0	Selected partial Display line mode 1
0	0	0	0	0	0	0	0		
12					9:			No operation	No operation
0	0	0	0	1	1	1	1		DOMER RESIDENTIAN SERVICE.
0	0	0	1	0	0	0	0	1/16	1/16
0	0	0	1	0	0	0	1	1/17	1/17
Ş.,	- 3	] #				4	. 2		
0	1	1	0	0	1	0	0	1/100	1/100
- 83 - 6	- â	1			1	4			1/100
0	1	1	1	1	1	1	1	1/127	1/100
1	0	0	0	0	0	0	0	1/128	1/100
1	0	0	0	0	0	0	. 4		8.
1	\$ [ 2 ] % B		10	35	- E	No Operation	No Operation		
	1	1 1 1 1 1		1	to the second se				



## Figure 22 Sequence For Setting Partial Display Set N-line Inversion Register

Sets the inverted line number within range of 3 to 33 to improve the display quality by controlling the phase of the internal LCD AC signal (M) by using the 2-byte instruction. The DC-bias problem could be occurred if K is even number. So, we recommend customers to set K to be odd number. K:

D: The number of display ratio (D is selectable by customers)

N: N for N-line inversion (N is selectable by customers).

## The 1st Instruction

Α0	RW	DB7	DB6	DB5	DB4	DB3	DB2	DB1	DB0
0	0	0	1	0	0	1	1	Х	Х

## The 2st Instruction

Α0	RW	DB7	DB6	DB5	DB4	DB3	DB2	DB1	DB0
0	0	Х	х	х	N4	N3	N2	N1	N0

N4	N3	N2	N1	N0	Selected n-line inversion
0	0	0	0	0	0-line inversion (frame inversion)
0	0	0	0	1	3-line inversion
0	0	0	1	0	4-line inversion
0	0	0	1	1	5-line inversion
:	:	:	:	:	:
1	1	1	0	1	31-line inversion
1	1	1	1	0	32-line inversion
1	1	1	1	1	33-line inversion






Figure 23 Sequence For N-line Inversion

#### **Release N-line Inversion**

Returns to the frame inversion condition from the n-line inversion condition.

I	Α0	RW	DB7	DB6	DB5	DB4	DB3	DB2	DB1	DB0
	0	0	1	1	1	0	0	1	0	0

## Reverse Display ON / OFF

Reverses the display status on LCD panel without rewriting the contents of the display data RAM.

Ī	Α0	RW	DB7	DB6	DB5	DB4	DB3	DB2	DB1	DB0
ĺ	0	0	1	0	1	0	0	1	1	REV

REV	White	Gray level 1	 Gray level 14	– Dark
0 (normal)	White ("0000")	Gray 1 ("0001")	 Gray 14 ("1110")	Dark ("1111")
1 (reverse)	Dark ("1111")	Gray 14 ("1110")	 Gray 1 ("0001")	White ("0000")

## **Entire Display ON / OFF**

Forces the whole LCD points to be turned on regardless of the contents of the display data RAM. At this time, the contents of the display data RAM are held. This instruction has priority over the Reverse Display ON / OFF instruction.

Α0	RW	DB7	DB6	DB5	DB4	DB3	DB2	DB1	DB0
0	0	1	0	1	0	0	1	0	EON

Entire	White	Gray level 1		Gray level 14	– Dark
0 (normal)	White ("0000")	Gray 1 ("0001")		Gray 14 ("1110")	Dark ("1111")
1 (Entire)	Dark ("1111")	Dark ("1111")	Dark ("1111")	Dark ("1111")	Dark ("1111")

## **Power Control**

Selects one of eight power circuit functions by using 3-bit register. An external power supply and part of internal power supply functions can be used simultaneously.

A0	RW	DB7	DB6	DB5	DB4	DB3	DB2	DB1	DB0
0	0	0	0	1	0	1	VC	VR	VF

VC	VR	VF	Status of internal power supply circuits				
0			Internal voltage converter circuit is OFF				
1			Internal voltage converter circuit is ON				
	0		Internal voltage regulator circuit is OFF				
	1		Internal voltage regulator circuit is ON				
		0	Internal voltage follower circuit is OFF				
		1	Internal voltage follower circuit is ON				



#### **Set Bias Power Save Mode**

Consist of 2-byte Instructions

#### The 1st Instruction

Α0	RW	DB7	DB6	DB5	DB4	DB3	DB2	DB1	DB0
0	0	1	1	1	1	0	0	1	1

#### The 2nd Instruction

Α0	RW	DB7	DB6	DB5	DB4	DB3	DB2	DB1	DB0
0	0	0	0	0	0	0	0	0	0

This command is for saving the IC current consumption by Bias Power Saving After this Instruction is set, Bias function is also working

#### **Release Bias Power Save Mode**

Consist of 2-byte Instructions

## The 1st Instruction

Α0	RW	DB7	DB6	DB5	DB4	DB3	DB2	DB1	DB0
0	0	1	1	1	1	0	0	1	1

#### The 2nd Instruction

<b>A</b> 0	RW	DB7	DB6	DB5	DB4	DB3	DB2	DB1	DB0
0	0	0	0	0	0	0	1	0	0

## This command is for release Bias Power Save

### Select DC-DC Step-up

Selects one of 4 DC-DC step-up to reduce the power consumption by this instruction. It is very useful to realize the partial display function.

A0	RW	DB7	DB6	DB5	DB4	DB3	DB2	DB1	DB0
0	0	0	1	1	0	0	1	DC1	DC0

DC1	DC0	Selected DC-DC converter circuit
0	0	3 times boosting circuit
0	1	4 times boosting circuit
1	0	5 times boosting circuit
1	1	6 times boosting circuit

## **Select Regulator Resistor**

Selects resistance ratio of the internal resistor used in the internal voltage regulator. See voltage regulator section in power supply circuit. Befer to the Table 6.

		<u> </u>							
A0	RW	DB7	DB6	DB5	DB4	DB3	DB2	DB1	DB0
0	0	0	0	1	0	0	B2	R1	R0

R2	R1	R0	1+ (Rb / Ra)
0	0	0	2.3
0	0	1	3.0
0	1	0	3.7
0	1	1	4.4
1	0	0	5.1
1	0	1	5.8
1	1	0	6.5
1	1	1	7.2

## **Set Electronic Volume Register**

Consist of 2-byte Instructions

The 1st instruction set Reference Voltage mode, the 2nd one updates the contents of reference voltage register. After second instruction, Reference Voltage mode is released.



The 1st Instruction: Set Reference Voltage Select Mode

<b>A</b> 0	RW	DB7	DB6	DB5	DB4	DB3	DB2	DB1	DB0
0	0	1	0	0	0	0	0	0	1

The 2nd Instruction: Set Reference Voltage Register

A0	RW	DB7	DB6	DB5	DB4	DB3	DB2	DB1	DB0
0	0	Х	Х	EV5	EV4	EV3	EV2	EV1	EV0

EV5	EV4	EV3	EV2	EV1	EV0	Reference voltage parameter (a)
0	0	0	0	0	0	0
0	0	0	0	0	1	1
:	:	:	:	:	:	÷
:	:	:	:	:	:	:
1	1	1	1	1	0	62
1	1	1	1	1	1	63




Figure 24 Sequence For Setting the Electronic Volume

### **Select LCD Bias**

Selects LCD bias ratio of the voltage required for driving the LCD.

A0	RW	DB7	DB6	DB5	DB4	DB3	DB2	DB1	DB0
0	0	0	1	0	1	0	B2	B1	B0

B2	B1	В0	LCD bias
0	0	0	1/5
0	0	1	1/6
0	1	0	1/7
0	1	1	1/8
1	0	0	1/9
1	0	1	1/10
1	1	0	1/11
1	1	1	1/12

## **SHL Select**

COM output scanning direction is selected by this instruction which determines the LCD driver output status.

<b>A</b> 0	RW	DB7	DB6	DB5	DB4	DB3	DB2	DB1	DB0
0	0	1	1	0	0	SHL	Х	Х	Х

In Mode 0

SHL = 0: normal direction (COM0 -> COM127) SHL = 1: reverse direction (COM127-> COM0)

In Mode 1

SHL = 0: normal direction (COM0 -> COM99) SHL = 1: reverse direction (COM99 -> COM0)

29



#### **ADC Select**

Changes the relationship between RAM column address and segment driver. The direction of segment driver output pins could be reversed by software. This makes IC layout flexible in LCD module assembly.

<b>A</b> 0	RW	DB7	DB6	DB5	DB4	DB3	DB2	DB1	DB0
0	0	1	0	1	0	0	0	0	ADC

In Mode 0

ADC = 0: normal direction (SEG0 -> SEG127) ADC = 1: reverse direction (SEG127 -> SEG0)

In Mode 1

ADC = 0: normal direction (SEG0-> SEG159) ADC = 1: reverse direction (SEG159 -> SEG)

#### **Oscillator ON Start**

This instruction enables the built-in oscillator circuit.

Α0	RW	DB7	DB6	DB5	DB4	DB3	DB2	DB1	DB0
0	0	1	0	1	0	1	0	1	1

#### **Power Save**

The ST7528 enters the Power Save status to reduce the power consumption to the static power consumption value and returns to the normal operation status by the following instructions.


## **Set Power Save Mode**

Α0	RW	DB7	DB6	DB5	DB4	DB3	DB2	DB1	DB0
0	0	1	0	1	0	1	0	0	Р

P = 0: normal mode P = 1: sleep mode

## **Release Power Save Mode**

A0	RW	DB7	DB6	DB5	DB4	DB3	DB2	DB1	DB0
0	0	1	1	1	0	0	0	0	1



## **Figure 25 Power Save Routine**

#### Reset

This instruction Resets initial display line, column address, page address, and common output status select to their initial status, but dose not affect the contents of display data RAM. This instruction cannot initialize the LCD power supply, which is initialized by the RESETB pin.

Α0	RW	DB7	DB6	DB5	DB4	DB3	DB2	DB1	DB0
0	0	1	1	1	0	0	0	1	0



## Set Data Direction & Display Data Length (3-Line SPI Mode)

Consists of 2 bytes instruction.

This command is used in 3-Line SPI mode only (PS0 = "L" and PS1 = "L"). It will be two continuous commands, the first byte control the data direction(write mode only) and inform the LCD driver the second byte will be number of data bytes will be write. When A0 is not used, the Display Data Length instruction is used to indicate that a specified number of display data bytes are to be transmitted. The next byte after the display data string is handled as command data.

The 1st Instruction: Set Data Direction (Only Write Mode)

A0	RW	DB7	DB6	DB5	DB4	DB3	DB2	DB1	DB0
Х	Х	1	1	1	0	1	0	0	0

The 2nd Instruction: Set Display Data Length (DDL) Register

<b>A</b> 0	RW	DB7	DB6	DB5	DB4	DB3	DB2	DB1	DB0
Х	Х	D7	D6	D5	D4	D3	D2	D1	D0

D7	D6	D5	D4	D3	D2	D1	D0	Display Data Length
0	0	0	0	0	0	0	0	1
0	0	0	0	0	0	0	1	2
0	0	0	0	0	0	1	0	3
:	:	:	:	:	:	:	:	:
1	1	1	1	1	1	0	1	254
1	1	1	1	1	1	1	0	255
1	1	1	1	1	1	1	1	256

#### NOP

No operation

Α0	RW	DB7	DB6	DB5	DB4	DB3	DB2	DB1	DB0
0	0	1	1	1	0	0	0	1	1

## **Test Instruction**

This instruction is for testing IC. Please do not use it.

Α0	RW	DB7	DB6	DB5	DB4	DB3	DB2	DB1	DB0
0	0	1	1	1	1	Х	Х	Х	Х

## Set FRC & PWM mode

Selects 3/4 FRC and 45 / 60 PWM

FRC	PWM1	PWM0	Status of PWM & FRC
0			4FRC
1			3FRC
	0	0	45PWM
	0	1	45PWM
	1	0	60PWM
	1	1	

## NOTE: the value of register could not set [PWM1:PWM0]=[1:1] Set Gray Scale Mode & Register

Consists of 2 bytes instruction. The first byte sets grayscale mode and the second byte updates the contents of gray scale register without issuing any other instruction.

- Set Gray Scale Mode

Α0	RW	DB7	DB6	DB5	DB4	DB3	DB2	DB1	DB0
0	0	1	0	GRAY3	GRAY2	GRAY1	GRAY0	FRAMX1	FRAMX0

31

www.FocusLCDs.com



GRAY3	GRAY2	GRAY1	GRAY0	FRAMX1	FRAMX0	Description	
0	0	0	0	0	0	0 In case of setting whit mode and 1 <sup>st</sup> frame	
0	0	0	0	0	1	In case of setting whit mode and 2 <sup>nd</sup> frame	
0	0	0	0	1	0	In case of setting whit mode and 3rd frame	
0	0	0	0	1	1	In case of setting whit mode and 4 <sup>th</sup> frame	
0	0	0	1	0	0	In case of setting GRAY LEVEL 1 mode and 1st frame	
0	0	0	1	0	1	In case of setting GRAY LEVEL 1 mode and 2 rd frame	
0	0	0	1	1	0	In case of setting GRAY LEVEL 1 mode and 3 <sup>rd</sup> frame	
0.	3	2	28	8	1923	85.	
1	1	1	0	0	1	In case of setting GRAY LEVEL 14 mode and 2 <sup>nd</sup> frame	
1	1	1	0	1	0	In case of setting GRAY LEVEL 14 mode and 3rd frame	
1	1	1	0	1	1	In case of setting GRAY LEVEL 14 mode and 4 <sup>th</sup> frame	
1	1	1	1	0	0		
1	1	1	1	0	1	In case of setting dark mode and 2 <sup>nd</sup> frame	
1	1	1	1	1	0	In case of setting dark mode and 3rd frame	
1	1	1	1	1	1	In case of setting dark mode and 4 <sup>th</sup> frame	

**Set Gray Scale Register** 

A0	RW	DB7	DB6	DB5	DB4	DB3	DB2	DB1	DB0
0	0	X	Х	GAX5	GAX4	GAX3	GAX2	GAX1	GAX0

GAX5	GAX4	GAX3	GAX2	GAX1	GAX0	Pulse width (45 PWM)	Pulse width (60 PWM)
0	0	0	0	0	0	0/45	0/60
0	. 0	0	0	0	1	1/45	1/60
0	0	0	0	1	0	2/45	2/60
0	0	0	0	1	1	3/45	3/60
0	0	0	1	0	0	4/45	4/60
1920	28	10	16	28	21	\$8	· ·
1	0	4	0	<b>a</b> 1	<b>a</b> 1	43/45	43/60
1	0	89	1	0	0	44/45	44/60
1	0	- 1	-1	0	1	45/45	45/60
1	. 0	1	1	1	0	0/45	46/60
1	0	1	1	1	1	0/45	47/60
		1	. 8				
1	1	1	0	1	1	0/45	59/60
1	- 1	- 1	1	0	0	0/45	60/60
1	1	1	1	0	1	0/45	0/60
	50 60	1				N.	
1	1	1	1	1	1	0/45	0/60



## **COMMAND DESCRIPTION**

Referential Instruction Setup Flow: Initializing with the built-in Power Supply Circuits




Figure 26 Initializing with the Built-in Power Supply Circuits



## Referential Instruction Setup Flow: Initializing without the built-in Power Supply Circuits




Figure 27 Initializing without Built-in Power Supply Circuits



## Referential Instruction Setup Flow: Data Displaying




Figure 28 Data Displaying

## Referential Instruction Setup Flow: Power OFF




Figure 29 Power OFF

35




## 11.QUALITY SPECIFICATIONS


11.1 Standard of the product appearance test

Manner of appearance test: The inspection should be performed in using 20W x 2 fluorescent lamps. Distance between LCM and fluorescent lamps should be 100 cm or more. Distance between LCM and inspector eyes should be 30 cm or more.

Viewing direction for inspection is 45° from vertical against LCM.



Definition of zone:



A Zone: Active display area (minimum viewing area). B Zone: Non-active display area (outside viewing area).



# **11.2 Specification of quality assurance** AQL inspection standard

Sampling method: MIL-STD-105E, Level II, single sampling

Defect classification (Note: \* is not including)

Classify		Item	Note	AQL
Major	Display state	Short or open circuit	1	0.65
		LC leakage		
		Flickering		
		No display		
		Wrong viewing direction		
		Contrast defect (dim, ghost)	2	
		Back-light	1,8	
	Non-display	Flat cable or pin reverse	10	
		Wrong or missing component	11	
Minor	Display	Background color deviation	2	1.0
	state	Black spot and dust	3	
		Line defect, Scratch	4	
		Rainbow	5	
		Chip	6	
		Pin hole	7	
		Protruded	12	
	Polarizer	Bubble and foreign material	3	
	Soldering	Poor connection	9	
	Wire	Poor connection	10	
	TAB	Position, Bonding strength	13	



## Note on defect classification

No.	Item			Criterion		
1	Short or open circuit			Not allow	ı	
	LC leakage					
	Flickering					
	No display					
	Wrong viewing direction					
	Wrong Back-light					
2	Contrast defect		Ref	er to approva	l sample	
	Background color deviation					
3	Point defect, Black spot, dust	ÛŢĀ		Point Size	Acceptable Qty.	
	(including Polarizer)	$  \stackrel{ }{\widehat{\mathbf{X}}}  $		φ <u>&lt;</u> 0.10	Disregard	
				0.10<¢≤0.20	3	
	$\phi = (X+Y)/2$			$0.20 < \phi \le 0.25$	2	
				$0.25 < \phi \le 0.30$ $\phi > 0.30$	0	
		υnit: mm				
4	Line defect,	<u> </u>				
_		<u> </u>		Line	Acceptable Qty.	
	Scratch	$\left \longleftrightarrow\right $	L	W	D' 1	
		L	3.0≥L	0.015≥W 0.03≥W	Disregard	
			2.0≥L	0.05≥W	2	
			1.0≥L	0.1>W	1	
				0.05 <w< td=""><td>Applied as point defect</td><td></td></w<>	Applied as point defect	
					Unit: mm	
5	Rainbow	Not more than tw	vo color o	changes acro	ss the viewing area.	



No	Item	Criterion
6	Chip  Remark:     X: Length     direction     Y: Short     direction	Acceptable criterion $\begin{array}{c ccccccccccccccccccccccccccccccccccc$
	Z: Thickness direction t: Glass thickness W: Terminal Width	$\begin{array}{c ccccccccccccccccccccccccccccccccccc$
		Acceptable criterion $\begin{array}{ c c c c c c c c c c c c c c c c c c c$
		Acceptable criterion $\begin{array}{c ccccccccccccccccccccccccccccccccccc$
		$\begin{array}{c ccccccccccccccccccccccccccccccccccc$



No.	Item	Criterion					
7	Segment pattern $W = \text{Segment width}$ $\phi = (X+Y)/2$	(1) Pin hole  φ < 0.10mm is acceptable.					
		Point Size Acceptable Qty					
8	Back-light	(1) The color of backlight should correspond its specification.					
9	Soldering	(2) Not allow flickering  (1) Not allow heavy dirty and solder ball on PCB.  (The size of dirty refer to point and dust defect)  (2) Over 50% of lead should be soldered on Land.  Land  Land  50% lead					
10	Wire	<ul> <li>(1) Copper wire should not be rusted</li> <li>(2) Not allow crack on copper wire connection.</li> <li>(3) Not allow reversing the position of the flat cable.</li> <li>(4) Not allow exposed copper wire inside the flat cable.</li> </ul>					
11*	PCB	<ul><li>(1) Not allow screw rust or damage.</li><li>(2) Not allow missing or wrong putting of component.</li></ul>					



No	Item	Criterion
12	Protruded W: Terminal Width	Acceptable criteria: $Y \le 0.4$
13	TAB	1. Position  W  W  W  H  H  TAB  ITO  W  I=1/3W  H  H  I=1/3H  TAB  P (=F/TAB bonding width) ≥650gf/cm ,(speed rate: 1mm/min)  5pcs per SOA (shipment)
14	Total no. of acceptable Defect	A. Zone  Maximum 2 minor non-conformities per one unit.  Defect distance: each point to be separated over 10mm  B. Zone  It is acceptable when it is no trouble for quality and assembly in customer's end product.



## 11.3 Reliability of LCM

Reliability test condition:

Item	Condition	Time (hrs)	Assessment
High temp. Storage	80°C	48	
High temp. Operating	70°C	48	No abnormalities
Low temp. Storage	-30°C	48	in functions
Low temp. Operating	-20°C	48	and appearance
Humidity	40°C/ 90%RH	48	
Temp. Cycle	$0^{\circ}$ C ← $25^{\circ}$ C → $50^{\circ}$ C (30 min ← 5 min → 30min)	10cycles	

Recovery time should be 24 hours minimum. Moreover, functions, performance and appearance shall be free from remarkable deterioration within 50,000 hours under ordinary operating and storage conditions room temperature (20±8°C), normal humidity (below 65% RH), and in the area not exposed to direct sun light.

## 11.4 Precaution for using LCD/LCM

LCD/LCM is assembled and adjusted with a high degree of precision. Do not attempt to make any alteration or modification. The followings should be noted.

### **General Precautions:**

- 1. LCD panel is made of glass. Avoid excessive mechanical shock or applying strong pressure onto the surface of display area.
- 2. The polarizer used on the display surface is easily scratched and damaged. Extreme care should be taken when handling. To clean dust or dirt off the display surface, wipe gently with cotton, or other soft material soaked with isoproply alcohol, ethyl alcohol or trichlorotriflorothane, do not use water, ketone or aromatics and never scrub hard.
- 3. Do not tamper in any way with the tabs on the metal frame.
- 4. Do not make any modification on the PCB without consulting Focus LCDs
- 5. When mounting a LCM, make sure that the PCB is not under any stress such as bending or twisting. Elastomer contacts are very delicate and missing pixels could result from slight dislocation of any of the elements.
- 6. Avoid pressing on the metal bezel, otherwise the elastomer connector could be deformed and lose contact, resulting in missing pixels and also cause rainbow on the display.
- 7. Be careful not to touch or swallow liquid crystal that might leak from a damaged cell. Any liquid crystal adheres to skin or clothes, wash it off immediately with soap and water.

## **Static Electricity Precautions:**

- 1. CMOS-LSI is used for the module circuit; therefore operators should be grounded whenever he/she comes into contact with the module.
- 2. Do not touch any of the conductive parts such as the LSI pads; the copper leads on the PCB and



- the interface terminals with any parts of the human body.
- 3. Do not touch the connection terminals of the display with bare hand; it will cause disconnection or defective insulation of terminals.
- 4. The modules should be kept in anti-static bags or other containers resistant to static for storage.
- 5. Only properly grounded soldering irons should be used.
- 6. If an electric screwdriver is used, it should be grounded and shielded to prevent sparks.
- 7. The normal static prevention measures should be observed for work clothes and working benches.
- 8. Since dry air is inductive to static, a relative humidity of 50-60% is recommended.

## **Soldering Precautions:**

- 1. Soldering should be performed only on the I/O terminals.
- 2. Use soldering irons with proper grounding and no leakage.
- 3. Soldering temperature: 280°C±10°C
- 4. Soldering time: 3 to 4 second.
- 5. Use eutectic solder with resin flux filling.
- 6. If flux is used, the LCD surface should be protected to avoid spattering flux.
- 7. Flux residue should be removed.

## **Operation Precautions:**

- 1. The viewing angle can be adjusted by varying the LCD driving voltage Vo.
- 2. Since applied DC voltage causes electro-chemical reactions, which deteriorate the display, the applied pulse waveform should be a symmetric waveform such that no DC component remains. Be sure to use the specified operating voltage.
- 3. Driving voltage should be kept within specified range; excess voltage will shorten display life.
- 4. Response time increases with decrease in temperature.
- 5. Display color may be affected at temperatures above its operational range.
- 6. Keep the temperature within the specified range usage and storage. Excessive temperature and humidity could cause polarization degradation, polarizer peel-off or generate bubbles.
- 7. For long-term storage over 40°C is required, the relative humidity should be kept below 60%, and avoid direct sunlight.