

## X marks the spot for comfortable hearing protection.

Protect your workers with 3M™ PELTOR™ Earmuffs — X Series. Lightweight dual-molded cups offer great comfort without excess weight. They also feature soft, wide cushions to enhance wearability and comfort. It's hearing protection your crew will want to wear.


## **Ordering Information**

## **Key Features**

- ► Fit can be confirmed: Verify with 3M™ E-A-Rfit™ Dual-Ear Validation System\*
- ► Electrically insulated: Appropriate for a wide range of applications\*\*
- ► High-performance arms: Balance, durability and flexibility
- Compatibility with other PPE: P5 versions fit directly to many industrial safety hard hats
- ► Easy click in/click out: Cups attach and detatch with less effort
- Convenient storage: Store with cups clicked in or out
- ► Series has a wide range of attenuation: Choose from 21 dB NRR to 31 dB NRR

		Product Number	UPC	Product Description	Case Quantity	Noise Reduction Rating*
ELECTRICALLY INSULATED	**	X1P5E	10078371671003	X Series 1 Hard Hat Attached	10 pair	21 dB
		X2P5E	10078371671010	X Series 2 Hard Hat Attached	10 pair	24 dB
	60	X3P5E	10078371671027	X Series 3 Hard Hat Attached	10 pair	25 dB
	**	X4P5E	10078371671034	X Series 4 Hard Hat Attached	10 pair	25 dB
	<b>6</b>	X5P5E	10078371671041	X Series 5 Hard Hat Attached	10 pair	31 dB
FORESTRY	80	X1P5E-OR	50051131272878	X Series 1 Hard Hat Attached, Orange	10 pair	21 dB
		X4A-OR	50051131272885	X Series 4 Over-the-Head, Orange	10 pair	27 dB
	**	X4P5E-OR	50051131272892	X Series 4 Hard Hat Attached, Orange	10 pair	25 dB







X4A-OR now available in forestry orange.



**3M Personal Safety Division** 3M Center, Building 235-2NW-70 St. Paul, MN 55144-1000 3M.com/Hearing

For More Information

Technical Support 1-800-243-4630 Customer Care Center 1-800-328-1667 3M Personal Safety Division products are for occupational use only.

Please recycle. Printed in U.S.A.

© 3M 2016. All rights reserved. 3M, E-A-Rfit, PELTOR and Science. Applied to Life. are trademarks of 3M.

<sup>\*3</sup>M recommends fit testing of hearing protectors. Research suggests that many users will receive less noise reduction than indicated by the NRR due to variation in earmuff fit, earmuff fitting skill and motivation of the user. If NRR is used, 3M recommends that it be reduced by 50% or in accordance with applicable regulations.

<sup>\*\*</sup> These earmuff cups are made of non-conductive (sometimes referred to as "dielectric") material while the metal components of the headbands and the helmet attachment mechanisms are covered in non-conductive material. This product was found to be electrically insulated, withstanding a voltage up to 1.2 kV, at an external laboratory against a modified test method based on EN 397:2012 under dry conditions. The user must determine the overall suitability of this product for the intended application taking into account any hazards other than noise for which this product is tested and approved.