
Cable knife; for Ø 8 mm ... 28 mm / 0.31" ... 1.10"; with intelligent bracket



www.wago.com/206-1403



Data

Technical data

Main product function Cable stripper

Material Data

Weight 123 g

 $\label{thm:continuity} \textbf{Subject to changes. Please also observe the further product documentation!}$

WAGO GmbH & Co. KG

Hansastr. 27 32423 Minden

Phone: +49571 887-0 | Fax: +49571 887-169 Email: info.de@wago.com | Web: www.wago.com Do you have any questions about our products?

We are always happy to take your call at +49 (571) 887-44222.

www.wago.com/206-1403



Commercial data

ETIM 8.0	EC000155
ETIM 7.0	EC000155
PU (SPU)	1 pcs
Packaging type	box
Country of origin	DE
GTIN	4055143835930
Customs tariff number	82119300000

Environmental Product Compliance

RoHS Compliance Status Compliant, No Exemption

Optional accessories

n	n

Cable stripper	
Item no.: 206-1412	www.wogo.com/206_1412
Cable bracket; for Ø 8 mm 28 mm / 0.31" 1.10"	www.wago.com/206-1412
Item no.: 206-1411	www.waga.com/206.1411
Cable bracket; for Ø 4 mm 16 mm / 0.16" 0.63"	www.wago.com/206-1411
Item no.: 206-1413	www.wogo.com/205_1415
Cable bracket; for Ø 27 mm 35 mm / 1.06" 1.38"	www.wago.com/206-1413
Item no.: 206-1414	1000 444
Cable bracket; for Ø 35 mm 50 mm / 1.38" 1.97"	www.wago.com/206-1414
Item no.: 206-1418	
Spare inside blade	www.wago.com/206-1418
Item no.: 206-1415	
Cable bracket; for Ø 50 mm 70 mm / 1.97" 2.75"	www.wago.com/206-1415
Item no.: 206-1419	
Spare hook blade	www.wago.com/206-1419

Downloads

Environmental Product Compliance

Compliance Search

Environmental Product Compliance 206-1403

URL

Download

 $\label{thm:continuity} \textbf{Subject to changes. Please also observe the further product documentation!}$

WAGO GmbH & Co. KG Hansastr. 27

32423 Minden

Phone: +49571 887-0 | Fax: +49571 887-169 Email: info.de@wago.com | Web: www.wago.com Do you have any questions about our products?

We are always happy to take your call at +49 (571) 887-44222.

www.wago.com/206-1403



Cable knife; for Ø 8 mm ... 28 mm / 0.31"" ... 1.10""; with intelligent bracket change system

Installation Notes		
To replace the cable bracket, use the new bracket as an operating tool and pull it upwards.		
The cutting depth of the hook blade can be adjusted with the slider.	The cutting depth of the inner knife can be adjusted with the screw.	
Release the fuse before using the hook blade.		

WAGO GmbH & Co. KG Hansastr. 27 32423 Minden

Phone: +49571 887-0 | Fax: +49571 887-169 Email: info.de@wago.com | Web: www.wago.com

Subject to changes. Please also observe the further product documentation!

Do you have any questions about our products? We are always happy to take your call at +49 (571) 887-44222.

www.wago.com/206-1403



Strip large cross sections with the hook blade.

 $\label{thm:condition} \textbf{Subject to changes. Please also observe the further product documentation!}$

WAGO GmbH & Co. KG Hansastr. 27 32423 Minden

Phone: +49571 887-0 | Fax: +49571 887-169 Email: info.de@wago.com | Web: www.wago.com Do you have any questions about our products? We are always happy to take your call at +49 (571) 887-44222.