


CONFIDENTIAL & PROPRIETARY INFORMATION

This document contains Confidential and Proprietary Information of Alliance LLC, and all design, manufacturing, reproduction, use, and sale rights of such information are expressly reserved

ALL DIMENSIONS ARE IN MM



NOTES:

1. MATERIAL: C-8 WITH STEEL SPACERS
2. MAGNET PROPERTIES:
 Br: 3,700-4,100 G
 Hc: 2,500-2,900 Oe
 Hci: 2,600-3,100 Oe
 T max: 80 C

| Rev | Description | Dated |
|-----|-------------|-------|
| | | |
| | | |
| | | |

TOLERANCES
 (UNLESS OTHERWISE NOTED)

| | |
|----------------|--------------|
| DECIMAL | METRIC |
| X.XX = ± .01 | X.X = ± .25 |
| X.XXX = ± .005 | X.XX = ± .13 |

ANGLES
 ± .5°

DO NOT SCALE DRAWING

| | | |
|---|------------|------------------------|
| Alliance LLC | | |
| 1450 CLARK DRIVE, VALPARAISO, INDIANA 46385 | | |
| DESCRIPTION: Ferrite Multipole Latch Magnet | | |
| LATCH MAGNET | | P/N: YB-108-1 |
| GRADE: C-8 | Dwg by: BT | REV LEVEL: A |
| COATING: None | Apr by: DV | Apr. Dated: 03-13-2020 |