# 1544603-1 ACTIVE

#### NG Power Terminals and Connectors, NG1

TE Internal #: 1544603-1

Housing for Female Terminals, Wire-to-Wire, 1 Position, Sealable, Black, Wire & Cable, Signal, Cable Mount (Free-Hanging), Hybrid

View on TE.com >



Connectors > Automotive Connectors > Automotive Housings



Connector & Housing Type: Housing for Female Terminals

Mating Tab Width: 8 mm [ .314 in ]
Connector System: Wire-to-Wire

Number of Positions: 1

Sealable: Yes

### **Features**

### **Product Type Features**

Connector Shape	Rectangular
Connector & Housing Type	Housing for Female Terminals
Connector System	Wire-to-Wire
Sealable	Yes
Hybrid Connector	No
Primary Locking Feature	Integrated in Housing
Connector & Contact Terminates To	Wire & Cable
Configuration Features	
Number of Positions	1
Number of Rows	1
Electrical Characteristics	
Operating Voltage	13 VDC
Nominal Voltage Architecture	12 V
Body Features	
Cable Exit Angle	180°
Primary Product Color	Black
Connector & Keying Code	Neutral

**Contact Features** 



Contact Size	8mm
Contact Type	Receptacle
Mating Tab Width	8 mm[.314 in]
Mechanical Attachment	
Terminal Position Assurance	Yes
Strain Relief	Without
Mating Alignment Type	Keyed
Mating Alignment	With
Connector Mounting Type	Cable Mount (Free-Hanging)
Housing Features	
Housing Material	PBT
Dimensions	
Connector Height	31 mm[1.22 in]
Product Width	40 mm[1.575 in]
Product Length	25.6 mm[1.008 in]
Usage Conditions	
Operating Temperature (Max)	100 °C[212 °F]
Operating Temperature Range	-40 – 100 °C[-40 – 212 °F]
Operation/Application	
Circuit Application	Signal
Industry Standards	
Degree of Protection	IP67
UL Flammability Rating	UL 94HB
Packaging Features	
Packaging Quantity	2000
Packaging Method	Box
Other	
Serviceable	Yes
Connector Position Assurance Capable	Yes

## **Product Compliance**

For compliance documentation, visit the product page on TE.com>



EU RoHS Directive 2011/65/EU	Compliant
EU ELV Directive 2000/53/EC	Compliant
China RoHS 2 Directive MIIT Order No 32, 2016	No Restricted Materials Above Threshold
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JUNE 2023 (235) Candidate List Declared Against: JUNE 2023 (235) Does not contain REACH SVHC
Halogen Content	Low Halogen - Br, Cl, F, I < 900 ppm per homogenous material. Also BFR/CFR/PVC Free
Solder Process Capability	Not applicable for solder process capability

#### Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: https://echa.europa.eu/guidance-documents/guidance-on-reach

# Compatible Parts











Also in the Series | NG Power Terminals and Connectors





Automotive Connector Caps & Covers (2)




Automotive Housings(57)



Automotive Terminals(28)





Insertion & Extraction Tools(13)

### Also in the Series NG1



Automotive Connector Caps & Covers (2)




Automotive Housings(47)



Automotive Terminals(19)




Connector Seals & Cavity Plugs(8)



Customers Also Bought





TE Part #368530-1 E-S MK-2(+) 6P PLUG ASS'Y



TE Part #1544606-1
TAB HOUSING, 8MM NG1, 1 WAY



TE Part #1544227-1 CLIP 8 MM NG1-1 PO



TE Part #2066010-1
2P SUPERSEAL 1.5 SRS PLUG ASSY
BLACK



TE Part #2359393-1 V23074A2002A402-EV-CBOX



TE Part #282435-2 MODULAR RELAY HOUSING



TE Part #1743455-2 CLIP HSG FOR 090 MLC TYPE-3

TE Part #2307642-1 8POS,ECONOSEAL,REC HSG ASSY, SLD

TE Part #2307645-1 8POS,ECONOSEAL,TAB HSG,SLD TE Part #2307647-1
TPA REC HSG,8POS,ECONOSEAL

### **Documents**

### **Product Drawings**

1W 8MM NG1 SEALED CLIP ASSY BLACK

English

### **CAD Files**

**Customer View Model** 

ENG\_CVM\_CVM\_1544603-1\_B.2d\_dxf.zip

English

3D PDF

3D

**Customer View Model** 

ENG\_CVM\_CVM\_1544603-1\_B.3d\_igs.zip

English

**Customer View Model** 

ENG\_CVM\_CVM\_1544603-1\_B.3d\_stp.zip

English

By downloading the CAD file I accept and agree to the **Terms and Conditions** of use.

**Product Specifications** 



### **Product Specification**

English

### **Instruction Sheets**

Instruction Sheet (non U.S.)

English

PRECONISATION DE CONTROLE PAR < PUSH-TEST > DU PORTE-CLIP 1 VOIE 8NG1 ETANCHE TESTING INSTRUCTIONS FOR < PUSH TEST > ON THE 1-WAY 8NG1 WATERPROOF CLIP HOUSING

English

Instruction Sheet (non U.S.)

English

Instruction Sheet (non U.S.)

French