### **Generation Y Connector System**

TE Internal #: 2138558-2


Housing for Male Terminals, Wire-to-Wire, 2 Position, .1 in [2.54 mm] Centerline, Gray, Signal, Generation Y Connector System

View on TE.com >



Connectors > Automotive Connectors > Automotive Housings











Connector & Housing Type: Housing for Male Terminals

Mating Tab Width: .64 mm [ .025 in ]

Connector System: Wire-to-Wire

Number of Positions: 2

Centerline (Pitch): 2.54 mm [.1 in]

## **Features**

### Product Type Features

Connector Shape	Rectangular
Connector & Housing Type	Housing for Male Terminals
Connector System	Wire-to-Wire
Sealable	No
Hybrid Connector	No
Primary Locking Feature	Integrated in Housing
Configuration Features	
Number of Positions	2
	2
Number of Positions	
Number of Positions  Number of Rows	

В

Connector & Keying Code



Contact Size	.64mm
Contact Type	Tab
Mating Tab Width	.64 mm[.025 in]
Mechanical Attachment	
Terminal Position Assurance	Yes
Strain Relief	Without
Mating Alignment Type	Keyed
Mating Alignment	With
Connector Mounting Type	Cable Mount (Free-Hanging)
Housing Features	
Housing Material	PBT GF
Centerline (Pitch)	2.54 mm[.1 in]
Dimensions	
Connector Height	12.97 mm[.511 in]
Product Width	9.45 mm[.372 in]
Product Length	31.75 mm[1.25 in]
Usage Conditions	
Operating Temperature (Max)	70°C, 75°C, 80°C, 85°C, 90°C, 100°C [158°F][167°F][176°F][185°F][194°F][212° F]
Operating Temperature Range	-40 - 100 °C[-40 - 212 °F]
Operation/Application	
Circuit Application	Signal
Other	
Serviceable	Yes
Connector Position Assurance Capable	No

# **Product Compliance**

For compliance documentation, visit the product page on TE.com>

EU RoHS Directive 2011/65/EU	Compliant
EU ELV Directive 2000/53/EC	Compliant
China RoHS 2 Directive MIIT Order No 32, 2016	No Restricted Materials Above Threshold
EU REACH Regulation (EC) No. 1907/2006	



Current ECHA Candidate List: JUNE 2023

(235)

Candidate List Declared Against: JAN 2023

(233)

Does not contain REACH SVHC

Halogen Content

Low Halogen - Br, Cl, F, I < 900 ppm per homogenous material. Also BFR/CFR/PVC

Free

Solder Process Capability

Not applicable for solder process capability

#### Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: https://echa.europa.eu/guidance-documents/guidance-on-reach

# **Compatible Parts**















Also in the Series | Generation Y Connector System





Automotive Connector Caps & Covers (17)



Automotive Housings(155)



Automotive Terminals(39)



Insertion & Extraction Tools(1)



PCB Headers & Receptacles(15)

# Customers Also Bought




TE Part #2138557-1
2P GENERATION Y Plug, Single-P



TE Part #1801176-1

2W RECEPTACLE HPSL CONNECTOR


BLACK



TE Part #936289-5 6POS MQS REC COD E



TE Part #1924968-3 Contact, male 0.64, 20 to 22 AWG



TE Part #444082-2 MINI AMP IN SHORT V

TE Part #1-511109-5 V-STRIPPING BLADES R0.1

TE Part #1-874545-5 FORM STRIPPING BLADES 1.40





TE Part #2-874545-5 FORM BLADE D 2.40

## **Documents**



### **Product Drawings**

2P GENERATION Y Cap, Single-Pi

English

### **CAD Files**

**Customer View Model** 

ENG\_CVM\_CVM\_2138558-2\_A.2d\_dxf.zip

English

3D PDF

3D

**Customer View Model** 

ENG\_CVM\_CVM\_2138558-2\_A.3d\_igs.zip

English

**Customer View Model** 

ENG\_CVM\_CVM\_2138558-2\_A.3d\_stp.zip

English

By downloading the CAD file I accept and agree to the **Terms and Conditions** of use.

### **Instruction Sheets**

Instruction Sheet (U.S.)

English