



Main

| | |
|------------------------------------|-------------------|
| Accessory / separate part category | Cabling accessory |
| Accessory / Separate Part Type | Jumper cable |

Complementary

| | |
|-------------------------------------|-------------------------------------|
| Jumper cable end 1 | M12 male 4 pins straight screw-on |
| Jumper cable end 2 | M12 female 4 pins straight screw-on |
| Collar material | Metal |
| Cable composition | 4 x 0.34 mm ² |
| Cable length | 16.40 ft (5 m) |
| Wire insulation material | PUR shielded cable) |
| Cable outer diameter | 0.23 in (5.9 mm) |
| [Ue] rated operational voltage | 250 V AC 300 V DC |
| Line Rated Current | 4 A |
| Insulation resistance | >= 1000 MOhm |
| Maximum resistance across terminals | 5000 mOhm |
| Net Weight | 1.10 lb(US) (0.5 kg) |

Environment

| | |
|---------------------------------------|-----------------------------------|
| IP Degree of Protection | IP67 IP65 |
| Ambient air temperature for operation | -13...176 °F (-25...80 °C) static |
| Ambient Air Temperature for Storage | -13...176 °F (-25...80 °C) |




Ordering and shipping details

| | |
|-----------------------|----------------------|
| Category | 22483-MACHINE CABLES |
| Discount Schedule | DS3 |
| GTIN | 3389119621793 |
| Nbr. of units in pkg. | 1 |
| Package weight(Lbs) | 8.92 oz (253.0 g) |
| Returnability | No |
| Country of origin | CZ |


Packing Units

| | |
|------------------------|-------------------|
| Unit Type of Package 1 | PCE |
| Package 1 Height | 1.18 in (3 cm) |
| Package 1 width | 6.89 in (17.5 cm) |
| Package 1 Length | 7.09 in (18 cm) |

Offer Sustainability

| | |
|----------------------------|---|
| California proposition 65 | WARNING: This product can expose you to chemicals including: Diisononyl phthalate (DINP), which is known to the State of California to cause cancer, and Di-isodecyl phthalate (DIDP), which is known to the State of California to cause birth defects or other reproductive harm. For more information go to www.P65Warnings.ca.gov |
| REACH Regulation |  REACH Declaration |
| EU RoHS Directive | Pro-active compliance (Product out of EU RoHS legal scope)  EU RoHS Declaration |
| Mercury free | Yes |
| RoHS exemption information |  Yes |

Dimensions



Connections and Schemes

