




Copyright FCI.




rev	ecn no	dr	date
D	V05-0052	VS	2005-10-14
E	V06-0435	LP	2006-05-08
F	V06-0558	LP	2006-06-21
G	V08-0176	HTB	2008-04-08
H	V08-0489	SM	2008-11-19

spec ref	*	dr	Bill Lin	2010/02/02	projection	mm	size	A4	scale	1:1																
tolerance std	ASME Y14.5	eng	Nickor Zuo	2011/06/08			ecn no	ELX-DG-003943-1																		
		chr	Alex Cao	2011/06/24				product family	GIG-Array		rel level	Released														
surface	✓	appr	Pei-Ming Zheng	2011/06/27			dwg no	55701		rev	J															
		<table border="1"> <thead> <tr> <th>linear</th> <th>0.X</th> <th>±0.30</th> </tr> <tr> <th></th> <th>0.XX</th> <th>±0.10</th> </tr> <tr> <th></th> <th>0.XXX</th> <th>±0.05</th> </tr> <tr> <th>angular</th> <th>0°</th> <th>±2°</th> </tr> </thead> </table>		linear	0.X	±0.30			0.XX	±0.10		0.XXX	±0.05	angular	0°	±2°	<table border="1"> <tr> <td>title</td> <td>GIG-Array</td> </tr> <tr> <td></td> <td>5mm RECP. ASSY. 296 SIG. POS.</td> </tr> <tr> <td>cat. no.</td> <td>*</td> </tr> </table>		title	GIG-Array		5mm RECP. ASSY. 296 SIG. POS.	cat. no.	*	Product - Customer Drw	
linear	0.X	±0.30																								
	0.XX	±0.10																								
	0.XXX	±0.05																								
angular	0°	±2°																								
title	GIG-Array																									
	5mm RECP. ASSY. 296 SIG. POS.																									
cat. no.	*																									

ProjE File - REV C - 2009-06-09



Copyright FCI.



spec ref	*	dr	Bill Lin	2010/02/02	projection	mm	size	A4	scale	1:1
tolerance std	ASME Y14.5	eng	Nickor Zuo	2011/06/08			ecn no		ELX-DG-003943-1	
		chr	Alex Cao	2011/06/24			rel level		Released	
surface	✓	appr	Pei-Ming Zheng	2011/06/27	product family		GIG-Array		rev	
					dwg no		55701		J	
					product		GIG-Array		sheet 2 of 5	


PrdE File - REV C - 2009-06-09

A

B

C

D



**RECEPTACLE INTERFACE DESCRIPTION**




Copyright FCI.


spec ref *		dr <a href="#">Bill Lin</a> 2010/02/02		projection 	mm ←→	size A4	scale 1:1												
tolerance std ASME Y14.5		eng <a href="#">Nickor Zuo</a> 2011/06/08				ecn no ELX-DG-003943-1													
-		chr <a href="#">Alex Cao</a> 2011/06/24				rel level <b>Released</b>													
surface ✓		appr <a href="#">Pei-Ming Zheng</a> 2011/06/27		product family GIG-Array		rev													
-		<table border="1"> <tr> <td>linear</td> <td>0.X</td> <td>±0.30</td> </tr> <tr> <td></td> <td>0.XX</td> <td>±0.10</td> </tr> <tr> <td></td> <td>0.XXX</td> <td>±0.05</td> </tr> <tr> <td>angular</td> <td>0°</td> <td>±2°</td> </tr> </table>		linear	0.X	±0.30		0.XX	±0.10		0.XXX	±0.05	angular	0°	±2°	 title GIG-Array 5mm RECP. ASSY. 296 SIG. POS.		dwg no 55701 rev <b>J</b>	
linear	0.X	±0.30																	
	0.XX	±0.10																	
	0.XXX	±0.05																	
angular	0°	±2°																	
-		www.fci.com		cat. no. *		Product - Customer Drw													
-		-		-		sheet 3 of 5													

PreE File - REV C - 2009-06-09

**FLAT AREA  
PICK-UP CAP**  
SCALE 2:1



DIM "A" REF.  
MATED HEIGHT  
AFTER REFLOW  
SEE NOTE 3.



**END VIEW OF MATED CONNECTORS**  
SCALE 2:1

DIM. "A"	PLUG ASSEMBLY P/N
15	55720
17	10026804
18	10008026
20	55700
25	55727
30	10054784

spec ref	*	dr	Bill Lin	2010/02/02	projection	mm	size	A4	scale	1:1
tolerance std	TOLERANCES UNLESS OTHERWISE SPECIFIED	eng	Nickor Zuo	2011/06/08			ecn no	ELX-DG-003943-1	rel level	Released
ASME Y14.5		chr	Alex Cao	2011/06/24						
-		appr	Pei-Ming Zheng	2011/06/27						
surface		product family		GIG-Array						
linear	0.X	±0.30		title	GIG-Array	dwg no	55701	rev	J	
	0.XX	±0.10								
	0.XXX	±0.05								
angular	0°	±2°	www.fci.com	cat. no.	*	Product - Customer Drw	sheet 4 of 5			

PRODUCT NUMBER	SOLDER BALL COMPOSITION	CONTACT PLATING PERFORMANCE LEVEL
55701-001	STANDARD (EUTECTIC)	PERFORMANCE-BASED PLATING, QUALIFIED TO MEET THE REQUIREMENTS OF FCI PRODUCT SPECIFICATION GS-12-192, INCLUDING TELCORDIA CENTRAL OFFICE
55701-001LF	LEADFREE	
55701-201	STANDARD (EUTECTIC)	
55701-201LF	LEADFREE	

Au over Ni

NOTES:

- ① MATERIAL:  
HOUSING: LCP  
CONTACT: COPPER ALLOY  
PLATING (CONTACT): SEE TABLE.  
UL RATING: 94 V-0  
SOLDER BALL: (SEE TABLE) EUTECTIC SnPb OR LEADFREE 95.5 Sn/4Ag/0.5Cu
- ② SOLDER BALLS WILL NOT BE PERFECT SPHERICAL SHAPE DUE TO REFLOW ATTACHMENT.
- ③ MATED HEIGHT EFFECTED BY CUSTOMERS' PCB PAD SIZE, PLATING, SOLDER REFLOW PROFILE & SOLDER PASTE.
- ④ CONTACTS IN ROWS A, C, E, G, J, K, M, P, R AND T ARE SINGLE BEAM CONTACTS, TYPICALLY USED AS GROUND PINS. (NOTE: CONTACTS IN ROWS J & K ARE TIED TOGETHER [COMMONED])
- ⑤ CONTACTS IN ROWS B, D, F, H, L, N, Q AND S ARE DUAL BEAM CONTACTS, TYPICALLY USED AS SIGNAL PINS.

NOTES CONTINUED

- ⑥ SPECIFIED POSITIONAL TOLERANCE DEFINES PAD TO PAD LOCATION WITHIN LAND PATTERN. POSITIONAL TOLERANCE OF LAND PATTERN TO FUDICIAL MARKS OR PCB DATUMS SHALL BE DEFINED BY CUSTOMER. FOR RECOMMENDED PRODUCT APPLICATION AND PCB DESIGN DETAILS, SEE DOC. NO. GS-20-016.
- ⑦ FOR PROPER APPLICATION FOLLOW FCI APPLICATION SPECIFICATION GS-20-033 LEADFREE SOLDER BALLS WILL NOT SOLDER PROPERLY IN A LEADED SOLDER PROCESS DUE TO A HIGHER REFLOW TEMPERATURE. LEADFREE PRODUCT IS THEREFORE NOT BACKWARDS COMPATIBLE WITH LEADED OR SOME SOLDERING APPLICATIONS. REFERENCE FCI APPLICATION SPECIFICATION.
- ⑧ THIS PRODUCT MEETS THE EUROPEAN UNION DIRECTIVES AND OTHER COUNTRY REGULATIONS AS DESCRIBED IN GS-22-008. PRODUCT MEETING WITH THIS DIRECTIVE IS IDENTIFIED IN THE LOT CODE NUMBER MARKED ON EACHPART BY HAVING AN "X" IN THE SEVENTH CHARACTER POSITION.

spec ref	*	dr	Bill Lin	2010/02/02	projection 	mm 	size	A4	scale	1:1					
tolerance std	TOLERANCES UNLESS OTHERWISE SPECIFIED	eng	Nickor Zuo	2011/06/08			ecn no	ELX-DG-003943-1							
ASME Y14.5		chr	Alex Cao	2011/06/24				rel level	Released						
-		appr	Pei-Ming Zheng	2011/06/27	product family	GIG-Array									
surface	✓	linear	0.X	±0.30	FCI 	title	GIG-Array		dwg no	55701	rev	J			
-			0.XX	±0.10			www.fci.com	cat. no.					*	Product - Customer Drw	sheet 5 of 5
-			0.XXX	±0.05											
-	angular	0°	±2°												