ATGBICS SFP-FX-OC3-S15K ZTE Compatible Transceiver SFP (100Base-FX, 1510nm, SMF, 15km)

Brand : ATGBICS **Product code:** SFP-FX-OC3-S15K-C

Product name : SFP-FX-OC3-S15K ZTE Compatible Transceiver SFP (100Base-FX, 1510nm, SMF, 15km)

SFP-FX-OC3-S15K ZTE Compatible Transceiver SFP (100Base-FX, 1510nm, SMF, 15km)

ATGBICS SFP-FX-OC3-S15K ZTE Compatible Transceiver SFP (100Base-FX, 1510nm, SMF, 15km):

ATGBICS SFP-FX-OC3-S15K 100Base -ZX supports a distance of up to 15km over single-mode fibre (SMF) using a wavelength of 1510nm via an LC connector. Our product meets the specification of ZTE SFP-FX-OC3-S15K= and we proudly offer a compatibility guarantee and lifetime warranty. Our rigorously tested products record a unique traceable serial number and are fully compliant with all MSA Standards. ATGBICS SFP-FX-OC3-S15K ZTE Compatible Transceiver SFP (100Base-FX, 1510nm, SMF, 15km). SFP transceiver type: Fiber optic, Maximum data transfer rate: 100 Mbit/s, Interface type: SFP. Product colour: Silver, Housing material: Metal, Country of origin: United Kingdom. Input voltage: 3.3 V, Maximum voltage: 3.5 V, Power consumption (typical): 1 W. Width: 12.7 mm, Depth: 55.9 mm, Height: 7.62 mm. Number of products included: 1 pc(s), Package type: Box

Performance

SFP transceiver type *	Fiber optic
Maximum data transfer rate *	100 Mbit/s
Interface type *	SFP
Single-mode fiber (SMF) supported	✔
Multi-mode fiber (MMF) supported	✖
Fiber optic connector	LC
SFP transceiver standard	FX
Maximum transfer distance	15000 m
Wavelength	1510 nm
Ethernet LAN	✔
Ethernet interface type	Fast Ethernet
Digital Diagnostics Monitoring (DDM)	✖

Features

Product colour	Silver
Housing material	Metal
Plug and Play	✔
Hot-swap	✔
Easy to install	✔
Country of origin	United Kingdom
Brand compatibility	ZTE
Certification	CE, FCC, RoHS

Power

Input voltage	3.3 V
Maximum voltage	3.5 V
Power consumption (typical)	1 W

Operational conditions

Maximum operating temperature	70 °C
Operating temperature (T-T)	0 - 70 °C
Storage temperature (T-T)	-40 - 85 °C
Operating relative humidity (H-H)	0 - 95%
Storage relative humidity (H-H)	0 - 95%

Weight & dimensions

Width	12.7 mm
Depth	55.9 mm
Height	7.62 mm
Weight	19 g

Packaging data

Number of products included	1 pc(s)
Package type	Box

Technical details

Sustainability compliance	✔
Sustainability certificates	RoHS
Doesn't contain	Lead

5056468702135