



TE Internal #: 61867-2
Ring Terminals & Spade Terminals, Ring Tongue, 18 – 14 AWG
Wire Size, .8 – 2 mm² Wire Size, 1624 – 4106 CMA Wire Size, Stud
Size 1/4
[View on TE.com >](#)

Terminals & Splices > Ring Terminals & Spade Terminals



Ring & Spade Terminal Type: **Ring Tongue**
Wire Size: **1624 – 4106 CMA**
Stud Size: **1/4**

Features

Product Type Features

Shape Description	Circular/Oval
Stud Size	1/4
Sealable	No
Compatible With Discrete Wire Type	Stranded
Wire Insulation Support Retention Type	Insulation Support

Configuration Features

Number of Holes	1
-----------------	---

Contact Features

Contact Base Material	Brass
Ring & Spade Terminal Type	Ring Tongue
Barrel Type	Open
Terminal Orientation	Straight
Terminal Plating Material	Tin
Contact Underplating Material	Nickel

Mechanical Attachment

Wire Insulation Support	With
-------------------------	------



Dimensions

	.08 in
Wire Size	1624 – 4106 CMA
Stud Diameter	6.73 mm[.265 in]
Tongue Thickness	.76 mm[.03 in]
Product Length	26.67 mm[1.05 in]
Barrel Inside Diameter	1.52 mm, 3.7 mm[.06 in][.146 in]
Compatible Insulation Diameter (Max)	3.81 mm[.15 in]
Compatible Insulation Diameter Range	2.03 – 3.81 mm[.08 – .15 in]

Usage Conditions

Insulation Option	Uninsulated
Operating Temperature Range	-40 – 110 °C[-40 – 230 °F]

Operation/Application

Compatible With Wire Base Material	Copper
------------------------------------	--------

Industry Standards

Government Qualified Terminal	No
-------------------------------	----

Packaging Features

Packaging Quantity	2500
Packaging Method	Strip/Reel

Product Compliance

For compliance documentation, visit the product page on TE.com>

EU RoHS Directive 2011/65/EU	Compliant
EU ELV Directive 2000/53/EC	Compliant
China RoHS 2 Directive MIIT Order No 32, 2016	No Restricted Materials Above Threshold
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JUNE 2023 (235) Candidate List Declared Against: JAN 2023 (233) Does not contain REACH SVHC
Halogen Content	Low Halogen - Br, Cl, F, I < 900 ppm per homogenous material. Also BFR/CFR/PVC Free
Solder Process Capability	Not applicable for solder process capability







Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: <https://echa.europa.eu/guidance-documents/guidance-on-reach>

Compatible Parts

 TE Part # 2-2266315-2 OCEAN_2.0_APPLICATOR-S-140F220F	 TE Part # 2266315-2 OCEAN_2.0_APPLICATOR-S-140F220F	 TE Part # 7-2266315-2 OCEAN_2.0_APPLICATOR-S-140F220F	 TE Part # 7-2266315-7 OCEAN_2.0_SPARE_PART_KIT-140F220F
--	---	--	--

Customers Also Bought

 TE Part #2297813-2 BASE ASSY, 38 POSN ISO FUSE AND RELAY	 TE Part #770064-1 01P .093 COMM P&S PLUG HSG	 TE Part #2-521055-2 ULTRAFast 250 ASSY TAB 22-18 AWG TPBR	 TE Part #3-520140-2 ULTRA-FAST 250 ASY REC 16-14 AWG TPBR
 TE Part #160915-2 250 FASTON,REC.,20-17 AWG,TPPB	 TE Part #61795-6 RING 18-14 AWG TPBR	 TE Part #42100-2 FF 250 REC 18-14AWG TPBR	 TE Part #1326031-5 2.8MM BLD,SEAL,14AWG



TE Part #2098164-4
Cover, 60 Pos, No Fuse Graphic or Holder

Documents

Product Drawings

RING CRIMP 18-14 AWG TPBR

English

CAD Files

3D PDF

3D

Customer View Model

ENG_CVM_CVM_61867-2_T_c-61867-2-t.2d_dxf.zip

English

Customer View Model

ENG_CVM_CVM_61867-2_T_c-61867-2-t.3d_igs.zip

English

Customer View Model

ENG_CVM_CVM_61867-2_T_c-61867-2-t.3d_stp.zip

English

By downloading the CAD file I accept and agree to the [Terms and Conditions](#) of use.

Product Specifications

Application Specification

English

Product Environmental Compliance

Product Compliance Document

English

Product Compliance Document

English

Agency Approvals

UL Report

English