


Restricted to: General Release


USED ON

THIS DRAWING IS A CONTROLLED DOCUMENT



**Left Side**

Connector(s): MT-RJ (No Pins)  
 Mode: SM  
 Housing Color: Black  
 Geom. Spec: 115-1215



**Fiber Path**

Fiber A - B  
 Fiber B - A

**Notes:**

- 1 IL and RL tested at 1310nm.
- 2 Product and Processing must meet requirements of Tyco Electronics Standard 230-702
- 3 Label 2 will not be present on any cable assembly less than 5 meters long.
- 4 Includes dust caps (not shown on print).

**Right Side**

Connector(s): ST  
 Mode: SM  
 Housing Color: N/A  
 Geom. Spec: N/A

THIS INFORMATION IS CONFIDENTIAL AND PROPRIETARY TO TYCO ELECTRONICS. IT IS THE PROPERTY OF TYCO ELECTRONICS AND IS NOT TO BE DISCLOSED TO ANY OTHER PERSON OR ENTITY WITHOUT THE WRITTEN AUTHORIZATION OF TYCO ELECTRONICS CORPORATION, HARRISBURG, PENNSYLVANIA

LOC  
 CE  
 DIST  
 16

B	Rev Per EC#	06-022379	9/27/2006	-	MK		
P	LTR	REVISION RECORD	DATE	DIN	APVD		

DIMENSIONS:	TOLERANCES UNLESS OTHERWISE SPECIFIED:
meters	0 PLC ± .
	1 PLC ± .
	2 PLC ± .
	3 PLC ± .
	4 PLC ± .
	5 PLC ± .

DIN	Cable Assy Configurator	MATERIAL	-	HEAT TREAT	-
CHK	Michael Kepko	Tyco Electronics, Inc. Harrisburg, PA 17105-3608			
APVD	Michael Kepko				
NAME	FO C/A - 2 fiber, SM, OFNR (Riser) jacket, MT-RJ (No Pins) to ST				
SCALE	NTS	SIZE	A2	DRAWING NO	C- 6278298
SHEET	1 of 3	REV	B		

Customer Print

Restricted to: General Release

USED ON

THIS DRAWING IS A CONTROLLED DOCUMENT.


Part #	L (meters)	L (feet)	MT-RJ (No Pins), Black		ST	
			IL (dB)	RL (dB)	IL (dB)	RL (dB)
0-6278298-1	0.950 - 1.050	3.11 - 3.44	0.5	26	0.5	50
0-6278298-2	1.950 - 2.050	6.39 - 6.72	0.5	26	0.5	50
0-6278298-3	2.950 - 3.050	9.67 - 10.00	0.5	26	0.5	50
0-6278298-4	3.920 - 4.080	12.86 - 13.38	0.5	26	0.5	50
0-6278298-5	4.920 - 5.080	16.14 - 16.66	0.5	26	0.5	50
0-6278298-6	5.920 - 6.080	19.42 - 19.94	0.5	26	0.5	50
0-6278298-7	6.920 - 7.080	22.70 - 23.22	0.5	26	0.5	50
0-6278298-8	7.920 - 8.080	25.98 - 26.50	0.51	26	0.51	50
0-6278298-9	8.850 - 9.150	29.03 - 30.01	0.51	26	0.51	50
1-6278298-0	9.850 - 10.150	32.31 - 33.30	0.51	26	0.51	50
1-6278298-1	10.850 - 11.150	35.59 - 36.58	0.51	26	0.51	50
1-6278298-2	11.850 - 12.150	38.87 - 39.86	0.51	26	0.51	50
1-6278298-3	12.850 - 13.150	42.15 - 43.14	0.51	26	0.51	50
1-6278298-4	13.850 - 14.150	45.43 - 46.42	0.51	26	0.51	50
1-6278298-5	14.850 - 15.150	48.72 - 49.70	0.51	26	0.51	50
1-6278298-6	15.840 - 16.160	51.96 - 53.01	0.51	26	0.51	50
1-6278298-7	16.830 - 17.170	55.21 - 56.33	0.51	26	0.51	50
1-6278298-8	17.820 - 18.180	58.46 - 59.64	0.51	26	0.51	50
1-6278298-9	18.810 - 19.190	61.71 - 62.95	0.51	26	0.51	50
2-6278298-0	19.800 - 20.200	64.96 - 66.27	0.51	26	0.51	50
2-6278298-1	20.790 - 21.210	68.20 - 69.58	0.51	26	0.51	50
2-6278298-2	21.780 - 22.220	71.45 - 72.90	0.52	26	0.52	50
2-6278298-3	22.770 - 23.230	74.70 - 76.21	0.52	26	0.52	50
2-6278298-4	23.760 - 24.240	77.95 - 79.52	0.52	26	0.52	50
2-6278298-5	24.750 - 25.250	81.20 - 82.84	0.52	26	0.52	50
2-6278298-6	25.740 - 26.260	84.44 - 86.15	0.52	26	0.52	50
2-6278298-7	26.730 - 27.270	87.69 - 89.46	0.52	26	0.52	50
2-6278298-8	27.720 - 28.280	90.94 - 92.78	0.52	26	0.52	50
2-6278298-9	28.710 - 29.290	94.19 - 96.09	0.52	26	0.52	50
3-6278298-0	29.700 - 30.300	97.44 - 99.40	0.52	26	0.52	50
3-6278298-1	30.690 - 31.310	100.68 - 102.72	0.52	26	0.52	50
3-6278298-2	31.680 - 32.320	103.93 - 106.03	0.52	26	0.52	50
3-6278298-3	32.670 - 33.330	107.18 - 109.35	0.52	26	0.52	50
3-6278298-4	33.660 - 34.340	110.43 - 112.66	0.52	26	0.52	50
3-6278298-5	34.650 - 35.350	113.68 - 115.97	0.52	26	0.52	50
3-6278298-6	35.640 - 36.360	116.92 - 119.29	0.53	26	0.53	50
3-6278298-7	36.630 - 37.370	120.17 - 122.60	0.53	26	0.53	50
3-6278298-8	37.620 - 38.380	123.42 - 125.91	0.53	26	0.53	50
3-6278298-9	38.610 - 39.390	126.67 - 129.23	0.53	26	0.53	50
4-6278298-0	39.600 - 40.400	129.92 - 132.54	0.53	26	0.53	50
5-6278298-0	49.500 - 50.500	162.40 - 165.68	0.54	26	0.54	50


Qty	U of M	Description	Item No.
1	piece	HOUSING, CONN, MT-RJ.BLACK	1
1	piece	DUST COVER, MT-RJ	2
1	piece	SPRING, MT-RJ, 3.8 DESIGN	3
1	piece	PIN KEEPER, 3.8MM	4
1	piece	MT-RJ, SPRING PUSH, UNIVERSAL	5
1	piece	CRIMP EYELET, MT-RJ	6
0.0139	sheet	Leg Label - "A"	7
0.0139	sheet	Leg Label - "B"	8
1	piece	MT-RJ FERRULE, THERMOPLAST SM	9
2	piece	Crimp Eyelet	10
2	piece	ST Short Boot - 1.6 to 2.0mm, Blue	11
2	piece	PVC Build-up tubing	12
2	piece	CONN ASSY,2.5MM BAY,SM, 126 UM	13
AR	meter	2 fiber, SM, 1.8 mm, Twinzip, Yellow, OFNR (Riser)	14
1	piece	MT-RJ TwinZip Bend Limiting Boot, Blue	15
2	piece	Trace Label	16

THIS INFORMATION IS CONFIDENTIAL AND PROPRIETARY TO TYCO ELECTRONICS CORPORATION. IT IS THE PROPERTY OF TYCO ELECTRONICS CORPORATION AND IS NOT TO BE DISCLOSED TO ANY OTHER PERSON OR ENTITY WITHOUT THE WRITTEN AUTHORIZATION OF TYCO ELECTRONICS CORPORATION, HARRISBURG, PENNSYLVANIA.

LOC  
CE  
DIST  
16

B	Rev Per EC#	06-022379	9/27/2006	-	MK
P	LTR	REVISION RECORD	DATE	DN	APVD

DIMENSIONS: meters  
 TOLERANCES UNLESS OTHERWISE SPECIFIED:  
 9 P.L.C ± -  
 1 P.L.C ± -  
 2 P.L.C ± -  
 3 P.L.C ± -  
 4 P.L.C ± -  


DIN	Cable Assy Configurator	MATERIAL	HEAT TREAT	
CHK	Michael Kepko			
APVD	Michael Kepko			
NAME	FO C/A - 2 fiber, SM, OFNR (Riser) jacket, MT-RJ (No Pins) to ST			
SCALE	NTS	SIZE	A2	
DRAWING NO	C- 6278298		SHEET	2 of 3
REV	B			

D

C

B

A

THIS DRAWING IS A CONTROLLED DOCUMENT. BFC#D

**Label 1** Per specification 107-1645-1

Trace # - Bar Code  
 Trace # - Human Readable  
 Part Number  
 Country of Origin

**This label is used on all lengths on this drawing.**

**Label 2** Per specification 107-1645-1

Trace # - Bar Code  
 Trace # - Human Readable  
 Part Number  
 Country of Origin

**This label is used on all lengths on this drawing.**

THIS INFORMATION IS CONFIDENTIAL AND PROPRIETARY TO TYCO ELECTRONICS CORPORATION. IT IS NOT TO BE DISCLOSED TO ANY OTHER PERSONS OR ORGANIZATIONS WITHOUT WRITTEN AUTHORIZATION FROM TYCO ELECTRONICS CORPORATION, HARRISBURG, PENNSYLVANIA

LOC  
 CE  
 DIST  
 16

B	Rev Per EC#	06-022379	9/27/2006	-	MK		
P	LTR	REVISION RECORD	DATE	DIN	APVD		

DIMENSIONS:	TOLERANCES UNLESS OTHERWISE SPECIFIED:
meters	
⊕	0 PLC ± .
□	1 PLC ± .
	2 PLC ± .
	3 PLC ± .
	4 PLC ± .

DIN	Cable Assy Configurator	MATERIAL	HEAT TREAT
OK	Michael Kepko	-	-
APVD	Michael Kepko		
NAME	FO C/A - 2 fiber, SM, OFNR (Riser) jacket, MT-RJ (No Pins) to ST		
SCALE	NTS	SIZE	A2
DRAWING NO	C- 6278298	SHEET	3 of 3
REV	B		

Customer Print

A B C D