

PLUGSERIES
POS-4P M12 PG13,5 300 mm

Weidmüller Interface GmbH & Co. KG
Klingenbergstraße 16
D-32758 Detmold
Germany
Fon: +49 5231 14-0
Fax: +49 5231 14-292083
www.weidmueller.com



Various build-in connectors are required for the connections on the device side of the sensor/actuator cabling. These are available in the versions M12, M8 and M5.

General ordering data

Type	POS-4P M12 PG13,5 300 mm
Order No.	8425910000
Version	Locating plug-in connector, M12, No. of poles: 4
GTIN (EAN)	4008190996826
Qty.	1 pc(s).

Data sheet

PLUGSERIES POS-4P M12 PG13,5 300 mm

Weidmüller Interface GmbH & Co. KG
 Klingenbergstraße 16
 D-32758 Detmold
 Germany
 Fon: +49 5231 14-0
 Fax: +49 5231 14-292083
 www.weidmueller.com

Technical data

Dimensions and weights

Net weight 76 g

General data

Cable gland	PG 13.5	Conductor O.D.	-
Contact surface	CuZnAu	Contact tube diameter	M12
Core cross-section	0.34 mm ²	Fire behaviour	V2
Housing main material	CuZn, nickel-plated	Insulation resistance	10 ¹² Ω
Material	Cu Zn	No. of poles	4
Protection degree	IP 67	Rated current	4 A
Rated voltage	250 V	Temperature range of housing	-40 ... +85 ° C

Classifications

ETIM 3.0	EC0005 16	UNSPSC	26-12-16-03
eClass 5.1	27-25-02-01	eClass 6.2	27-26-07-02
eClass 7.1	27-44-01-02		

Approvals

ROHS Conform

Data sheet**PLUGSERIES
POS-4P M12 PG13,5 300 mm**

Weidmüller Interface GmbH & Co. KG
Klingenbergstraße 16
D-32758 Detmold
Germany
Fon: +49 5231 14-0
Fax: +49 5231 14-292083
www.weidmueller.com

Drawings